

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : NOROX®KPM

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Curing chemical

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+44 1235 239670

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Organic peroxides, Type D	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361: Suspected of damaging fertility or the un- born child.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version 2.1      Revision Date: 11.11.2024      SDS Number: 600000000357      Date of last issue: 10.10.2023  
Date of first issue: 01.12.2022

---

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word : Danger

Hazard statements :  
H242 Heating may cause a fire.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H361 Suspected of damaging fertility or the unborn child.

Precautionary statements :

**Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P234 Keep only in original packaging.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Hazardous components which must be listed on the label:

2-Butanone, peroxide (CAS-No. 1338-23-4)  
2,4-Pentanedione, peroxide (CAS-No. 37187-22-7)  
Diacetone alcohol (CAS-No. 123-42-2)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version 2.1      Revision Date: 11.11.2024      SDS Number: 600000000357      Date of last issue: 10.10.2023  
Date of first issue: 01.12.2022

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic Peroxide  
Liquid mixture

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-Butanone, peroxide	1338-23-4 700-954-4 01-2119514691-43-0000	Org. Perox. D; H242 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 25 - < 30
2,4-Pentanedione, peroxide	37187-22-7 237-438-9 01-2119965139-28-0005	Org. Perox. D; H242 Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 7.5 - < 10
Diacetone alcohol	123-42-2 204-626-7 603-016-00-1 01-2119473975-21	Eye Irrit. 2; H319 Repr. 2; H361 STOT SE 3; H335 (Respiratory system)  specific concentration limit Eye Irrit. 2; H319 >= 10 %	>= 7.5 - < 10
hydrogen peroxide	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22	Ox. Liq. 1; H271 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3;	>= 1 - < 2.5

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version 2.1      Revision Date: 11.11.2024      SDS Number: 600000000357      Date of last issue: 10.10.2023  
Date of first issue: 01.12.2022

		H412 specific concentration limit Ox. Liq. 1; H271 >= 70 % Ox. Liq. 2; H272 50 - < 70 % Skin Corr. 1A; H314 >= 70 % Skin Corr. 1B; H314 50 - < 70 % Skin Irrit. 2; H315 35 - < 50 % Eye Dam. 1; H318 8 - < 50 % Eye Irrit. 2; H319 5 - < 8 % STOT SE 3; H335 >= 35 % Aquatic Chronic 3; H412 >= 63 %	
2-methylpentane-2,4-diol	107-41-5 203-489-0 603-053-00-3 01-2119539582-35	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 2; H361d	>= 0.1 - < 1
Acetylacetone	123-54-6 204-634-0 606-029-00-0 01-2119458968-15	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311	>= 0.1 - < 1
Substances with a workplace exposure limit :			
dimethyl phthalate	131-11-3 205-011-6 01-2119437229-36		>= 45 - < 50

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.  
Call a physician immediately.  
Never give anything by mouth to an unconscious person.  
If unconscious, place in recovery position and seek medical advice.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.

- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.  
Call a physician immediately.  
If breathed in, move person into fresh air.  
If not breathing, give artificial respiration.  
Respiratory tract burning possible if aerosols are inhaled.  
Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.
- In case of skin contact : If symptoms persist, call a physician.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.  
Rinse mouth thoroughly with water.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : sensitising effects

Risks : Harmful if swallowed.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

May cause an allergic skin reaction.  
Causes serious eye damage.  
Suspected of damaging fertility or the unborn child.  
Causes severe burns.

Harmful if swallowed.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Suspected of damaging fertility or the unborn child.  
Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Risk of explosion if heated under confinement.  
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.  
Avoid confinement.  
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

---

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use a water spray to cool fully closed containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- 

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

#### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Open drum carefully as content may be under pressure.  
Protect from contamination.  
Do not swallow.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.
- Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage : Store in original container. Keep containers tightly closed in a



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version 2.1      Revision Date: 11.11.2024      SDS Number: 600000000357      Date of last issue: 10.10.2023  
Date of first issue: 01.12.2022

areas and containers      cool, well-ventilated place. Store in cool place. Keep in a well-ventilated place. Contamination may result in dangerous pressure increases - closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Advice on common storage      :      Keep away from combustible materials.  
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature      :      < 30 °C

Further information on storage stability      :      Stable under recommended storage conditions.

### 7.3 Specific end use(s)

Specific use(s)      :      For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dimethyl phthalate	131-11-3	TWA	5 mg/m <sup>3</sup>	GB EH40
		STEL	10 mg/m <sup>3</sup>	GB EH40
2-Butanone, peroxide	1338-23-4	STEL	0.2 ppm 1.5 mg/m <sup>3</sup>	GB EH40
		Diacetone alcohol	123-42-2	TWA
STEL	75 ppm 362 mg/m <sup>3</sup>			GB EH40
hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m <sup>3</sup>	GB EH40
		STEL	2 ppm 2.8 mg/m <sup>3</sup>	GB EH40
2-methylpentane-2,4-diol	107-41-5	TWA	25 ppm 123 mg/m <sup>3</sup>	GB EH40
		STEL	25 ppm 123 mg/m <sup>3</sup>	GB EH40

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version 2.1      Revision Date: 11.11.2024      SDS Number: 600000000357      Date of last issue: 10.10.2023  
Date of first issue: 01.12.2022

### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
dimethyl phthalate	Workers	Inhalation	Long-term systemic effects	66.1 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	135 mg/kg bw/day
2-Butanone, peroxide	Workers	Inhalation	Long-term systemic effects	2.35 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1.33 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	7.05 mg/m <sup>3</sup>
2,4-Pentanedione, peroxide	Workers	Inhalation	Long-term systemic effects	11.75 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	13.33 mg/kg bw/day
Diacetone alcohol	Workers	Inhalation	Acute local effects	240 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	9.4 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	66.4 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	66.4 mg/m <sup>3</sup>
hydrogen peroxide	Workers	Inhalation	Acute local effects	3 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	1.4 mg/m <sup>3</sup>
2-methylpentane-2,4-diol	Workers	Inhalation	Long-term systemic effects	44.43 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	49 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	98 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	63 mg/kg bw/day
Acetylacetone	Workers	Inhalation		84 mg/m <sup>3</sup>
	Workers	Skin contact		12 mg/kg bw/day

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
dimethyl phthalate	Fresh water	0.192 mg/l
	Marine water	0.0192 mg/l
	Sewage treatment plant	4 mg/l
	Fresh water sediment	1.3 mg/kg dry weight (d.w.)
	Soil	3.16 mg/kg dry weight (d.w.)
	Marine sediment	0.13 mg/kg dry weight (d.w.)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version 2.1      Revision Date: 11.11.2024      SDS Number: 600000000357      Date of last issue: 10.10.2023  
Date of first issue: 01.12.2022

2-Butanone, peroxide	Fresh water	0.0056 mg/l
	Marine water	0.00056 mg/l
	Intermittent use/release	0.056 mg/l
	Sewage treatment plant	1.2 mg/l
	Fresh water sediment	0.0876 mg/kg
	Marine sediment	0.00876 mg/kg
	Soil	0.0142 mg/kg
2,4-Pentanedione, peroxide	Fresh water	0.054 mg/l
	Marine water	0.0054 mg/l
	Intermittent use/release	0.054 mg/l
	Fresh water sediment	0.48 mg/kg
	Marine sediment	0.048 mg/kg
	Sewage treatment plant	6.2 mg/l
	Soil	0.065 mg/kg
Diacetone alcohol	Fresh water	2 mg/l
	Marine water	0.2 mg/l
	Sewage treatment plant	82 mg/l
	Fresh water sediment	9.06 mg/kg dry weight (d.w.)
	Marine sediment	0.91 mg/kg dry weight (d.w.)
hydrogen peroxide	Soil	0.63 mg/kg dry weight (d.w.)
	Sewage treatment plant	4.66 mg/l
	Fresh water	0.0126 mg/l
	Marine sediment	0.047 mg/l
	Fresh water sediment	0.047 mg/l
	Marine water	0.0126 mg/l
2-methylpentane-2,4-diol	Soil	0.0023 mg/l
	Fresh water	0.429 mg/l
	Marine water	0.043 mg/l
	Intermittent use/release	4.29 mg/l
	Sewage treatment plant	20 mg/l
	Fresh water sediment	1.59 mg/kg dry weight (d.w.)
	Marine sediment	0.159 mg/kg dry weight (d.w.)
	Soil	0.066 mg/kg dry weight (d.w.)
	Secondary poisoning	
	Remarks:No bioaccumulation is to be expected (log Pow <= 4).	
Acetylacetone	Fresh water	0.026 mg/l
	Marine water	0.0026 mg/l
	Sewage treatment plant	1.32 mg/l
	Fresh water sediment	0.155 mg/kg wet weight
	Marine sediment	0.0155 mg/kg wet weight
	Soil	0.01582 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

		wet weight
--	--	------------

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close to the workstation location.  
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

#### Hand protection

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.40 mm

Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : 0.47 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Wear as appropriate:  
Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless, clear
Odour	:	characteristic
Odour Threshold	:	not determined
pH	:	not determined
Melting point/ range	:	not determined
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	> 65 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Upper explosion limit not determined
Lower explosion limit / Lower flammability limit	:	Lower explosion limit not determined
Vapour pressure	:	not determined
Relative vapour density	:	> 1
Density	:	ca. 1.13 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	:	
Water solubility	:	slightly soluble
Solubility in other solvents	:	soluble

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Solvent: organic solvents

soluble

Solvent: Phthalates

Partition coefficient: n-octanol/water : No data available

Viscosity  
Viscosity, dynamic : 26 - 29 mPa.s (20 °C)

Viscosity, kinematic : not determined

Explosive properties : Not explosive  
In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Organic peroxide

### 9.2 Other information

Self-Accelerating decomposition temperature (SADT) : 60 °C  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Flammability (liquids) : Flammable liquid, Organic peroxide

Self-heating substances : The substance or mixture is not classified as self heating.

Self-ignition : The substance or mixture is not classified as pyrophoric.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
Heating may cause a fire or explosion.

### 10.2 Chemical stability

Stable under recommended storage conditions.  
No decomposition if stored normally.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1,866 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

#### **2-Butanone, peroxide:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on data from similar materials

Acute dermal toxicity : Acute toxicity estimate: 2,500 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Method: Expert judgement

### **2,4-Pentanedione, peroxide:**

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat, male): > 13.1 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: Expert judgement  
Assessment: The substance or mixture has no acute dermal toxicity

### **Diacetone alcohol:**

- Acute oral toxicity : LD50 (Rat): 3,002 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC0 (Rat, male and female): >= 7.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: No mortality observed at this dose.
- Acute dermal toxicity : LD0 (Rat): > 1,875 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

### **hydrogen peroxide:**

- Acute oral toxicity : LD50 (Rat, male and female): 431 mg/kg  
Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after single ingestion.
- Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version 2.1      Revision Date: 11.11.2024      SDS Number: 600000000357      Date of last issue: 10.10.2023  
Date of first issue: 01.12.2022

---

Acute dermal toxicity : LD50 (Rabbit): 9,200 mg/kg  
Remarks: No adverse effect has been observed in acute toxicity tests.

### **2-methylpentane-2,4-diol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat, male): > 55 mg/l  
Exposure time: 8 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

### **Acetylacetone:**

Acute oral toxicity : LD50 (Rat): 570 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, female): 790 mg/kg

### **dimethyl phthalate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : (Rat): > 10.4 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 12,000 mg/kg

### **Skin corrosion/irritation**

Causes severe burns.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### **Product:**

Remarks : Extremely corrosive and destructive to tissue.

### **Components:**

#### **2-Butanone, peroxide:**

Species : Rabbit  
Result : Causes burns.

#### **2,4-Pentanedione, peroxide:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Diacetone alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **hydrogen peroxide:**

Result : Corrosive after 3 minutes or less of exposure

#### **2-methylpentane-2,4-diol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

#### **Acetylacetone:**

Species : Rabbit  
Result : No skin irritation

#### **dimethyl phthalate:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

#### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Product:**

Remarks : May cause irreversible eye damage.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### Components:

#### **2-Butanone, peroxide:**

Result : Irreversible effects on the eye

#### **2,4-Pentanedione, peroxide:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Eye irritation

#### **Diacetone alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

#### **hydrogen peroxide:**

Result : Irreversible effects on the eye  
Remarks : hydrogen peroxide, 35%

#### **2-methylpentane-2,4-diol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : irritating  
Remarks : Based on harmonised classification in EU regulation  
1272/2008, Annex VI

#### **Acetylacetone:**

Species : Rabbit  
Result : No eye irritation

#### **dimethyl phthalate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified due to lack of data.

### **Product:**

Remarks : Causes sensitisation.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### Components:

#### **2-Butanone, peroxide:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Assessment : Harmful if swallowed., Harmful if inhaled.

#### **2,4-Pentanedione, peroxide:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Probability or evidence of skin sensitisation in humans

Remarks : Causes sensitisation.

#### **Diacetone alcohol:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

#### **2-methylpentane-2,4-diol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

#### **Acetylacetone:**

Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

#### **dimethyl phthalate:**

Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

#### **Germ cell mutagenicity**

Not classified due to lack of data.

### Components:

#### **2-Butanone, peroxide:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

### **2,4-Pentanedione, peroxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male and female)  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

### **Diacetone alcohol:**

Genotoxicity in vitro : Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Remarks: Not classified due to data which are conclusive  
although insufficient for classification.

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show  
mutagenic effects.

### **hydrogen peroxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
positive  
Remarks: Information taken from reference works and the  
literature.

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Result: positive  
Remarks: Information taken from reference works and the literature.

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse (male and female)  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: hydrogen peroxide, 35%

Germ cell mutagenicity- Assessment : Based on available data, the classification criteria are not met.

### 2-methylpentane-2,4-diol:

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

### Acetylacetone:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 479  
Result: positive

Method: OECD Test Guideline 473  
Result: positive

Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Method: OECD Test Guideline 474

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Result: positive

Method: OECD Test Guideline 483  
Result: negative

Method: OECD Test Guideline 475  
Result: negative

Method: OECD Test Guideline 478  
Result: Equivocal

Test Type: DNA Repair  
Species: Rat  
Application Route: Oral  
Result: negative

Species: Rat  
Application Route: inhalation (vapour)  
Method: OPPTS 870.5395  
Result: negative

### **dimethyl phthalate:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 476  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Application Route: Intraperitoneal  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **Carcinogenicity**

Not classified due to lack of data.

### **Components:**

#### **2-Butanone, peroxide:**

Remarks : This information is not available.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### **2,4-Pentanedione, peroxide:**

Remarks : This information is not available.

### **Diacetone alcohol:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### **hydrogen peroxide:**

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

### **2-methylpentane-2,4-diol:**

Remarks : This information is not available.

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

### **dimethyl phthalate:**

Species : Rat  
Application Route : Skin contact  
Method : OECD Test Guideline 451  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

### **Components:**

#### **2-Butanone, peroxide:**

Effects on fertility : Species: Rat  
Application Route: oral (gavage)  
General Toxicity - Parent: NOAEL: 50 mg/kg body weight  
Method: OECD Test Guideline 421  
Result: negative

#### **2,4-Pentanedione, peroxide:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### **Diacetone alcohol:**

Effects on fertility : Species: Rat  
Application Route: oral (gavage)  
General Toxicity - Parent: NOAEL: 300 mg/kg body weight



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

General Toxicity F1: NOAEL: 300 mg/kg body weight  
Method: OECD Test Guideline 422

Effects on foetal development : Species: Rat  
Application Route: inhalation (vapour)  
General Toxicity Maternal: NOAEL: 4.106  
Embryo-foetal toxicity: NOAEL: 12,292  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### hydrogen peroxide:

Reproductive toxicity - Assessment : No data available

### 2-methylpentane-2,4-diol:

Effects on fertility : Species: Rat  
Strain: wistar  
Application Route: oral (gavage)  
Method: OECD Test Guideline 443  
Result: negative

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments., Suspected of damaging the unborn child.

### Acetylacetone:

Effects on foetal development : Species: Rat  
Application Route: inhalation (vapour)  
Duration of Single Treatment: 13 d  
General Toxicity Maternal: NOAEC: 200  
Teratogenicity: NOAEC Parent: 400  
Embryo-foetal toxicity: NOAEC F1: 50  
Method: OECD Test Guideline 414

Species: Rat  
Application Route: inhalation (vapour)  
Duration of Single Treatment: 13 d  
General Toxicity Maternal: LOAEC: 400  
Embryo-foetal toxicity: LOAEC F1: 200  
Method: OECD Test Guideline 414

### dimethyl phthalate:

Effects on fertility : Species: Rat  
Application Route: oral (gavage)  
Method: OECD Test Guideline 440  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Effects on foetal development : Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 840 mg/kg body weight  
Developmental Toxicity: NOAEL: 3,570 mg/kg body weight  
Method: OECD Test Guideline 414

### STOT - single exposure

Not classified due to lack of data.

#### Components:

##### **Diacetone alcohol:**

Target Organs : Respiratory system  
Assessment : May cause respiratory irritation.

##### **hydrogen peroxide:**

Target Organs : Respiratory Tract  
Assessment : May cause respiratory irritation.

##### **2-methylpentane-2,4-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Not classified due to lack of data.

#### Components:

##### **hydrogen peroxide:**

Remarks : No data available

##### **2-methylpentane-2,4-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **2-Butanone, peroxide:**

Species : Rat  
NOAEL : 200 mg/kg  
Application Route : oral (gavage)  
Exposure time : 28 d  
Method : OECD Test Guideline 407

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version            Revision Date:            SDS Number:            Date of last issue: 10.10.2023  
2.1                11.11.2024                600000000357            Date of first issue: 01.12.2022

---

### **Diacetone alcohol:**

Species                : Rat  
NOAEL                 : 1.04 mg/l  
LOAEL                 : 4.685 mg/l  
Application Route    : inhalation (vapour)  
Exposure time        : 6 w  
Method                : OECD Test Guideline 412

Species                : Rat  
NOAEL                 : 100 mg/kg  
Application Route    : oral (gavage)  
Method                : OECD Test Guideline 422

### **hydrogen peroxide:**

Species                : Mouse, female  
NOAEL                 : 37 mg/kg  
Application Route    : oral (drinking water)  
Exposure time        : 90 d  
Remarks              : hydrogen peroxide, 35%

Species                : Mouse, males  
NOAEL                 : 26 mg/kg  
Application Route    : oral (drinking water)  
Exposure time        : 90  
Remarks              : hydrogen peroxide, 35%

### **2-methylpentane-2,4-diol:**

Species                : Rat, male and female  
NOAEL                 : 450 mg/kg bw/day  
Application Route    : Ingestion  
Exposure time        : 90  
Method                : OECD Test Guideline 408

### **Acetylacetone:**

Species                : Rat  
NOAEL                 : 200 mg/kg  
LOAEL                 : 805 mg/kg  
Application Route    : inhalation (vapour)  
Exposure time        : 9 d

Species                : Rat  
NOAEL                 : 100 mg/kg  
Application Route    : inhalation (vapour)  
Exposure time        : 90 d  
Method                : OECD Test Guideline 413

Species                : Rabbit  
NOAEL                 : 244 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

LOAEL : 975 mg/kg  
Application Route : Dermal  
Exposure time : 9 d

### **dimethyl phthalate:**

Species : Rat  
NOAEL : 770 mg/kg  
Application Route : Oral  
Exposure time : 16 w  
Method : OECD Test Guideline 408

### **Aspiration toxicity**

Not classified due to lack of data.

### **Components:**

#### **hydrogen peroxide:**

Based on available data, the classification criteria are not met.

#### **2-methylpentane-2,4-diol:**

Based on available data, the classification criteria are not met.

#### **Acetylacetone:**

No aspiration toxicity classification

#### **dimethyl phthalate:**

No aspiration toxicity classification

### **Further information**

#### **Product:**

Remarks : No data available

#### **Components:**

##### **Acetylacetone:**

Remarks : Solvents may degrease the skin.

##### **dimethyl phthalate:**

Remarks : No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **2-Butanone, peroxide:**

- Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 44.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- NOEC (Poecilia reticulata (guppy)): 18 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 39 mg/l  
aquatic invertebrates Exposure time: 48 h  
Method: OECD Test Guideline 202
- NOEC (Daphnia magna (Water flea)): 26.7 mg/l  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 5.6  
plants mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 2.1  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (Bacteria): 48 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

##### **2,4-Pentanedione, peroxide:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 67.6 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 7.05 mg/l  
aquatic invertebrates Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 5.36  
plants mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version 2.1      Revision Date: 11.11.2024      SDS Number: 600000000357      Date of last issue: 10.10.2023  
Date of first issue: 01.12.2022

---

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 614 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **Diacetone alcohol:**

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **hydrogen peroxide:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia pulex (Water flea)): 2.4 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.63 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### **2-methylpentane-2,4-diol:**

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 8,510 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5,410 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 429 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 729 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to microorganisms :  
Remarks: No data available

**Acetylacetone:**

Toxicity to fish : LC50 (Fish): 104 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 25.9 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 83.22 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 3.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 107.6 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

EC10 : 13.2 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox- : NOEC: 10 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

icity) Exposure time: 34 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

LOEC: 22 mg/l  
Exposure time: 34 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### dimethyl phthalate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 39 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 52 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 260 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 : 4,100 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 11 mg/l  
Exposure time: 102 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 210

LOEC: 24 mg/l  
Exposure time: 102 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 9.6 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

LOEC: 23 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### 12.2 Persistence and degradability

#### Components:

##### **2-Butanone, peroxide:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

##### **2,4-Pentanedione, peroxide:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

##### **Diacetone alcohol:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301

##### **hydrogen peroxide:**

Biodegradability : Result: Readily biodegradable.

##### **2-methylpentane-2,4-diol:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: 81 %  
Method: OECD Test Guideline 301F

##### **Acetylacetone:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301C

##### **dimethyl phthalate:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E

### 12.3 Bioaccumulative potential

#### Components:

##### **2-Butanone, peroxide:**

Partition coefficient: n-  
octanol/water : log Pow: < 0.3 (25 °C)

##### **2,4-Pentanedione, peroxide:**

Partition coefficient: n-  
octanol/water : log Pow: 1.1 (25 °C)  
Method: OECD Test Guideline 117

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### Diacetone alcohol:

Partition coefficient: n-octanol/water : log Pow: -0.09 (20 °C)

### hydrogen peroxide:

Partition coefficient: n-octanol/water : log Pow: -1.57 (20 °C)  
Remarks: Information refers to the main component.  
Calculation

### 2-methylpentane-2,4-diol:

Partition coefficient: n-octanol/water : log Pow: -0.14

### Acetylacetone:

Bioaccumulation : Bioconcentration factor (BCF): 3.16  
Remarks: Calculation

Partition coefficient: n-octanol/water : log Pow: 0.68 (40 °C)

### dimethyl phthalate:

Bioaccumulation : Bioconcentration factor (BCF): 57  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 1.54

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.

### Components:

#### **dimethyl phthalate:**

Additional ecological information : No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.  
The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.  
Clean container with water.  
Dispose of contents/ container to an approved waste disposal plant.  
Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR : UN 3105  
RID : UN 3105  
IMDG : UN 3105  
IATA : UN 3105

### 14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S), ACETYL  
ACETONE PEROXIDE)  
RID : ORGANIC PEROXIDE TYPE D, LIQUID

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version 2.1      Revision Date: 11.11.2024      SDS Number: 600000000357      Date of last issue: 10.10.2023  
Date of first issue: 01.12.2022

---

(METHYL ETHYL KETONE PEROXIDE(S), ACETYL ACETONE PEROXIDE)

**IMDG** : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S), ACETYL ACETONE PEROXIDE)

**IATA** : Organic peroxide type D, liquid  
(Methyl ethyl ketone peroxide(s), Acetyl acetone peroxide)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADR</b>	: 5.2	
<b>RID</b>	: 5.2	
<b>IMDG</b>	: 5.2	
<b>IATA</b>	: 5.2	HEAT

### 14.4 Packing group

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Labels : 5.2  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat

### 14.5 Environmental hazards

**ADR**  
Environmentally hazardous : no

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### RID

Environmentally hazardous : no

### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	hydrogen peroxide
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AiIC (AU)	:	All components are listed on the inventory, regulatory obligations/restrictions apply
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

This information is not available.

---

## SECTION 16: Other information

### Full text of H-Statements

H226	:	Flammable liquid and vapour.
H242	:	Heating may cause a fire.
H271	:	May cause fire or explosion; strong oxidizer.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H331	:	Toxic if inhaled.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H361	:	Suspected of damaging fertility or the unborn child.
H361d	:	Suspected of damaging the unborn child.
H412	:	Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Org. Perox.	:	Organic peroxides
Ox. Liq.	:	Oxidizing liquids
Repr.	:	Reproductive toxicity
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## NOROX®KPM

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2023
2.1	11.11.2024	600000000357	Date of first issue: 01.12.2022

---

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.  
The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Org. Perox. D	H242
Acute Tox. 4	H302
Skin Corr. 1B	H314
Eye Dam. 1	H318
Skin Sens. 1	H317
Repr. 2	H361

### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN