

## NOROX<sup>®</sup>P-20

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
3.0	22.01.2025	60000000203	Date of first issue: 13.08.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifie
-----------------------

Trade name : NOROX®P-20

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : polymerisation initiators stance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Company	: United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	: +49 / 89 / 74422 - 0
E-mail address of person responsible for the SDS	: contact@united-in.com

### **1.4 Emergency telephone number**

0800 0 621 2139 (toll-free, access from Turkey only)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification T.R. SEA No 28848 and subsequent amendments

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type C	H242: Heating may cause a fire.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



## NOROX<sup>®</sup>P-20

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
3.0	22.01.2025	60000000203	Date of first issue: 13.08.2018

### 2.2 Label elements

Labelling T.R. SEA No 28848 and subsequent amendments				
Hazard pictograms	:			
Signal word	:	Danger		
Hazard statements	:	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H242 Heating may cause a fire.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H332 Harmful if inhaled.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> </ul>		
Precautionary statements	:	Prevention:		
		<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P234 Keep only in original packaging.</li> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> </ul>		
		<b>Response:</b> P370 + P378 In case of fire: Use water spray, alcohol- resistant foam, dry chemical or carbon dioxide to extinguish. P391 Collect spillage.		

Hazardous components which must be listed on the label: tert-Butyl perbenzoate (CAS-No. 614-45-9)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Che	mical nature	: Organic Peroxide Liquid mixture			
Con	nponents				
Che	mical name		CAS-No.	SEA Classification	Concentration

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# NOROX<sup>®</sup>P-20

Version	Revision Date: 22.01.2025	SDS Number:	Date of last issue: 07.03.2023
3.0		60000000203	Date of first issue: 13.08.2018

	EC-No. Index-No. KKDIK Registra- tion No.		(% w/w)
tert-Butyl perbenzoate	614-45-9 210-382-2	Org. Perox. C; H242 Acute Tox. 4; H332 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 M Easter (Acute	>= 75 - < 80
		M-Factor (Acute aquatic toxicity): 1	
Acetylacetone	123-54-6 204-634-0 606-029-00-0	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311	>= 20 - < 25

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
If inhaled	:	Administer oxygen if breathing is difficult or cyanosis is ob- served. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Call a physician or poison control centre immediately.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105  $\,$ 



# NOROX<sup>®</sup>P-20

Version 3.0	Revision Date: 22.01.2025	SDS Number: 60000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018		
		If unconscious advice. Keep respirate	s, place in recovery position and seek medical bry tract clear.		
In case of skin contact		In case of con for at least 15 and shoes. Wash contam If on skin, rins	If symptoms persist, call a physician. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. If on skin, rinse well with water. If on clothes, remove clothes.		
In case of eye contact		of water and s Remove conta Protect unhari Keep eye wide			
If swallowed		Rinse mouth t Keep respirate	an immediately. horoughly with water. ory tract clear. ersist, call a physician.		
	nportant symptoms a	and effects, both ad	cute and delayed		
Sympt	oms	sensitising eff	ects		
Risks		: Causes skin ir May cause an Harmful if inha	allergic skin reaction.		
4.3 Indication of any immediate Treatment			and special treatment needed natically and supportively.		

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet



# NOROX<sup>®</sup>P-20

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
3.0	22.01.2025	60000000203	Date of first issue: 13.08.2018

### 5.2 Special hazards arising from the substance or mixture

Specific haza fighting	ards during fire- :	Risk of explosion if heated under confinement. Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up. Avoid confinement. Contact with incompatible materials or exposure to tempera- tures exceeding SADT may result in a self-accelerating de- composition reaction with release of flammable vapors which may auto-ignite. The product burns violently. Flash back possible over considerable distance. Do not allow run-off from fire fighting to enter drains or water courses. Vapours may form explosive mixtures with air. The product will float on water and can be reignited on surface water. Cool closed containers exposed to fire with water spray.
5.3 Advice for fire	efighters	
Special prote for firefighters	ctive equipment : s	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.
Specific extin ods	iguishing meth- :	Do not use a solid water stream as it may scatter and spread fire. Remove undamaged containers from fire area if it is safe to do so. Use water spray to cool unopened containers.
Further inform	nation :	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Follow safe handling advice and personal protective equipment recommendations.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> <li>Use personal protective equipment.</li> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Evacuate personnel to safe areas.</li> <li>Never return spills in original containers for re-use.</li> </ul>

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# NOROX<sup>®</sup>P-20

Version 3.0	Revision Date: 22.01.2025	SDS Number: 60000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018			
		Treat recovere considerations	ed material as described in the section "Disposal ".			
6.2 Enviror	nmental precautions					
Environmental precautions :		Prevent further If the product of	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Method	ls and material for co	ntainment and clea	aning up			
6.3 Methods and material for conta Methods for cleaning up :		tion at or below Clear spills im Suppress (kno spray jet. To clean the fla al, use plenty of Soak up with in Isolate waste a Non-sparking t Local or natior posal of this m employed in th	mediately. ick down) gases/vapours/mists with a water oor and all objects contaminated by this materi-			

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on safe handling	:	Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105  $\,$ 



Vers 3.0	sion	Revision Date: 22.01.2025		OS Number: 0000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018	
				plication area. Wash thoroughly For personal prot Persons suscepti allergies, chronic	and drinking should be prohibited in the ap- after handling. ection see section 8. ole to skin sensitisation problems or asthma, or recurrent respiratory disease should not ny process in which this mixture is being	
Advice on protection against fire and explosion		:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.			
	Hygien	e measures	:	food and drink. W	n skin, eyes and clothing. Keep away from hen using do not eat or drink. When using ash hands before breaks and immediately product.	
7.2	Conditi	ons for safe storage,	incl	luding any incom	oatibilities	
	Requir	ements for storage and containers	:	Store in original c cool, well-ventilat may result in dan ers may rupture. ance with the par (e.g. rust, dust, as tions / working ma safety standards.	ontainer. Keep containers tightly closed in a ed place. Store in cool place. Contamination gerous pressure increases - closed contain- Observe label precautions. Store in accord- ticular national regulations. Avoid impurities sh), risk of decomposition. Electrical installa- aterials must comply with the technological Containers which are opened must be care- I kept upright to prevent leakage.	
	Advice	on common storage	:		combustible materials. strong acids, bases, heavy metal salts and bstances.	
	Recom peratur	mended storage tem- e	:	10 - 30 °C		
	Further age sta	r information on stor- ability	:	Stable under reco	mmended storage conditions.	
7.3	-	<b>c end use(s)</b> c use(s)	:	For further inform sheet.	ation, refer to the product technical data	



# NOROX<sup>®</sup>P-20

Version	Revision Date:	SD
3.0	22.01.2025	60

DS Number: 00000000203 Date of last issue: 07.03.2023 Date of first issue: 13.08.2018

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### Derived No Effect Level (DNEL) :

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
tert-Butyl perbenzoate	Workers	Inhalation	Long-term systemic effects	24,7 mg/m3
	Workers	Skin contact	Long-term systemic effects	17,5 mg/kg bw/day
Acetylacetone	Workers	Inhalation		84 mg/m3
	Workers	Skin contact		12 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) :

Substance name	Environmental Compartment	Value
tert-Butyl perbenzoate	Fresh water	0,01 mg/l
	Marine water	1,01 µg/l
	Sewage treatment plant	0,6 mg/l
	Fresh water sediment	0,28 mg/kg dry weight (d.w.)
	Marine sediment	0,028 mg/kg dry weight (d.w.)
	Soil	0,049 mg/kg dry weight (d.w.)
Acetylacetone	Fresh water	0,2 mg/l
	Marine water	0,02 mg/l
	Sewage treatment plant	1,32 mg/l
	Fresh water sediment	1,909 mg/kg dry weight (d.w.)
	Marine sediment	0,191 mg/kg dry weight (d.w.)
	Soil	0,193 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

### **Engineering measures**

Minimize workplace exposure concentrations.

### Personal protective equipment

Eye/face protection :	Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles
-----------------------	--

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# NOROX<sup>®</sup>P-20

Version 3.0	Revision Date: 22.01.2025	SDS Number: 600000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018
			suitable protective goggles. Also wear face pro- e is a splash hazard.
M Bi G M Bi	d protection aterial reak through time love thickness aterial reak through time love thickness	<ul> <li>Nitrile rubber</li> <li>&lt;= 10 min</li> <li>0,40 mm</li> <li>butyl-rubber</li> <li>&lt;= 240 min</li> <li>0,70 mm</li> </ul>	
R	emarks	standard valu material has t tive glove. Ch depending or ous substanc plications, we cals of the afo	ut break through time/strength of material are es! The exact break through time/strength of to be obtained from the producer of the protec- toose gloves to protect hands against chemicals the concentration and quantity of the hazard- e and specific to place of work. For special ap- recommend clarifying the resistance to chemi- prementioned protective gloves with the glove . Wash hands before breaks and at the end of
Skin	and body protection	sistance data tial. Additional bo being perform suits) to avoid Wear as appr	briate protective clothing based on chemical re- and an assessment of the local exposure poten- dy garments should be used based upon the task hed (e.g., sleevelets, apron, gauntlets, disposable d exposed skin surfaces. ropriate: ant antistatic protective clothing.
Resp	iratory protection	: In the case of approved filte	dust or aerosol formation use respirator with an r.
Fi	lter type	: ABEK-filter	
Prote	ective measures		rotective equipment must be selected according tration and amount of the dangerous substance workplace.

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance

: liquid

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Vers 3.0	sion	Revision Date: 22.01.2025		S Number: 0000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018
	Colour		:	light yellow	
	Odour		:	ester-like	
	Odour <sup>-</sup>	Threshold	:	not determined	
	рН		:	substance/mixtu	re is non-soluble (in water)
	Melting	point/ range	:	< 0 °C	
	Boiling	point/boiling range	:	Decomposition: I	Decomposes below the boiling point.
	Flash p	point	:	48 °C Method: ISO 367	79, closed cup
	Flamm	ability (solid, gas)	:	Not applicable	
		explosion limit / Upper bility limit	:	11,4 %(V) (for a component	t of this mixture)
		explosion limit / Lower ability limit	:	2,4 %(V) (for a component	t of this mixture)
	Vapour	pressure	•	7,9 hPa (20 °C) (for a component	t of this mixture)
	Relative	e vapour density	:	not determined	
	Relative	e density	:	not determined	
	Density	/	:	1,03 g/cm3 (20 °	C)
	Solubili Wat	ty(ies) er solubility	-	insoluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Auto-ig	nition temperature	:	not determined	
	Viscosi Visc	ty cosity, dynamic	:	4 mPa.s (20 °C)	
	Visc	cosity, kinematic	:	not determined	
	Explosi	ve properties	:	Not explosive In use, may form	flammable/explosive vapour-air mixture.
	Oxidiziı	ng properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.



## NOROX<sup>®</sup>P-20

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
3.0	22.01.2025	60000000203	Date of first issue: 13.08.2018

### 9.2 Other information

Self-Accelerating decomposi- tion temperature (SADT)	:	60 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Flammability (liquids)	:	Flammable liquid and vapour., Organic peroxide
Self-heating substances	:	The substance or mixture is not classified as self heating.
Self-ignition	:	The substance or mixture is not classified as pyrophoric.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

#### **10.2 Chemical stability**

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid

: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### **10.6 Hazardous decomposition products**

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition



## NOROX<sup>®</sup>P-20

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
3.0	22.01.2025	60000000203	Date of first issue: 13.08.2018

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects Acute toxicity Harmful if inhaled. Product: : Acute toxicity estimate: > 2.000 mg/kg Acute oral toxicity Method: Calculation method : Acute toxicity estimate: 1,07 mg/l Acute inhalation toxicity Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method : Acute toxicity estimate: > 2.000 mg/kg Acute dermal toxicity Method: Calculation method **Components:** tert-Butyl perbenzoate: Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 423 GLP: yes Assessment: The substance or mixture has no acute oral toxicity LC50 (Rat, male and female): > 1,01 - 4,9 mg/l Acute inhalation toxicity Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 GLP: yes Assessment: The component/mixture is moderately toxic after short term inhalation. Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity Acetylacetone: Acute oral toxicity : LD50 (Rat, female): 570 mg/kg Acute inhalation toxicity LC50 (Rat, male and female): 5,1 mg/l : Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105  $\,$ 



rsion	Revision Date: 22.01.2025	SDS Numbe 6000000002	
Acute	e dermal toxicity	: LD50 (R	abbit, female): 790 mg/kg
Skin	corrosion/irritation		
Cause	es skin irritation.		
<u>Prod</u>	uct:		
Rema	arks	: May cau	se skin irritation in susceptible persons.
<u>Comp</u>	oonents:		
tert-B	Butyl perbenzoate:		
Speci		: Rabbit	
Metho Resul		: OECD T : Skin irrita	est Guideline 404
TC50	it.	. Okininia	
-	/lacetone:		
Speci		: Rabbit	
Resul	I	: No skin i	mation
Serio	us eye damage/eye	irritation	
Based	d on available data, th	ne classification of	criteria are not met.
Produ	uct:		
Rema	arks	: Vapours and the	may cause irritation to the eyes, respiratory system skin.
<u>Com</u>	oonents:		
tert-B	Butyl perbenzoate:		
Speci	es	: Rabbit	
Metho			est Guideline 405
Resul	It	: No eye i	rritation
Acety	/lacetone:		
Speci		: Rabbit	
Resul	lt	: No eye i	rritation
Resp	iratory or skin sensi	tisation	
	sensitisation		
May c	ause an allergic skin	reaction.	
Resp	iratory sensitisation	I	
Not cl	lassified due to lack o	f data.	

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105  $\,$ 



Vers 3.0	sion	Revision Date: 22.01.2025	-	OS Number: 0000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018
	<u>Produ</u>	<u>ct:</u>			
	Remai	ks	:	Causes sensitisat	ion.
	<u>Comp</u>	onents:			
	tert-B	utyl perbenzoate:			
	Specie	S	:	Mouse	
	Metho		:	OECD Test Guide	
	Result		:	May cause sensit	isation by skin contact.
	Acety	acetone:			
	Test T	уре	:	Local lymph node	assay (LLNA)
		ure routes	:	Skin contact	
	Specie		:	Mouse	li 100
	Metho Result		÷	OECD Test Guide Does not cause s	
	GLP		:	Ves	kin sensilisation.
	•		-	,	
	Not cla <u>Comp</u>	<b>cell mutagenicity</b> assified due to lack of <u>onents:</u>	data.		
		utyl perbenzoate:			
	Genot	oxicity in vitro	:	Method: OECD T Result: positive	rial reverse mutation assay (AMES) est Guideline 471
				Test Type: In vitro Method: OECD T Result: positive	o mammalian cell gene mutation test est Guideline 476
				Test Type: Chrom Method: OECD T Result: positive	nosome aberration test in vitro est Guideline 473
	Genote	oxicity in vivo	:	Test Type: In vivo Species: Mouse ( Application Route Method: OECD T Result: negative	: Oral
	Acetv	acetone:			
	-	oxicity in vitro	:		nonella typhimurium on: with and without metabolic activation

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105  $\,$ 



Version 3.0	Revision Date: 22.01.2025		DS Number: 0000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018
			Result: negative GLP: yes	
			Test Type: Ame Test system: Ch Metabolic activa	s test inese hamster ovary cells tion: with and without metabolic activation Test Guideline 479
			Test system: Ch Metabolic activa	mosome aberration test in vitro inese hamster ovary cells tion: with and without metabolic activation Test Guideline 473
			Test system: Ch Metabolic activa	ro mammalian cell gene mutation test inese hamster ovary cells tion: with and without metabolic activation Test Guideline 476
Geno	Genotoxicity in vivo		Test Type: Micro Method: OECD Result: positive	onucleus test Test Guideline 474
				mosomal aberration Test Guideline 483
			••	mosomal aberration Test Guideline 475
			Test Type: gene Method: OECD Result: Equivoca	Test Guideline 478
Germ sessr	n cell mutagenicity- As- ment	:	Weight of evider cell mutagen.	nce does not support classification as a germ
	inogenicity lassified due to lack of c	data.		
Com	ponents:			
tert-E Rema	Butyl perbenzoate:		No data availabl	e

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105  $\,$ 



Vers 3.0	sion	Revision Date: 22.01.2025		9S Number: 0000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018
	-	<b>luctive toxicity</b> ssified due to lack of da	ata.		
	Compo	onents:			
	tert-Bu	tyl perbenzoate:			
	Effects	on fertility	:	General Toxicity -	: Oral 750, 1000 milligram per kilogram Parent: NOAEL: 300 mg/kg bw/day 51: NOAEL: 300 mg/kg bw/day
	Acetyla	acetone:			
	Effects ment	on foetal develop-	:	Application Route Dose: 0,20, 200, 4	400 parts per million /aternal: NOAEC: 200 ppm
		• <b>single exposure</b> ssified due to lack of da	ata.		
	Compo	onents:			
	<b>tert-Bu</b> Remark	tyl perbenzoate: <s< td=""><td>:</td><td>Not classified due ficient for classific</td><td>to data which are conclusive although insuf- ation.</td></s<>	:	Not classified due ficient for classific	to data which are conclusive although insuf- ation.
	Not cla	repeated exposure ssified due to lack of da	ata.		
	<u>Compo</u>	onents:			
	<b>tert-Bu</b> Assess	i <b>tyl perbenzoate:</b> ment	:	The substance or organ toxicant, re	mixture is not classified as specific target peated exposure.
	Repeat	ed dose toxicity			
	Compo	onents:			
	Species NOAEL Applica			Rat, male and fem 30 mg/kg Oral 90 d	nale

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



## NOROX<sup>®</sup>P-20

Version 3.0	Revision Date: 22.01.2025	SDS Number: 60000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018	
-				

### Acetylacetone:

Species	:	Rat, male and female
NOAEC	:	0,42 mg/l
Application Route	:	Inhalation
Test atmosphere	:	vapour
Exposure time	:	90 d
Method	:	OECD Test Guideline 413
GLP	:	yes
Target Organs	:	Blood, Central nervous system

### Aspiration toxicity

Not classified due to lack of data.

#### **Components:**

### tert-Butyl perbenzoate:

No aspiration toxicity classification

#### Acetylacetone:

Not classified due to lack of data.

#### **Further information**

### Product:

Remarks

: Solvents may degrease the skin.

### Components:

### Acetylacetone:

Remarks : Solvents may degrease the skin.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Components:	
tert-Butyl perbenzoate:	
Toxicity to fish	<ul> <li>LC50 (Danio rerio (zebra fish)): 1,6 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes</li> </ul>
	NOEC (Danio rerio (zebra fish)): 0,72 mg/l Exposure time: 96 h

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105  $\,$ 



Version 3.0	Revision Date: 22.01.2025		S Number: 0000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018
			Test Type: semi-s Method: OECD Te GLP: yes	
	Toxicity to daphnia and other aquatic invertebrates		EC50 (Daphnia m Exposure time: 48 Test Type: Immob Method: OECD Te GLP: yes	pilization
			NOEC (Daphnia n Exposure time: 48 Test Type: Immob Method: OECD Te GLP: yes	pilization
Tox plar	icity to algae/aquatic its	:	EC10 (Pseudokiro mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
			EC50 (Pseudokiro mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
			NOEC (Pseudokir mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
M-F icity	actor (Acute aquatic tox-	:	1	
Тох	icity to microorganisms	:	EC50 (activated s Exposure time: 0, Test Type: Respir Method: OECD Te GLP: yes	5 h ation inhibition
aqu	icity to daphnia and other atic invertebrates (Chron- pxicity)	:	EC10: 0,49 mg/l End point: reprodu Exposure time: 21 Species: Daphnia Test Type: semi-s	d magna (Water flea)

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105  $\,$ 



ersion .0	Revision Date: 22.01.2025		9S Number: 0000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018
			Method: OECD Te GLP: yes	est Guideline 211
Ecoto	oxicology Assessment			
Acute	aquatic toxicity	:	Very toxic to aqua	tic life.
Chron	nic aquatic toxicity	:	Harmful to aquation	c life with long lasting effects.
Acety	lacetone:			
Toxici	ity to fish	:	LC50 (Pimephales Exposure time: 96 Test Type: flow-th Method: OECD Te	rough test
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Test Type: static t Method: OECD Te GLP: yes	est
Toxici plants	ity to algae/aquatic	:	EC50 (Pseudokiro mg/l End point: Growth Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	? h est
Toxici	ity to microorganisms	:	EC50 (activated s Exposure time: 3 Method: OECD Te GLP: yes	
			EC10 (activated s Exposure time: 3 Method: OECD Te GLP: yes	h
Toxici icity)	ity to fish (Chronic tox-	:	NOEC: 10 mg/l Exposure time: 34 Species: Pimepha Test Type: flow-th Method: OECD Te	iles promelas (fathead minnow) rough test
	ity to daphnia and other ic invertebrates (Chron- city)	:	NOEC: 18 mg/l End point: reprodu Exposure time: 21 Species: Daphnia Test Type: semi-s	d magna (Water flea)

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Version 3.0	Revision Date: 22.01.2025	SDS Number: 600000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018		
		Method: OE0 GLP: yes	CD Test Guideline 211		
12.2 Per	sistence and degradabi	lity			
<u>Cor</u>	nponents:				
	<b>-Butyl perbenzoate:</b> degradability		lily biodegradable. CD Test Guideline 301D		
Acetylacetone: Biodegradability :		Result: Reac Biodegradati Exposure tim	Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: > 80 % Exposure time: 28 d Method: OECD Test Guideline 301C		
12.3 Bio	accumulative potential				
<u>Cor</u>	nponents:				
tert-Butyl perbenzoate: Partition coefficient: n- octanol/water		: log Pow: 3 (2	log Pow: 3 (25 °C)		
Ace	etylacetone:				
Bioa	accumulation	: Bioconcentra Remarks: Ca	ation factor (BCF): 3,16 alculation		
	tition coefficient: n- anol/water	: log Pow: 0,6 Method: Tes 67/548/EEC.	ted according to Annex V of Directive		
	<b>bility in soil</b> data available				
12.5 Res	sults of PBT and vPvB a	issessment			
	duct:				
Ass	essment	to be either p	ce/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or nt and very bioaccumulative (vPvB) at levels of er.		
12.6 Oth	er adverse effects				
<u>Pro</u>	duct:				
		20 /	26		



## NOROX<sup>®</sup>P-20

Version	Revision Date: 22.01.2025	SDS Number:	Date of last issue: 07.03.2023
3.0		600000000203	Date of first issue: 13.08.2018
Additi matio	onal ecological infor- n	unprofessional I Very toxic to aq	tal hazard cannot be excluded in the event of handling or disposal. uatic life. atic life with long lasting effects.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods Product Dispose of wastes in an approved waste disposal facility. : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. Contaminated packaging : Clean container with water. Dispose of contents/ container to an approved waste disposal plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14: Transport information**

### 14.1 UN number

ADR	:	UN 3103
RID	:	UN 3103
IMDG	:	UN 3103
ΙΑΤΑ	:	UN 3103
14.2 UN proper shipping name		
ADR	:	ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)
RID	:	ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)
IMDG	:	ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)
ΙΑΤΑ	:	Organic peroxide type C, liquid (tert-Butyl peroxybenzoate)

### 14.3 Transport hazard class(es)

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# NOROX<sup>®</sup>P-20

Version 3.0	Revision Date: 22.01.2025		DS Number: 0000000203	Date of last issue: 07.03.2023 Date of first issue: 13.08.2018	
			Class	Subaidian viele	
ADR			5.2	Subsidiary risks	
		•			
RID		:	5.2		
IMDG		:	5.2		
IATA :		5.2	HEAT		
14.4 Packir	ng group				
Classif Labels	g group ication Code restriction code	: : :	Not assigned b P1 5.2 (D)	y regulation	
Classif	g group ication Code I Identification Number	: : :	Not assigned b P1 539 5.2	y regulation	
<b>IMDG</b> Packin Labels EmS C		:	Not assigned b 5.2 F-J, S-R	y regulation	
Packin aircraft	g group	:	570 Not assigned b Organic Peroxi	y regulation des, Keep Away From Heat	
<b>IATA (</b> Packin ger aire	<b>Passenger)</b> g instruction (passen- craft) g group	:	570 Not assigned b		
14.5 Enviro	onmental hazards		-		
<b>ADR</b> Enviror	nmentally hazardous	:	yes		
<b>RID</b> Enviror	nmentally hazardous	:	yes		
<b>IMDG</b> Marine	pollutant	:	yes		
14.6 Specia	al precautions for use	r			

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



## NOROX<sup>®</sup>P-20

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
3.0	22.01.2025	60000000203	Date of first issue: 13.08.2018

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manuf placing on the market and use of certain danger substances, mixtures and articles (Annex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
Regulation on Persistent Organic Pollutants (Nu 30595 and subsequent amendments published)		:	Not applicable
Regulation on prevention of major industrial accidents. Reg number 30702	P6b	AND	F-REACTIVE SUBSTANCES MIXTURES and ORGANIC ROXIDES

E1 ENVIRONMENTAL HAZARDS

### Other regulations:

Gefahrgruppe nach TRGS 741: lb, S+ (German regulatory requirements)

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

T.R. Regulation on Classification, Labeling and Packaging of Substances and Mixtures, dated December 11, 2013 and numbered 28848 from the Ministry of Environment and Urbanization and the subsequent amendments published.

Regulation on Import and Export of Certain Hazardous : Not applicable Chemicals, No. 32087, 2023

### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AIIC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



## NOROX<sup>®</sup>P-20

Version 3.0	Revision Date: 22.01.2025	SDS Numb 600000000			
ISHL	(JP)	: On the	inventory, or in compliance with the inventory		
KECI (KR)		: On the	On the inventory, or in compliance with the inventory		
PICCS (PH)		: On the	inventory, or in compliance with the inventory		
IECSC (CN)		: On the	inventory, or in compliance with the inventory		
TECI	(TH)	: On the inventory, or in compliance with the inventor			

### 15.2 Chemical safety assessment

This information is not available.

### **SECTION 16: Other information**

#### Full text of H-Statements

#### Full text of other abbreviations

Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Flam. Liq. :	Flammable liquids
Org. Perox. :	Organic peroxides
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



## NOROX<sup>®</sup>P-20

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
3.0	22.01.2025	60000000203	Date of first issue: 13.08.2018

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Other information	:	This safety datasheet only contains information relating to safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the con- tainer.

Sources of key data us compile the Safety Dat Sheet	ta eChem Porta	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/	
Classification of the	mixture:	Classification procedure:	
Flam. Liq. 3	H226	Based on product data or assessment	
Org. Perox. C	H242	Based on product data or assessment	
Acute Tox. 4	H332	Calculation method	
Chip Irrit 0	11215	Coloulation mathed	

Skin Irrit. 2	H315	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 3	H412	Calculation method



# NOROX<sup>®</sup>P-20

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
3.0	22.01.2025	60000000203	Date of first issue: 13.08.2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN