# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NOROX®WPC-100

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Hardener

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

E-mail address of person

responsible for the SDS

: contact@united-in.com

#### 1.4 Emergency telephone number

+44 1235 239670

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Organic peroxides, Type D H242: Heating may cause a fire.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms





# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible

materials.

P233 Keep container tightly closed.

P235 Keep cool.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

2,4-Pentanedione, peroxide (CAS-No. 37187-22-7)

tert-Butyl perbenzoate (CAS-No. 614-45-9)

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Organic Peroxide

Liquid mixture

#### Components

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2,4-Pentanedione, peroxide	37187-22-7 237-438-9 01-2119965139-28- 0005	Org. Perox. D; H242 Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 20 - < 25
tert-Butyl perbenzoate	614-45-9 210-382-2 01-2119513317-46- 0003	Org. Perox. C; H242 Acute Tox. 4; H332 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412  M-Factor (Acute aquatic toxicity): 1	>= 7.5 - < 10
Acetylacetone	123-54-6 204-634-0 606-029-00-0 01-2119458968-15	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311	>= 1 - < 5

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later.

Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Call a physician or poison control centre immediately.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Call a physician immediately.

If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Call a physician immediately.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.



Date of last issue: 09.12.2022 Version Revision Date: SDS Number: 60000000638 1.1 06.03.2023 Date of first issue: 09.12.2022

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

Do not use a solid water stream as it may scatter and spread

Remove undamaged containers from fire area if it is safe to do

Use water spray to cool unopened containers.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition.

Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas. Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

## 6.2 Environmental precautions

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up Contact with incompatible substances can cause decomposi-

> tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.



Version 1.1

Revision Date: 06.03.2023

SDS Number: 60000000638

Date of last issue: 09.12.2022 Date of first issue: 09.12.2022

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not swallow.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Protect from contamination.

Advice on protection against

fire and explosion

Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.

Hygiene measures : Keep away from food and drink. When using do not eat or

drink. When using do not smoke. Wash hands before breaks

and immediately after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem-

perature

0 - 25 °C

Further information on stor-

age stability

No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

# Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
	75-65-0	TWA	100 ppm 308 mg/m3	GB EH40
		STEL	150 ppm 462 mg/m3	GB EH40
	67-64-1	TWA	500 ppm 1,210 mg/m3	GB EH40
		STEL	1,500 ppm 3,620 mg/m3	GB EH40
		TWA	500 ppm 1,210 mg/m3	2000/39/EC
	Further information: Indicative			
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity., Capable of causing cancer and/or heritable genetic damage., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			
	Further information: Substantial contribution to the total burden via dermal exposure possible, Skin, Carcinogens or mutagens			

#### **Derived No Effect Level (DNEL):**

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
2,4-Pentanedione, peroxide	Workers	Inhalation	Long-term systemic effects	11.75 mg/m3
	Workers	Skin contact	Long-term systemic	13.33 mg/kg
			effects	bw/day



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

tert-Butyl perbenzoate	Workers	Inhalation	Long-term systemic effects	4 mg/m3
	Workers	Skin contact	Long-term systemic effects	6.25 mg/kg bw/day
Acetylacetone	Workers	Inhalation		84 mg/m3
	Workers	Skin contact		12 mg/kg bw/day

## **Predicted No Effect Concentration (PNEC):**

Substance name	Environmental Compartment	Value
2,4-Pentanedione, peroxide	Fresh water	0.054 mg/l
	Marine water	0.0054 mg/l
	Intermittent use/release	0.054 mg/l
	Fresh water sediment	0.48 mg/kg
	Marine sediment	0.048 mg/kg
	Sewage treatment plant	6.2 mg/l
	Soil	0.065 mg/kg
tert-Butyl perbenzoate	Fresh water	0.0088 mg/l
	Marine water	0.0009 mg/l
	Intermittent use/release	0.008 mg/l
	Sewage treatment plant	0.6 mg/l
	Fresh water sediment	0.24 mg/kg
	Marine sediment	0.024 mg/kg
	Soil	0.043 mg/kg
Acetylacetone	Fresh water	0.026 mg/l
	Marine water	0.0026 mg/l
	Sewage treatment plant	1.32 mg/l
	Fresh water sediment	0.155 mg/kg wet weight
	Marine sediment	0.0155 mg/kg wet weight
	Soil	0.01582 mg/kg wet weight

#### 8.2 Exposure controls

#### **Engineering measures**

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Ensure that eyewash stations and safety showers are close to

the workstation location.

Please follow all applicable local/national requirements when

selecting protective measures for a specific workplace.

Hand protection

Material : butyl-rubber
Break through time : <120 min
Glove thickness : 0.47 mm



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical re-

sistance data and an assessment of the local exposure poten-

tial.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : yellow, clear

Odour : very faint

Odour Threshold : not determined

pH : not determined

Melting point/freezing point : not determined

Initial boiling point and boiling

range

Decomposition at boiling point.

Flash point : 68 °C

# NOROX®WPC-100



Version Revision Date: SDS Number: 1.1 06.03.2023 60000000638

Date of last issue: 09.12.2022 Date of first issue: 09.12.2022

Method: closed cup

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

Upper explosion limit

No data available

Lower explosion limit / Lower

flammability limit

Lower explosion limit

not determined

Vapour pressure : not determined

Relative vapour density : No data available

Density : ca. 1.1 g/cm3 (20 °C)

Solubility(ies)

Water solubility : partly soluble

Solubility in other solvents : soluble

Solvent: organic solvents

soluble

Solvent: Esters

soluble

Solvent: Ketones

Partition coefficient: n-

octanol/water

No data available

Viscosity

Viscosity, dynamic : 80 - 90 mPa.s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

9.2 Other information

Self-Accelerating decomposi-

tion temperature (SADT)

> 60 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Flammability (liquids) : Flammable liquid, Organic peroxide

Self-heating substances : The substance or mixture is not classified as self heating.

Self-ignition : The substance or mixture is not classified as pyrophoric.

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

#### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

#### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

**Components:** 

2,4-Pentanedione, peroxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): > 13.1 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist Method: Expert judgement

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: Expert judgement

Assessment: The substance or mixture has no acute dermal

toxicity

tert-Butyl perbenzoate:

Acute oral toxicity : LD0 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): 1.01 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Acute dermal toxicity : LD0 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Acetylacetone:

Acute oral toxicity : LD50 (Rat): 570 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.1 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, female): 790 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Remarks : May cause skin irritation and/or dermatitis.

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

## **Components:**

2,4-Pentanedione, peroxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

tert-Butyl perbenzoate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Acetylacetone:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

**Product:** 

Remarks : May cause irreversible eye damage.

**Components:** 

2,4-Pentanedione, peroxide:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Eye irritation

tert-Butyl perbenzoate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Acetylacetone:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

**Product:** 

Remarks : Causes sensitisation.

**Components:** 

2,4-Pentanedione, peroxide:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Probability or evidence of skin sensitisation in humans

Remarks : Causes sensitisation.

tert-Butyl perbenzoate:

Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

Acetylacetone:

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

2,4-Pentanedione, peroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)
Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

tert-Butyl perbenzoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

# NOROX®WPC-100



Version 1.1

Revision Date: 06.03.2023

SDS Number: 600000000638

Date of last issue: 09.12.2022 Date of first issue: 09.12.2022

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: positive

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Test Type: Mouse Lymphoma

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Application Route: Oral

Result: negative

Acetylacetone:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Method: OECD Test Guideline 479

Result: positive

Method: OECD Test Guideline 473

Result: positive

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Method: OECD Test Guideline 474

Result: positive

Method: OECD Test Guideline 483

Result: negative

Method: OECD Test Guideline 475

Result: negative

Method: OECD Test Guideline 478

Result: Equivocal

Test Type: DNA Repair

Species: Rat

Application Route: Oral

Result: negative

Species: Rat

Application Route: inhalation (vapour)

Method: OPPTS 870.5395

# NOROX®WPC-100



Version 1.1

Revision Date: 06.03.2023

SDS Number: 600000000638

Date of last issue: 09.12.2022 Date of first issue: 09.12.2022

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

2,4-Pentanedione, peroxide:

Remarks : This information is not available.

tert-Butyl perbenzoate:

Remarks : This information is not available.

Reproductive toxicity

Not classified based on available information.

**Components:** 

2,4-Pentanedione, peroxide:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

tert-Butyl perbenzoate:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 300 mg/kg body weight

Method: OECD Test Guideline 421

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 300 mg/kg body weight

Method: OECD Test Guideline 414

Acetylacetone:

Effects on foetal develop-

ment

Species: Rat

Application Route: inhalation (vapour)
Duration of Single Treatment: 13 d
General Toxicity Maternal: NOAEC: 200
Teratogenicity: NOAEC Parent: 400
Embryo-foetal toxicity: NOAEC F1: 50
Method: OECD Test Guideline 414

Species: Rat

Application Route: inhalation (vapour)
Duration of Single Treatment: 13 d
General Toxicity Maternal: LOAEC: 400
Embryo-foetal toxicity: LOAEC F1: 200

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

Method: OECD Test Guideline 414

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

#### **Components:**

#### Acetylacetone:

Species : Rat

 NOAEL
 : 200 mg/kg

 LOAEL
 : 805 mg/kg

Application Route : inhalation (vapour)

Exposure time : 9 d

Species : Rat

NOAEL : 100 mg/kg

Application Route : inhalation (vapour)

Exposure time : 90 d

Method : OECD Test Guideline 413

Species : Rabbit
NOAEL : 244 mg/kg
LOAEL : 975 mg/kg
Application Route : Dermal
Exposure time : 9 d

#### Aspiration toxicity

Not classified based on available information.

#### **Components:**

#### Acetylacetone:

No aspiration toxicity classification

## **Further information**

#### **Product:**

Remarks : No data available

#### **Components:**

#### 2,4-Pentanedione, peroxide:

Remarks : No data available

## Acetylacetone:

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

Remarks : Solvents may degrease the skin.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

2,4-Pentanedione, peroxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 67.6 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 7.05 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 5.36

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 614 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

tert-Butyl perbenzoate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 11 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.8

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.72

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

. '

Toxicity to microorganisms : EC50 : 43 mg/l

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

Exposure time: 0.5 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

EC10: 0.49 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Acetylacetone:

Toxicity to fish : LC50 (Fish): 104 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 25.9 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 83.22

mq/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 3.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 107.6 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

EC10: 13.2 mg/l Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 10 mg/l

Exposure time: 34 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

LOEC: 22 mg/l Exposure time: 34 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 18 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

#### 12.2 Persistence and degradability

#### **Components:**

2,4-Pentanedione, peroxide:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301D

tert-Butyl perbenzoate:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301D

Acetylacetone:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301C

#### 12.3 Bioaccumulative potential

#### **Components:**

2,4-Pentanedione, peroxide:

Partition coefficient: n- : log Pow: 1.1 (25 °C)

octanol/water Method: OECD Test Guideline 117

tert-Butyl perbenzoate:

Partition coefficient: n-

octanol/water

log Pow: 2.89 (25 °C)

Acetylacetone:

Bioaccumulation : Bioconcentration factor (BCF): 3.16

Remarks: Calculation

Partition coefficient: n-

octanol/water

: log Pow: 0.68 (40 °C)

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

#### 12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

**Components:** 

2,4-Pentanedione, peroxide:

Additional ecological information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

## **SECTION 14: Transport information**

14.1 UN number

**ADR** : UN 3105 **IMDG** : UN 3105

14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE D, LIQUID

(ACETYL ACETONE PEROXIDE, tert-BUTYL

PEROXYBENZOATE)

IMDG : ORGANIC PEROXIDE TYPE D, LIQUID

(ACETYL ACETONE PEROXIDE, tert-BUTYL

PEROXYBENZOATE)

14.3 Transport hazard class(es)

**ADR** : 5.2



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

**IMDG** : 5.2

14.4 Packing group

**ADR** 

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2 Tunnel restriction code : (D)

**IMDG** 

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-J, S-R

14.5 Environmental hazards

**ADR** 

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Population (EC) No 640/2012

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

Not applicable

# NOROX®WPC-100



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

of dangerous chemicals

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

P6b SELF-REACTIVE 50 t 200 t

SUBSTANCES AND MIXTURES and ORGANIC

**PEROXIDES** 

Other regulations:

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): III (German regulatory require-

ments)

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AllC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

This information is not available.

## **SECTION 16: Other information**

#### **Further information**

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

may still contain product residues.

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

#### Classification of the mixture: Classification procedure:

Org. Perox. D H242 Based on product data or assessment

Eye Irrit. 2 H319 Calculation method Skin Sens. 1 H317 Calculation method

#### **Full text of H-Statements**

H226 : Flammable liquid and vapour.
H242 : Heating may cause a fire.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.

H331 : Toxic if inhaled.
H332 : Harmful if inhaled.
H400 : Very toxic to aquatic life.

H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Org. Perox. : Organic peroxides
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2000/39/EC / TWA : Limit Value - eight hours

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Con-



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.12.2022

 1.1
 06.03.2023
 600000000638
 Date of first issue: 09.12.2022

centration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN