

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB®5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : POLCOB®5

Unique Formula Identifier (UFI) : 63CC-U0D6-W00W-KAGS

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Catalyst

### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person responsible for the SDS : contact@united-in.com

### 1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P262 Do not get in eyes, on skin, or on clothing.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P315 Get immediate medical advice/ attention.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:  
ethyl-(S)-lactate (CAS-No. 687-47-8)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mixture  
contains polymer bound cobalt

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version 2.3      Revision Date: 06.03.2023      SDS Number: 600000000625      Date of last issue: 13.12.2022  
Date of first issue: 11.02.2019

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethyl-(S)-lactate	687-47-8 211-694-1 607-129-00-7 01-2119516234-49	Flam. Liq. 3; H226 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 40 - < 45

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

Call a physician immediately.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.  
May cause respiratory irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Treat recovered material as described in the section "Disposal considerations".

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.

Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment.

Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations.

Storage class (TRGS 510) : 3, Flammable liquids

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

Specific use(s) : No data available

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

Ensure that eyewash stations and safety showers are close to the workstation location.  
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Equipment should conform to EN 166

### Hand protection

Material	:	butyl-rubber
Break through time	:	480 min
Glove thickness	:	0,47 mm
Directive	:	Equipment should conform to EN 374

Remarks	:	The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
---------	---	---

Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Wear as appropriate: Flame retardant antistatic protective clothing.
--------------------------	---	--

Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter. Respirator with combination filter for vapour/particulate (EN 141)
------------------------	---	--

Filter type	:	ABEK-filter
-------------	---	-------------

Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
---------------------	---	---

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
----------------	---	--------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version 2.3      Revision Date: 06.03.2023      SDS Number: 600000000625      Date of last issue: 13.12.2022  
Date of first issue: 11.02.2019

---

Colour : violet

Odour : characteristic

Odour Threshold : not determined

Melting point/range : not determined

Boiling point/boiling range : 153 °C

Flammability : Not applicable

Upper explosion limit / Upper flammability limit : Upper explosion limit  
11,4 %(V)  
(for a component of this mixture)

Lower explosion limit / Lower flammability limit : Lower explosion limit  
1,5 %(V)  
(for a component of this mixture)

Flash point : 44 °C  
Method: closed cup

Auto-ignition temperature : 400 °C

pH : Not applicable substance/mixture is non-soluble (in water)

Viscosity

    Viscosity, dynamic : < 400 mPa.s (23 °C)

    Viscosity, kinematic : not determined

Solubility(ies)

    Water solubility : insoluble

Partition coefficient: n-octanol/water : No data available

Vapour pressure : 1,8 hPa (20 °C)

Relative density : not determined

Density : 1,05 g/cm<sup>3</sup> (20 °C)

Relative vapour density : not determined

### 9.2 Other information

Explosives : Not explosive



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Flammable liquid and vapour.

Self-ignition : not auto-flammable

Self-heating substances : The substance or mixture is not classified as self heating.

Evaporation rate : No data available

Refractive index : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Components:

#### ethyl-(S)-lactate:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute oral tox-

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

icity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): > 5.400 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : Remarks: No data available

### **Skin corrosion/irritation**

Not classified based on available information.

#### **Components:**

##### **ethyl-(S)-lactate:**

Remarks : Based on available data, the classification criteria are not met.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Product:**

Remarks : May cause irreversible eye damage.

#### **Components:**

##### **ethyl-(S)-lactate:**

Result : Corrosive

Remarks : May cause irreversible eye damage.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

##### **ethyl-(S)-lactate:**

Remarks : Based on available data, the classification criteria are not met.

### **Germ cell mutagenicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

May cause respiratory irritation.

#### **Components:**

##### **ethyl-(S)-lactate:**

Assessment : May cause respiratory irritation.

### **STOT - repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

#### **Components:**

##### **ethyl-(S)-lactate:**

No aspiration toxicity classification

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### **Product:**

Remarks : Solvents may degrease the skin.

#### **Components:**

##### **ethyl-(S)-lactate:**

Remarks : Solvents may degrease the skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **ethyl-(S)-lactate:**

Toxicity to fish : LC50 (Fish): 320 mg/l  
Exposure time: 96 h

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : No data available

#### Components:

##### **ethyl-(S)-lactate:**

Additional ecological information : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- ADN : UN 1993  
ADR : UN 1993  
RID : UN 1993  
IMDG : UN 1993  
IATA : UN 1993

#### 14.2 UN proper shipping name

- ADN : FLAMMABLE LIQUID, N.O.S.  
(ethyl (S)-2-hydroxypropionate)
- ADR : FLAMMABLE LIQUID, N.O.S.  
(ethyl (S)-2-hydroxypropionate)
- RID : FLAMMABLE LIQUID, N.O.S.  
(ethyl (S)-2-hydroxypropionate)
- IMDG : FLAMMABLE LIQUID, N.O.S.  
(ethyl (S)-2-hydroxypropionate)
- IATA : Flammable liquid, n.o.s.  
(ethyl (S)-2-hydroxypropionate)

#### 14.3 Transport hazard class(es)

- ADN : 3  
ADR : 3  
RID : 3  
IMDG : 3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version 2.3      Revision Date: 06.03.2023      SDS Number: 600000000625      Date of last issue: 13.12.2022  
Date of first issue: 11.02.2019

---

**IATA** : 3

### 14.4 Packing group

#### ADN

Packing group : III  
Classification Code : F1  
Labels : 3

#### ADR

Packing group : III  
Classification Code : F1  
Labels : 3  
Tunnel restriction code : (E)

#### RID

Packing group : III  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3

#### IMDG

Packing group : III  
Labels : 3  
EmS Code : F-E, S-E

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 366  
Packing instruction (LQ) : Y344  
Packing group : III  
Labels : Flammable Liquids

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 355  
Packing instruction (LQ) : Y344  
Packing group : III  
Labels : Flammable Liquids

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : no

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c	FLAMMABLE LIQUIDS	Quantity 1 5.000 t	Quantity 2 50.000 t
-----	-------------------	-----------------------	------------------------

Water hazard class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

#### The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

DSL (CA) : All components of this product are on the Canadian DSL

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

This information is not available.

---

## SECTION 16: Other information

### Full text of H-Statements

H226 : Flammable liquid and vapour.  
H318 : Causes serious eye damage.  
H335 : May cause respiratory irritation.

### Full text of other abbreviations

Eye Dam. : Serious eye damage  
Flam. Liq. : Flammable liquids  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re-



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## POLCOB® 5



Version	Revision Date:	SDS Number:	Date of last issue: 13.12.2022
2.3	06.03.2023	600000000625	Date of first issue: 11.02.2019

---

striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Flam. Liq. 3	H226
Eye Dam. 1	H318
STOT SE 3	H335

### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN