according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB[®]A12

Version Revision Date: SDS Number: Date of last issue: 13.12.2022 22.04.2024 60000000839 Date of first issue: 06.09.2019 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

: POLCOB®A12 Trade name

Unique Formula Identifier : X1DC-Q0WN-Q00T-6H38

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Catalyst

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

E-mail address of person responsible for the SDS

: contact@united-in.com

1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single exposure, Category 3, Respiratory system H335: May cause respiratory irritation.

Long-term (chronic) aquatic hazard, Cat-

H412: Harmful to aquatic life with long lasting effects.

egory 3

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Hazard pictograms :







Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H318 Causes serious eye damage.H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P261 Avoid breathing mist or vapours.P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Hazardous components which must be listed on the label: ethyl-(S)-lactate (CAS-No. 687-47-8)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Chemical nature : Mixture

contains polymer bound cobalt

Components

Components		1	
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
ethyl-(S)-lactate	687-47-8	Flam. Liq. 3; H226	>= 70 - < 75
	211-694-1	Eye Dam. 1; H318	
	607-129-00-7	STOT SE 3; H335	
	01-2119516234-49	(Respiratory system)	
2,6-di-tert-butyl-p-cresol	128-37-0	Aquatic Acute 1;	>= 0,25 - < 1
	204-881-4	H400	
	01-2119555270-46	Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
		aquatic toxicity): 1	
		. ,	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Administer oxygen if breathing is difficult or cyanosis is ob-

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Respiratory tract burning possible if aerosols are inhaled. If unconscious, place in recovery position and seek medical

advice.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Keep respiratory tract clear.

If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Rinse mouth thoroughly with water.

Keep respiratory tract clear. Do NOT induce vomiting.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : Do not allow run-off from fire fighting to enter drains or water

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

fighting courses.

Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas.

Treat recovered material as described in the section "Disposal

considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Open drum carefully as content may be under pressure.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. Avoid formation of aerosol.

Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on a naked flame or any

incandescent material.

Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from

food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately

after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Observe label precautions. Store in accordance with the particular national regulations. Electrical installations / working

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

Version Revision Date: SDS Number: Date of last issue: 13.12.2022 2.0 22.04.2024 60000000839 Date of first issue: 06.09.2019

> materials must comply with the technological safety standards. Containers which are opened must be carefully resealed

and kept upright to prevent leakage.

Storage class (TRGS 510)

Recommended storage tem- : 5 - 30 °C

perature

7.3 Specific end use(s)

Specific use(s) For further information, refer to the product technical data

sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
2,6-di-tert-butyl-p-	128-37-0	AGW (Vapour	10 mg/m3	DE TRGS
cresol		and aerosols,		900
		inhalable frac-		
		tion)		
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,6-di-tert-butyl-p- cresol	Workers	Inhalation	Long-term systemic effects	4,4 mg/m3
	Workers	Inhalation	Systemic effects, Short-term exposure	18 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,7 mg/kg bw/day
	Workers	Skin contact	Systemic effects, Short-term exposure	19 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,6-di-tert-butyl-p-cresol	Fresh water	0,0023 mg/l
	Intermittent use/release	0,004 mg/l
	Marine water	0,00023 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	3,4 mg/kg dry
		weight (d.w.)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Marine sediment	0,34 mg/kg dry weight (d.w.)
Soil	0,24 mg/kg dry weight (d.w.)
Secondary poisoning	16,7 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Equipment should conform to EN 166

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0,47 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

approved filter.

Respirator with combination filter for vapour/particulate (EN

141)

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : viscous liquid

Colour : violet

Odour : characteristic

Melting point/range : not determined

Boiling point/boiling range : 153 °C

Upper explosion limit / Upper

flammability limit

11,4 %(V)

Lower explosion limit / Lower

flammability limit

1,5 %(V)

Flash point : 54 °C

Method: closed cup

Solubility(ies)

Water solubility : insoluble

Vapour pressure : ca. 1,8 hPa (20 °C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Density : ca. 1 g/cm3 (20 °C)

9.2 Other information

Explosives : Not explosive

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions. No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

Not applicable

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB[®]A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Components:

ethyl-(S)-lactate:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): > 5.400 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: No mortality observed at this dose.

Acute dermal toxicity : Remarks: No data available

2,6-di-tert-butyl-p-cre sol:

Acute oral toxicity : LD50 (Rat, male and female): > 2.930 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : Extremely corrosive and destructive to tissue.

Components:

ethyl-(S)-lactate:

Remarks : Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cre sol:

Species : Rabbit

Result : No skin irritation

Remarks : Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Product:

Remarks : May cause irreversible eye damage.

Components:

ethyl-(S)-lactate:

Result : Corrosive

Remarks : May cause irreversible eye damage.

2,6-di-tert-butyl-p-cre sol:

Species : Rabbit

Result : No eye irritation

Remarks : Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

ethyl-(S)-lactate:

Remarks : Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cre sol:

Exposure routes : Skin contact Species : Humans

Remarks : No known sensitising effect.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

2,6-di-tert-butyl-p-cre sol:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium Metabolic activation: Metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: rat hepatocytes

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB[®]A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: Metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Rat (male) Cell type: Bone marrow Application Route: Oral

Result: negative

Test Type: Micronucleus test Species: Mouse (male and female)

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified due to lack of data.

Components:

2,6-di-tert-butyl-p-cre sol:

Species : Rat, male and female

: 247 mg/kg bw/day

Target Organs : Liver

Reproductive toxicity

Not classified due to lack of data.

Components:

2,6-di-tert-butyl-p-cre sol:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Fertility: NOAEL: 500 mg/kg body weight

Effects on foetal develop-

ment

Test Type: Two-generation study Species: Rat, male and female

General Toxicity Maternal: NOAEL: 100 mg/kg body weight Developmental Toxicity: NOAEL: 100 mg/kg body weight

STOT - single exposure

May cause respiratory irritation.

Components:

ethyl-(S)-lactate:

Assessment : May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

2,6-di-tert-butyl-p-cre sol:

Species : Rat, male
NOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 35 - 56 d
Target Organs : Liver

Symptoms : alteration in liver enzymes

Aspiration toxicity

Not classified due to lack of data.

Components:

ethyl-(S)-lactate:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

ethyl-(S)-lactate:

Remarks : Solvents may degrease the skin.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethyl-(S)-lactate:

Toxicity to fish : LC50 (Fish): 320 mg/l

Exposure time: 96 h

2,6-di-tert-butyl-p-cre sol:

Toxicity to fish : NOEC (Oryzias latipes (Orange-red killifish)): 0,053 mg/l

Exposure time: 42 d

LC50 (Danio rerio (zebra fish)): > 0,57 mg/l

Exposure time: 96 h

Method: Regulation (EC) No. 440/2008, Annex, C.1

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,48 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Method: Regulation (EC) No. 440/2008, Annex, C.3

NOEC (Desmodesmus subspicatus (green algae)): 0,4 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic tox- :

icity)

: 1

Toxicity to microorganisms : EC50 : > 10.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition of activated sludge

Method: OECD Test Guideline 209

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,023 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB[®]A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

12.2 Persistence and degradability

Components:

2,6-di-tert-butyl-p-cre sol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4,5 % Exposure time: 28 d

Method: OECD Test Guideline 301

12.3 Bioaccumulative potential

Components:

2,6-di-tert-butyl-p-cre sol:

Bioaccumulation : Bioconcentration factor (BCF): > 2.000

Partition coefficient: n-

octanol/water

log Pow: 5,1

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB[®]A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Components:

ethyl-(S)-lactate:

Additional ecological infor-

mation

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 1993
ADR : UN 1993
RID : UN 1993
IMDG : UN 1993
IATA : UN 1993

14.2 UN proper shipping name

ADN : FLAMMABLE LIQUID, N.O.S.

(ethyl (S)-2-hydroxypropionate)

ADR : FLAMMABLE LIQUID, N.O.S.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

(ethyl (S)-2-hydroxypropionate)

RID : FLAMMABLE LIQUID, N.O.S.

(ethyl (S)-2-hydroxypropionate)

IMDG : FLAMMABLE LIQUID, N.O.S.

(ethyl (S)-2-hydroxypropionate)

IATA : Flammable liquid, n.o.s.

(ethyl (S)-2-hydroxypropionate)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 3 **ADR** : 3

RID : 3

IMDG : 3

IATA : 3

14.4 Packing group

ADN

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

ADR

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

IMDG

Packing group : III Labels : 3 EmS Code : F-E, <u>S-E</u>

IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

IATA (Passenger)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB[®]A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Packing instruction (passen: 355

ger aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

rid

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

dor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB[®]A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the Euro- P5c FLAMMABLE LIQUIDS

pean Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Water hazard class (Germa: WGK 2 obviously hazardous to water

ny) Classification according to AwSV, Annex 1 (5.2)

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

DSL (CA) : This product contains the following components listed on the

Canadian NDSL. All other components are on the Canadian

DSL.

N,N-diethyl-3-oxobutyramide

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Further information

Other information : This safety datasheet only contains information relating to

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Flam. Liq. 3 H226 Based on product data or assessment

Eye Dam. 1 H318 Calculation method STOT SE 3 H335 Calculation method Aquatic Chronic 3 H412 Calculation method

Full text of H-Statements

H226
H318
Causes serious eye damage.
H335
May cause respiratory irritation.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Flam. Liq. : Flammable liquids

STOT SE : Specific target organ toxicity - single exposure

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POLCOB®A12

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.12.2022

 2.0
 22.04.2024
 600000000839
 Date of first issue: 06.09.2019

- Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN