according to Regulation (EC) No. 1907/2006

# **TAHP-88**



Date of last issue: 14.11.2022 Version Revision Date: SDS Number: 08.03.2023 60000000043 Date of first issue: 18.09.2017 2.2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TAHP-88

REACH Registration Number : 01-2119964027-36-0002

Substance name : tert-pentyl hydroperoxide

EC-No. 222-321-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: polymerisation initiators, This substance should be handled stance/Mixture under strictly controlled conditions as specified in REACH

regulation article 18(4). Site documentation to support safe handling arrangements in accordance with risk-based management system should be available at each manufacturing site. During the whole lifecycle all necessary measures should be undertaken to minimize emissions and any resulting expo-

sure.

1.3 Details of the supplier of the safety data sheet

: United Initiators GmbH Company

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

E-mail address of person

responsible for the SDS

: contact@united-in.com

# 1.4 Emergency telephone number

+44 1235 239670

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Organic peroxides, Type E H242: Heating may cause a fire.

Acute toxicity, Category 4 H302: Harmful if swallowed.

Acute toxicity, Category 3 H331: Toxic if inhaled.

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

Acute toxicity, Category 3 H311: Toxic in contact with skin.

Skin corrosion, Sub-category 1B H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Germ cell mutagenicity, Category 2 H341: Suspected of causing genetic defects.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :











Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H242 Heating may cause a fire. H302 Harmful if swallowed.

H311 + H331 Toxic in contact with skin or if inhaled.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible

materials.

P233 Keep container tightly closed.

P235 Keep cool.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER/

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

doctor if you feel unwell.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P315 Get immediate medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

# Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Substance name : tert-pentyl hydroperoxide

EC-No. : 222-321-7

Synonyms : Hydroperoxide, 1,1-dimethylpropyl

Chemical nature : Organic Peroxide

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

#### Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
tert-pentyl hydroperoxide	3425-61-4 222-321-7	>= 84 - <= 88	Acute toxicity estimate  Acute oral toxicity: 500 mg/kg  Acute inhalation toxicity (vapour): 2.4 mg/l  Acute dermal toxicity: 446 mg/kg
Di-tert-pentyl peroxide	10508-09-5 234-042-8	>= 1 - < 2.5	

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use

suitable instruments/apparatus. Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Call a physician or poison control centre immediately.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Call a physician immediately.

If breathed in, move person into fresh air.

Contact a poison control center.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

Call a physician immediately.
Contact a poison control center.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Call a physician immediately.

Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

Toxic in contact with skin or if inhaled. May cause an allergic skin reaction. Causes serious eye damage.

Suspected of causing genetic defects.

Causes severe burns.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating de-

composition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Cool closed containers exposed to fire with water spray.

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

tire

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Remove all sources of ignition. Evacuate personnel to safe areas.

Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas. Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse.

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

#### 6.4 Reference to other sections

For personal protection see section 8.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not swallow.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling.

For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Protect from contamination.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof

equipment. Keep away from combustible material.

Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from

food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately

after handling the product.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

areas and containers Electrical installations / working materials must comply with

the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance

with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem- :

perature

5 - 30 °C

Further information on stor-

age stability

No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-pentyl hydroper- oxide	Workers	Inhalation	Long-term systemic effects	3 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.16 mg/kg bw/day
Di-tert-pentyl peroxide	Workers	Inhalation	Long-term systemic effects	2.35 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.67 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.17 mg/m3

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-pentyl hydroperoxide	Fresh water	0.012 mg/l
	Marine water	0.0012 mg/l
	Fresh water sediment	0.437 mg/kg
	Marine sediment	0.043 mg/kg
	Sewage treatment plant	3.3 mg/l

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

# 8.2 Exposure controls

# **Engineering measures**

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when

selecting protective measures for a specific workplace.

Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : 120 min
Glove thickness : 0.40 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Respirator with combination filter for vapour/particulate (EN

141)

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

to the concentration and amount of the dangerous substance

at the specific workplace.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : characteristic

Odour Threshold : not determined

Melting point/range : < -10 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flammability : Not applicable

Upper explosion limit / Upper

flammability limit

Upper explosion limit No data available

Lower explosion limit / Lower

flammability limit

Lower explosion limit No data available

Flash point : ca. 47 °C

Method: closed cup

Auto-ignition temperature : not determined

Self-Accelerating decomposi-

tion temperature (SADT)

80 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

pH : ca. 4 (20 °C)

Viscosity

Viscosity, dynamic : 5.2 mPa.s (20 °C)

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : 63.3 g/l soluble

Partition coefficient: n- : log Pow: 2.9

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

octanol/water Based on data from similar materials

Vapour pressure : 43.2 hPa (25 °C)

Relative density : not determined

Density : 0.92 g/cm3 (20 °C)

Relative vapour density : not determined

9.2 Other information

Explosives : Not explosive

In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Flammability (liquids) : Flammable liquid and vapour., Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Self-heating substances : The substance or mixture is not classified as self heating.

Substances and mixtures, which in contact with water,

emit flammable gases

The substance or mixture does not emit flammable gases in

contact with water.

Desensitised explosives : Not applicable

Evaporation rate : No data available

Refractive index : 1.41 at 20 °C

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT.

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

Heat, flames and sparks. Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and

decomposition

**SECTION 11: Toxicological information** 

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

Harmful if swallowed.

Toxic in contact with skin or if inhaled.

**Product:** 

Acute oral toxicity : LD50 (Rat): 500 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 2.4 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): 446 mg/kg

Method: OECD Test Guideline 402

**Components:** 

tert-pentyl hydroperoxide:

Acute oral toxicity : LD50 (Rat): 500 mg/kg

Method: OECD Test Guideline 401

Acute toxicity estimate: 500 mg/kg Method: Calculation method

Acute inhalation toxicity : LC50 (Rat): 2.4 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute toxicity estimate: 2.4 mg/l Test atmosphere: vapour Method: Calculation method

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

Acute dermal toxicity : LD50 (Rat): 446 mg/kg

Method: OECD Test Guideline 402

Acute toxicity estimate: 446 mg/kg Method: Calculation method

Di-tert-pentyl peroxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 22 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes severe burns.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : Causes burns.

Remarks : Extremely corrosive and destructive to tissue.

**Components:** 

tert-pentyl hydroperoxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Causes burns.

Di-tert-pentyl peroxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

**Product:** 

Species : Rabbit

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.

**Components:** 

tert-pentyl hydroperoxide:

Species : Rabbit

Result : Irreversible effects on the eye

Di-tert-pentyl peroxide:

Species : Rabbit

Method : OECD Test Guideline 437

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

**Product:** 

Result : May cause sensitisation by skin contact.
Remarks : Based on data from similar materials

Remarks : Causes sensitisation.

**Components:** 

tert-pentyl hydroperoxide:

Result : May cause sensitisation by skin contact.
Remarks : Based on data from similar materials

Di-tert-pentyl peroxide:

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Suspected of causing genetic defects.

**Product:** 

Germ cell mutagenicity- As- : In vitro tests showed mutagenic effects

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

sessment

**Components:** 

tert-pentyl hydroperoxide:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: Equivocal

Test Type: Micronucleus test Method: OECD Test Guideline 487

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay

Method: OECD Test Guideline 489

Result: negative

Germ cell mutagenicity- As-

sessment

In vitro tests showed mutagenic effects

Di-tert-pentyl peroxide:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: positive

Germ cell mutagenicity- As-

sessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Carcinogenicity

Not classified based on available information.

**Product:** 

Remarks : This information is not available.

Reproductive toxicity

Not classified based on available information.

**Product:** 

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

**Components:** 

tert-pentyl hydroperoxide:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

Di-tert-pentyl peroxide:

Effects on fertility : Species: Rat

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 100 mg/kg body weight

Method: OECD Test Guideline 422

Remarks: Based on data from similar materials

Species: Rat

Application Route: Ingestion

General Toxicity - Parent: LOAEL: 300 mg/kg body weight

Method: OECD Test Guideline 422

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

**Product:** 

Remarks : No data available

Components:

tert-pentyl hydroperoxide:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

**Product:** 

Remarks : No data available

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

# **Components:**

tert-pentyl hydroperoxide:

Remarks : No data available

Repeated dose toxicity

**Product:** 

Species : Rat

NOAEL : 100 mg/kg Application Route : oral (gavage)

Method : OECD Test Guideline 421

**Components:** 

tert-pentyl hydroperoxide:

Species : Rat NOAEL : 100 mg/kg Application Route : oral (gavage)

Method : OECD Test Guideline 421

Di-tert-pentyl peroxide:

Species : Rat

NOAEL : 300 mg/kg Application Route : oral (gavage)

Exposure time : 28 d

Method : OECD Test Guideline 407

Aspiration toxicity

Not classified based on available information.

**Product:** 

No data available

**Components:** 

tert-pentyl hydroperoxide:

No data available

11.2 Information on other hazards

**Endocrine disrupting properties** 

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : Solvents may degrease the skin.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6.7 mg/l

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 138 mg/l

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

: EC10 (Bacteria): 33 mg/l

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**Components:** 

tert-pentyl hydroperoxide:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6.7 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.2

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

plants mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 138 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

EC10 (Bacteria): 33 mg/l Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Di-tert-pentyl peroxide:

Toxicity to fish : LC50 : 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 73.1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 36 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 15

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 1,000 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 209

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

# 12.2 Persistence and degradability

**Product:** 

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301D

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



Version Revision Date: SDS Number: Date of last issue: 14.11.2022 2.2 08.03.2023 600000000043 Date of first issue: 18.09.2017

**Components:** 

tert-pentyl hydroperoxide:

Biodegradability Result: Not readily biodegradable.

Method: OECD Test Guideline 301D

Remarks: Based on data from similar materials

Di-tert-pentyl peroxide:

Biodegradability Result: Not readily biodegradable.

Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

**Components:** 

tert-pentyl hydroperoxide:

Partition coefficient: n-

: log Pow: 2.9

octanol/water Remarks: Based on data from similar materials

Di-tert-pentyl peroxide:

Bioaccumulation : Bioconcentration factor (BCF): 614

Partition coefficient: n-

octanol/water

log Pow: 4.7

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

**Product:** 

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

**Product:** 

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

**ADR** : UN 3107 **IMDG** : UN 3107

14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE E, LIQUID

(tert-AMYL HYDROPEROXIDE)

IMDG : ORGANIC PEROXIDE TYPE E, LIQUID

(tert-AMYL HYDROPEROXIDE)

# 14.3 Transport hazard class(es)

**ADR** : 5.2 **IMDG** : 5.2

# 14.4 Packing group

**ADR** 

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2 Tunnel restriction code : (D)

**IMDG** 

Packing group : Not assigned by regulation

Labels : 5.2

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

EmS Code : F-J, S-R

14.5 Environmental hazards

**ADR** 

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 40, 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2
H2 ACUTE TOXIC 50 t 200 t

P6b SELF-REACTIVE 50 t 200 t

SUBSTANCES AND MIXTURES and ORGANIC

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

**PEROXIDES** 

E2 ENVIRONMENTAL 200 t 500 t

**HAZARDS** 

# Other regulations:

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): lb (German regulatory requirements)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

# The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

DSL (CA) : This product contains the following components listed on the

Canadian NDSL. All other components are on the Canadian

DSL.

tert-pentyl hydroperoxide

Di-tert-pentyl peroxide

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

# 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

# **SECTION 16: Other information**

# Full text of other abbreviations

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

# **Further information**

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006

# **TAHP-88**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.11.2022

 2.2
 08.03.2023
 600000000043
 Date of first issue: 18.09.2017

IE / EN