according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TAPEH

REACH Registration Number : 01-2119970626-28-0002

Substance name : tert-amyl 2-ethylperoxyhexanoate

EC-No. : 211-687-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : polymerisation initiators

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49/89/74422 - 0

E-mail address of person

responsible for the SDS

: contact@united-in.com

1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type D H242: Heating may cause a fire.

Skin sensitisation, Sub-category 1B H317: May cause an allergic skin reaction.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P234 Keep only in original packaging. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

Response:

P370 + P378 In case of fire: Use water spray, alcohol-

resistant foam, dry chemical or carbon dioxide to

extinguish.

P391 Collect spillage.

Storage:

P403 Store in a well-ventilated place.

P411 Store at temperatures not exceeding 20 °C.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

Version Revision Date: SDS Number: Date of last issue: 09.03.2023 3.2 10.12.2024 600000000013 Date of first issue: 16.03.2016

Substance name : tert-amyl 2-ethylperoxyhexanoate

EC-No. : 211-687-3

Chemical nature : Organic Peroxide

liquid

Components

Chemical name	CAS-No.	Concentration (%	M-Factor, SCL, ATE
	EC-No.	w/w)	
tert-Pentyl 2- ethylperoxyhexanoate	686-31-7 211-687-3	<= 100	M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Administer oxygen if breathing is difficult or cyanosis is ob-

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Keep respiratory tract clear.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : sensitising effects

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water

courses.

Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Use personal protective equipment. Remove all sources of ignition.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Open drum carefully as content may be under pressure.

Protect from contamination.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.

Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from

food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately

after handling the product.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

Version Revision Date: Date of last issue: 09.03.2023 SDS Number: 10.12.2024 60000000013 Date of first issue: 16.03.2016 3.2

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Keep in a wellventilated place. Contamination may result in dangerous pressure increases - closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Advice on common storage

Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Storage class (TRGS 510)

Recommended storage tem- : < 10 °C

perature

5.2

age stability

Further information on stor- : Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) For further information, refer to the product technical data

sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-Pentyl 2-	Workers	Inhalation	Long-term systemic	15,87 mg/m3
ethylperoxyhexanoate	Workers	Skin contact	effects Long-term systemic effects	9 mg/kg bw/dav

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
tert-Pentyl 2-	Fresh water	0,46 µg/l
ethylperoxyhexanoate		
	Marine water	0,046 μg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Sewage treatment plant	10 mg/l
Fresh water sediment	0,0816 mg/kg dry weight (d.w.)
Marine sediment	0,00816 mg/kg dry weight (d.w.)
Soil	0,0137 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Equipment should conform to EN 166

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0,47 mm

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,40 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Respirator with combination filter for vapour/particulate (EN

141)

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : ester-like

Odour Threshold : No data available

Melting point/ range : < -20 °C

Initial boiling point and boiling :

range

Decomposition: Decomposes below the boiling point.

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

: not determined

Flash point : 58,5 °C(1.013 hPa)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

Version Revision Date: SDS Number: Date of last issue: 09.03.2023 3.2 10.12.2024 600000000013 Date of first issue: 16.03.2016

Method: closed cup

Self-Accelerating decomposi-

tion temperature (SADT)

35 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

pH : substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : 4,3 mPa.s (20 °C)

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : 0,018 g/l (20 °C)

insoluble

Partition coefficient: n-

octanol/water

log Pow: 4,56 (25 °C)

Method: OECD Test Guideline 123

Vapour pressure : < 0,1 hPa (25 °C)

Relative density : not determined

Density : ca. 0,9 g/cm3 (0 °C)

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Flammability (liquids) : Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Self-heating substances : The substance or mixture is not classified as self heating.

Substances and mixtures, which in contact with water, emit flammable gases

: The substance or mixture does not emit flammable gases in

contact with water.

Desensitised explosives : Not applicable

Evaporation rate : No data available

Refractive index : 1,433 at 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions.

No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Product:

Species : Rabbit Exposure time : 24 h

Assessment : No skin irritation Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Species : Rabbit Exposure time : 24 h

Assessment : No skin irritation Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit Exposure time : 24 h

Assessment : No eye irritation Result : No eye irritation

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Species : Rabbit Exposure time : 24 h

Assessment : No eye irritation Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Test Type : Maximisation Test Species : Guinea pig

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 406

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

Version Revision Date: SDS Number: Date of last issue: 09.03.2023 3.2 10.12.2024 600000000013 Date of first issue: 16.03.2016

Result : The product is a skin sensitiser, sub-category 1B.

Remarks : Causes sensitisation.

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Test Type : Maximisation Test Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 406

Result : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : This information is not available.

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Remarks : This information is not available.

Reproductive toxicity

Not classified due to lack of data.

Product:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

Strain: wistar

Application Route: Oral

Dose: 0, 100, 300, 1000 mg/kg bw/day

Frequency of Treatment: 1 daily

General Toxicity - Parent: NOAEL: 300 mg/kg bw/day Early Embryonic Development: NOAEL: 300 mg/kg body

weight

Method: OECD Test Guideline 421

GLP: yes

Remarks: Read-across (Analogy)
Based on data from similar materials

Test Type: reproductive and developmental toxicity study

Species: Rat, male Strain: wistar

Application Route: Oral

Dose: 50, 250, 1000 mg/kg bw/day Frequency of Treatment: 1 daily

General Toxicity - Parent: NOAEL: 1.000 mg/kg bw/day

Fertility: NOAEL: 1.000 mg/kg bw/day

Early Embryonic Development: NOAEL: 250 mg/kg bw/day

Method: OECD Test Guideline 421

GLP: yes

Remarks: Read-across (Analogy)
Based on data from similar materials

Test Type: reproductive and developmental toxicity study

Species: Rat, female

Strain: wistar

Application Route: Oral

Dose: 50, 250, 1000 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Frequency of Treatment: 1 daily

General Toxicity - Parent: NOAEL: 250 mg/kg bw/day

Fertility: NOAEL: 250 mg/kg bw/day

Early Embryonic Development: NOAEL: 250 mg/kg bw/day

Method: OECD Test Guideline 421

GLP: yes

Remarks: Read-across (Analogy)
Based on data from similar materials

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

Strain: wistar

Application Route: Oral

Dose: 0, 100, 300, 1000 mg/kg bw/day Frequency of Treatment: 1 daily

General Toxicity - Parent: NOAEL: 300 mg/kg bw/day Early Embryonic Development: NOAEL: 300 mg/kg body

weight

Method: OECD Test Guideline 421

GLP: yes

Remarks: Read-across (Analogy)
Based on data from similar materials

Test Type: reproductive and developmental toxicity study

Species: Rat, male Strain: wistar

Application Route: Oral

Dose: 50, 250, 1000 mg/kg bw/day Frequency of Treatment: 1 daily

General Toxicity - Parent: NOAEL: 1.000 mg/kg bw/day

Fertility: NOAEL: 1.000 mg/kg bw/day

Early Embryonic Development: NOAEL: 250 mg/kg bw/day

Method: OECD Test Guideline 421

GLP: yes

Remarks: Read-across (Analogy) Based on data from similar materials

Test Type: reproductive and developmental toxicity study

Species: Rat, female

Strain: wistar

Application Route: Oral

Dose: 50, 250, 1000 mg/kg bw/day Frequency of Treatment: 1 daily

General Toxicity - Parent: NOAEL: 250 mg/kg bw/day

Fertility: NOAEL: 250 mg/kg bw/day

Early Embryonic Development: NOAEL: 250 mg/kg bw/day

Method: OECD Test Guideline 421

GLP: yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Remarks: Read-across (Analogy)
Based on data from similar materials

STOT - single exposure

Not classified due to lack of data.

Product:

Assessment : No data available

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Assessment : No data available

STOT - repeated exposure

Not classified due to lack of data.

Product:

Assessment : No data available

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Assessment : No data available

Repeated dose toxicity

Product:

Species : Rat, male and female NOAEL : 450 mg/kg bw/day

Application Route : Oral Exposure time : 28 d

Method : OECD Test Guideline 408

GLP : yes

Remarks : Based on data from similar materials

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Species : Rat, male and female NOAEL : 450 mg/kg bw/day

Application Route : Oral Exposure time : 28 d

Method : OECD Test Guideline 408

GLP : yes

Remarks : Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Aspiration toxicity

Not classified due to lack of data.

Product:

Not classified due to data which are conclusive although insufficient for classification.

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Not classified due to data which are conclusive although insufficient for classification.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 8,66 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Based on data from similar materials

NOEC (Poecilia reticulata (guppy)): 2,1 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3,7 mg/l

Exposure time: 48 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

Version Revision Date: Date of last issue: 09.03.2023 SDS Number: 10.12.2024 60000000013 Date of first issue: 16.03.2016 3.2

Test Type: Immobilization

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,28

End point: Growth rate Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,023

mg/l

End point: Growth rate Exposure time: 72 h Test Type: Growth inhibition

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,45 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms EC50 (Bacteria): > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition of activated sludge

Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Toxicity to fish LC50 (Poecilia reticulata (guppy)): 8,66 mg/l

> Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: ves

Remarks: Based on data from similar materials

NOEC (Poecilia reticulata (guppy)): 2,1 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3,7 mg/l

Exposure time: 48 h
Test Type: Immobilization

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,28

mg/l

End point: Growth rate Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,023

mg/l

End point: Growth rate Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition of activated sludge

Method: OECD Test Guideline 209

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,45 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

Result: Readily biodegradable.

Biodegradation: 62 %

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: The 10 day time window criterion is not fulfilled.

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

Result: Readily biodegradable.

Biodegradation: 62 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: The 10 day time window criterion is not fulfilled.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Bioconcentration factor (BCF): 682

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc. Bioaccumulation is unlikely.

Components:

tert-Pentyl 2-ethylperoxyhexanoate:

Bioaccumulation : Bioconcentration factor (BCF): 682

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc. Bioaccumulation is unlikely.

Partition coefficient: n-

: log Pow: 4,56 (25 °C)

octanol/water

Method: OECD Test Guideline 123

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3115 ADR : UN 3115 RID : UN 3115

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Not permitted for transport

IMDG : UN 3115 IATA : UN 3115

Not permitted for transport

14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE

CONTROLLED

(tert-AMYL PEROXY-2-ETHYLHEXANOATE)

ADR : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE

CONTROLLED

(tert-AMYL PEROXY-2-ETHYLHEXANOATE)

RID : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE

CONTROLLED

Not permitted for transport

IMDG : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE

CONTROLLED

(tert-AMYL PEROXY-2-ETHYLHEXANOATE)

IATA : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE

CONTROLLED

Not permitted for transport

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 5.2 **ADR** : 5.2

RID : Not permitted for transport

IMDG : 5.2

IATA : Not permitted for transport

14.4 Packing group

ADN

Packing group : Not assigned by regulation

Classification Code : P2 Labels : 5.2

ADR

Packing group : Not assigned by regulation

Classification Code : P2 Labels : 5.2 Tunnel restriction code : (D)

RID : Not permitted for transport

IMDG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-F, S-R

IATA (Cargo) : Not permitted for transport

IATA (Passenger) : Not permitted for transport

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID : Not permitted for transport

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Additional advice

Temperature controlled transport.:

Control temperature : 20 °C

Emergency temperature : 25 °C

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 3

....,

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) on substances that deplete the ozone : Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

: Not applicable

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

P6b SELF-REACTIVE SUBSTANCES

AND MIXTURES and ORGANIC

PEROXIDES

E1 ENVIRONMENTAL HAZARDS

Water hazard class (Germa-

ny)

: WGK 2 obviously hazardous to water

Code Number: 1.467

Classification according to AwSV §6(4)

Other regulations:

Gefahrgruppe nach TRGS 741: Ib (German regulatory requirements)

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

All C (AU) : All components are listed on the inventory, regulatory obliga-

tions/restrictions apply

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance. For further information see eSDS.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TAPEH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 3.2
 10.12.2024
 600000000013
 Date of first issue: 16.03.2016

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN