according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TAPEHC

REACH Registration Number : 01-2119965140-45-0003

Substance name : O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate

EC-No. : 274-919-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Curing chemical, polymerisation initiators

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49/89/74422 - 0

E-mail address of person responsible for the SDS

: contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 - 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type D H242: Heating may cause a fire.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Danger

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

Hazard statements : H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible

materials.

P233 Keep container tightly closed.

P235 Keep cool.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.P280 Wear protective gloves/ protective clothing/ eye protective

tion/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

P370 + P378 In case of fire: Use water spray, alcoholresistant foam, dry chemical or carbon dioxide to extinguish.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate

EC-No. : 274-919-2

Chemical nature : Organic Peroxide

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
O-(2-ethylhexyl) O,O-tert-	70833-40-8	<= 100
pentyl peroxycarbonate	274-919-2	

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended. Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician. If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes. If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing : High volume water jet

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Remove all sources of ignition.

Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Protect from contamination.

Advice on protection against

fire and explosion

Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.

Hygiene measures : Keep away from food and drink. When using do not eat or

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem-

perature

< 25 °C

Further information on stor-

age stability

No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
O-(2-ethylhexyl) O,O- tert-pentyl peroxycar- bonate	Workers	Inhalation	Long-term systemic effects	11.75 mg/m3
	Workers	Skin contact	Long-term systemic effects	13.33 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate	Fresh water	0.00213 mg/l
, ,	Marine water	0.000213 mg/l
	Fresh water sediment	1.7 mg/kg dry weight (d.w.)
	Marine sediment	0.17 mg/kg dry weight (d.w.)
	Sewage treatment plant	12.8 mg/l
	Soil	0.34 mg/kg dry

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Ensure that eyewash stations and safety showers are close

to the workstation location.

Hand protection

Material : butyl-rubber Break through time : 480 min Glove thickness : 0.5 mm

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : ABEK-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : clear

Odour : characteristic

Odour Threshold : No data available

Melting point/freezing point : < -25 °C

Boiling point/boiling range : Decomposition

Flash point : 93.5 °C

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

Method: closed cup

Flammability (solid, gas) : Not applicable

Vapour pressure : No data available

Density : 0.92 g/cm3

Solubility(ies)

Water solubility : insoluble

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

9.2 Other information

Self-Accelerating decomposi: :

> 50 °C

tion temperature (SADT) Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Heating may cause a fire.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : Remarks: Based on available data, the classification criteria

are not met.

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : Remarks: Based on available data, the classification criteria

are not met.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Exposure routes : Inhalation

Remarks : Based on available data, the classification criteria are not met.

Remarks : Causes sensitisation.

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

Exposure routes : Inhalation

Remarks : Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Not classified based on available information.

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Genotoxicity in vitro : Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Genotoxicity in vivo : Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Remarks : Based on available data, the classification criteria are not met.

STOT - repeated exposure

Not classified based on available information.

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Remarks : Based on available data, the classification criteria are not met.

Aspiration toxicity

Not classified based on available information.

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Not classified due to data which are conclusive although insufficient for classification.

Further information

Product:

Remarks : No data available

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 944

mg/l

Exposure time: 72 h
Test Type: Growth inhibition

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 92.2

mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

Method. OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 944

mg/l

Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 92.2

mg/l

Exposure time: 72 h

Test Type: Growth inhibition

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

12.2 Persistence and degradability

Product:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301D

Components:

O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

SECTION 14: Transport information

14.1 UN number

ADN : UN 3105
ADR : UN 3105
RID : UN 3105
IMDG : UN 3105
IATA : UN 3105

14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-AMYL PEROXY-2-ETHYLHEXYL CARBONATE)

ADR : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-AMYL PEROXY-2-ETHYLHEXYL CARBONATE)

RID : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-AMYL PEROXY-2-ETHYLHEXYL CARBONATE)

IMDG : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-AMYL PEROXY-2-ETHYLHEXYL CARBONATE)

IATA : Organic peroxide type D, liquid

(tert-Amyl peroxy-2-ethylhexyl carbonate)

14.3 Transport hazard class(es)

ADN : 5.2
ADR : 5.2
RID : 5.2
IMDG : 5.2
IATA : 5.2

14.4 Packing group

ADN

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2

ADR

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

IMDG

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-J, S-R

IATA (Cargo)

Packing instruction (cargo

aircraft)

Packing group : Not assigned by regulation

Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away

From Heat

570

570

IATA (Passenger)

Packing instruction (passen-

ger aircraft)

Packing group : Not assigned by regulation

Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away

From Heat

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

plete the ozone layer

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

: Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1

50 t

Quantity 2 200 t

P6b SELF-REACTIVE

SUBSTANCES AND MIXTURES and ORGANIC

PEROXIDES

Other regulations:

Gefahrgruppe nach § 3 BGV B4: Ib (German regulatory requirements)

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

DSL (CA) : All components of this product are on the Canadian DSL

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

This information is not available.

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

SECTION 16: Other information

Further information

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006

TAPEHC



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.10.2017

 2.0
 29.06.2020
 600000000651
 Date of first issue: 02.10.2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN