

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Product name : TBHP-70-AQ

Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators
Oxidizing agents

Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3
82049 Pullach 09

Telephone :

Emergency telephone number : +49 / 89 / 74422 – 0 (24 h)

E-mail address : contact@united-in.com

SECTION 2: Hazards identification

Classification of the hazardous chemical

Flammable liquids : Category 3

Organic peroxides : Type F

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 2

Acute toxicity (Dermal) : Category 3

Skin corrosion/irritation : Category 1C

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 2

Hazardous to the aquatic environment - chronic hazard : Category 2

Label elements

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H226 Flammable liquid and vapour.
H242 Heating may cause a fire.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H330 Fatal if inhaled.
H341 Suspected of causing genetic defects.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
P234 Keep only in original container.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P281 Use personal protective equipment as required.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P411 + P235 Store at temperatures not exceeding 35 °C/ 95 °F. Keep cool.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

SAFETY DATA SHEET

TBHP-70-AQ



Version 1.2 Revision Date: 04.09.2018 SDS Number: 600000000045 Print Date: 04.09.2018

Substance / Mixture : Mixture
Chemical nature : Organic Peroxide
Liquid mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
t-Butyl Hydroperoxide	75-91-2	>= 65 - < 70

SECTION 4: First aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
Call a physician immediately.

If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Call a physician immediately.
If breathed in, move person into fresh air.
Contact a poison control center.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
Call a physician immediately.
Contact a poison control center.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Call a physician immediately.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Toxic in contact with skin.
May cause an allergic skin reaction.

SAFETY DATA SHEET

TBHP-70-AQ



Version 1.2	Revision Date: 04.09.2018	SDS Number: 600000000045	Print Date: 04.09.2018
----------------	------------------------------	-----------------------------	---------------------------

Causes serious eye damage.
Fatal if inhaled.
Suspected of causing genetic defects.
Causes severe burns.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

Physicochemical hazards arising from the chemical

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Cool closed containers exposed to fire with water spray.

Special protective equipment and precautions for fire-fighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary for firefighters.
Use personal protective equipment.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

SAFETY DATA SHEET

TBHP-70-AQ



Version 1.2	Revision Date: 04.09.2018	SDS Number: 600000000045	Print Date: 04.09.2018
----------------	------------------------------	-----------------------------	---------------------------

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Protect from contamination.

Storage

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
Store in accordance with the particular national regulations.

Materials to avoid : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : 2 - 35 °C

SECTION 8: Exposure controls and personal protection

Control parameters

Contains no substances with occupational exposure limit values.

Appropriate engineering controls : Minimize workplace exposure concentrations.

Individual protection measures, such as personal protective equipment

Eye/face protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Hand protection

Material : butyl-rubber
Break through time : >= 480 min
Glove thickness : 0.5 mm

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Filter type : ABEK-filter
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.
-

SECTION 9: Physical and chemical properties

- Appearance : liquid
- Colour : colourless
- Odour : characteristic
- Odour Threshold : No data available
- pH : No data available
- Melting point/range : < 0 °C
- Boiling point/boiling range : Decomposition: Decomposes below the boiling point.
- Flash point : 38 °C
Method: ISO 3679
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : 50.78 hPa (25 °C)
- Density : 0.93 g/cm³ (20 °C)
- Solubility(ies)
Water solubility : > 691 g/l (20 °C)
soluble

SAFETY DATA SHEET

TBHP-70-AQ



Version 1.2	Revision Date: 04.09.2018	SDS Number: 600000000045	Print Date: 04.09.2018
----------------	------------------------------	-----------------------------	---------------------------

Partition coefficient: n-octanol/water	:	log Pow: 0.85 (20 °C)
Self-Accelerating decomposition temperature (SADT)	:	80 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity Viscosity, dynamic	:	4.1 mPa.s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide
Refractive index	:	1.387 (20 °C)

SECTION 10: Stability and reactivity

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air.
Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
Incompatible materials	:	Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Hazardous decomposition products	:	Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

Information on likely routes of exposure : None known.

Acute toxicity

Harmful if swallowed.
Toxic in contact with skin.
Fatal if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 560 mg/kg

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 1.85 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 440 mg/kg
Method: OECD Test Guideline 402

Components:

t-Butyl Hydroperoxide:

Acute oral toxicity : LD50 (Rat): 560 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 1.85 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 440 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes severe burns.

Product:

Species: Rabbit

Method: Draize Test

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

Remarks: Extremely corrosive and destructive to tissue.

Components:

t-Butyl Hydroperoxide:

Species: Rabbit

Method: Draize Test

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species: Rabbit

Result: Irreversible effects on the eye

Method: OECD Test Guideline 405

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

Remarks: May cause irreversible eye damage.

Components:

t-Butyl Hydroperoxide:

Species: Rabbit
Result: Irreversible effects on the eye
Method: OECD Test Guideline 405

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Species: Guinea pig
Method: OECD Test Guideline 406
Result: May cause sensitisation by skin contact.

Remarks: Causes sensitisation.

Components:

t-Butyl Hydroperoxide:

Species: Guinea pig
Method: OECD Test Guideline 406
Result: May cause sensitisation by skin contact.

Remarks: Causes sensitisation.

Germ cell mutagenicity

Suspected of causing genetic defects.

Product:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive
	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: positive
Genotoxicity in vivo	:	Method: Directive 67/548/EEC, Annex V, B.12. Result: negative
	:	Method: Directive 67/548/EEC, Annex, B.22 Result: positive

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

Germ cell mutagenicity - Assessment : Positive results from in vitro mammalian mutagenicity assays, chemical structure activity relationship to known germ cell mutagens

Components:

t-Butyl Hydroperoxide:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Method: Directive 67/548/EEC, Annex V, B.12.
Result: negative

Method: Directive 67/548/EEC, Annex, B.22
Result: positive

Germ cell mutagenicity - Assessment : Positive results from in vitro mammalian mutagenicity assays, chemical structure activity relationship to known germ cell mutagens

Carcinogenicity

Not classified based on available information.

Product:

Species: Mouse
Application Route: Oral
Exposure time: 103 w
Result: negative

Components:

t-Butyl Hydroperoxide:

Species: Mouse
Application Route: Oral
Result: negative

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 21 mg/kg body weight
Method: OECD Test Guideline 422

Components:

t-Butyl Hydroperoxide:

Effects on fertility : Species: Rat

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

Application Route: Oral
General Toxicity - Parent: NOAEL: 21 mg/kg body weight
Method: OECD Test Guideline 422

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 35 mg/kg body weight
Developmental Toxicity: NOAEL: 35 mg/kg body weight
Method: OECD Test Guideline 414

STOT - single exposure

Not classified based on available information.

Product:

Remarks: No data available

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Species: Rat
NOAEL: 21 mg/kg
Application Route: Oral
Exposure time: 28 d
Method: OECD Test Guideline 422

Species: Rat
LOAEL: 0.022 mg/l
Application Route: Inhalation
Exposure time: 28 d
Method: OECD Test Guideline 412

Components:

t-Butyl Hydroperoxide:

Species: Rat
NOAEL: 21 mg/kg
Application Route: Oral
Method: OECD Test Guideline 422

Species: Rat
LOAEL: 0.022 mg/l
Application Route: Inhalation
Method: OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Product:

No data available

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12: Ecological information

Ecotoxicity

Product:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29.61 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 14.07 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.47 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (Bacteria): 17 mg/l

Components:

t-Butyl Hydroperoxide:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29.61 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 14.07 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.47 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (Bacteria): 17 mg/l

Persistence and degradability

Product:

- Biodegradability : Result: Not readily biodegradable.

Components:

t-Butyl Hydroperoxide:

- Biodegradability : Result: Not readily biodegradable.

SAFETY DATA SHEET

TBHP-70-AQ



Version
1.2

Revision Date:
04.09.2018

SDS Number:
600000000045

Print Date:
04.09.2018

Bioaccumulative potential

Components:

t-Butyl Hydroperoxide:

Partition coefficient: n-octanol/water : log Pow: 0.85 (20 °C)

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Components:

t-Butyl Hydroperoxide:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal information

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

International Regulations

UNRTDG

UN number : UN 3109
Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID
(tert-BUTYL HYDROPEROXIDE)
Class : 5.2
Subsidiary risk : 8

SAFETY DATA SHEET

TBHP-70-AQ



Version 1.2 Revision Date: 04.09.2018 SDS Number: 600000000045 Print Date: 04.09.2018

Packing group : Not assigned by regulation
Labels : 5.2 (8)

IATA-DGR

UN/ID No. : UN 3109
Proper shipping name : Organic peroxide type F, liquid
(tert-Butyl hydroperoxide)
Class : 5.2
Subsidiary risk : 8
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat, Corrosive
Packing instruction (cargo aircraft) : 570
Packing instruction (passenger aircraft) : 570

IMDG-Code

UN number : UN 3109
Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID
(tert-BUTYL HYDROPEROXIDE)
Class : 5.2
Subsidiary risk : 8
Packing group : Not assigned by regulation
Labels : 5.2 (8)
EmS Code : F-J, S-R
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Gefahrengruppe nach § 3 BGV B4: II (German regulatory requirements)
Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.
Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

The components of this product are reported in the following inventories:

DSL (CA) : All components of this product are on the Canadian DSL
AICS (AU) : On the inventory, or in compliance with the inventory
NZIoC (NZ) : On the inventory, or in compliance with the inventory
ENCS (JP) : On the inventory, or in compliance with the inventory
ISHL (JP) : On the inventory, or in compliance with the inventory
KECI (KR) : On the inventory, or in compliance with the inventory
PICCS (PH) : On the inventory, or in compliance with the inventory
IECSC (CN) : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Print Date:
1.2	04.09.2018	600000000045	04.09.2018

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : On TSCA Inventory

SECTION 16: Other information

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MY / EN