

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	TBHP-70-AQ
Substance name	:	tert-butyl hydroperoxide
Index-No.	:	617-023-00-2
EC-No.	:	200-915-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	polymerisation initiators, Oxidizing agents
------------------------------	---	---

1.3 Details of the supplier of the safety data sheet

Company	:	United Initiators GmbH Dr.-Gustav-Adolph-Str. 3 82049 Pullach
Telephone	:	+49 / 89 / 74422 – 0
E-mail address of person responsible for the SDS	:	contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type F	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 2	H330: Fatal if inhaled.
Acute toxicity, Category 3	H311: Toxic in contact with skin.
Skin corrosion, Category 1C	H314: Causes severe skin burns and eye damage.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling T.R. SEA No 28848

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H226 Flammable liquid and vapour.
- H242 Heating may cause a fire.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

- P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
- P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
- P234 Keep only in original container.
- P260 Do not breathe mist or vapours.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protec-

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Call a physician immediately.
If breathed in, move person into fresh air.
Contact a poison control center.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
Call a physician immediately.
Contact a poison control center.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Call a physician immediately.
Rinse mouth thoroughly with water.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.
Toxic in contact with skin.
May cause an allergic skin reaction.
Causes serious eye damage.
Fatal if inhaled.
May cause respiratory irritation.
Suspected of causing genetic defects.
Suspected of causing cancer.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Protect from contamination.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version 3.1 Revision Date: 07.01.2022 SDS Number: 600000000045 Date of last issue: 29.09.2021
Date of first issue: 17.07.2018

closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : 2 - 35 °C

Further information on storage stability : No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) :

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-butyl hydroperoxide	Workers	Inhalation	Long-term systemic effects	2,2 mg/m ³
Remarks:	Derived minimal effect level (DMEL)			
	Workers	Inhalation	Acute systemic effects	85,2 mg/m ³
Remarks:	Derived minimal effect level (DMEL)			
	Workers	Inhalation	Long-term local effects	0,58 mg/m ³
Remarks:	Derived minimal effect level (DMEL)			
	Workers	Inhalation	Acute local effects	28,4 mg/m ³
Remarks:	Derived minimal effect level (DMEL)			
	Workers	Skin contact	Long-term systemic effects	0,21 mg/m ³
Remarks:	Derived minimal effect level (DMEL)			

Predicted No Effect Concentration (PNEC) :

Substance name	Environmental Compartment	Value
tert-butyl hydroperoxide	Fresh water	0,0015 mg/l
	Marine water	0,00015 mg/l
	Fresh water sediment	0,00621 mg/kg dry weight (d.w.)
	Marine sediment	0,000621 mg/kg

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version 3.1 Revision Date: 07.01.2022 SDS Number: 600000000045 Date of last issue: 29.09.2021
Date of first issue: 17.07.2018

		dry weight (d.w.)
	Agricultural soil	0,166 mg/kg dry weight (d.w.)
	Sewage treatment plant	0,17 mg/l
	Secondary poisoning	1,4 mg/kg food

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0,5 mm

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,4 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

Colour	:	colourless, clear
Odour	:	characteristic
Odour Threshold	:	not determined
pH	:	ca. 4,3
Melting point/range	:	< 0 °C
Boiling point/boiling range	:	96 °C (1.013 hPa) Decomposition: yes
Flash point	:	38 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable Remarks: Organic peroxide
Upper explosion limit / Upper flammability limit	:	ca. 99,99 %(V)
Lower explosion limit / Lower flammability limit	:	ca. 5,7 %(V)
Vapour pressure	:	50,78 hPa (25 °C)
Relative vapour density	:	ca. 3,1 (15 - 20 °C) (Air = 1.0)
Density	:	ca. 0,93 g/cm ³ (20 °C)
Solubility(ies) Water solubility	:	> 691 g/l soluble (20 °C)
Partition coefficient: n-octanol/water	:	log Pow: 0,85 (20 °C)
Viscosity Viscosity, kinematic	:	2,45 mm ² /s (40 °C) 4,42 mm ² /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

Organic peroxide

9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	80 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Surface tension	:	69,9 mN/m, 20 °C
Refractive index	:	ca. 1,387 at 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.
Contact with incompatible substances can cause decomposition at or below SADT.
Heat, flames and sparks.
Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.
Toxic in contact with skin.
Fatal if inhaled.

Product:

- Acute oral toxicity : LD50 (Rat): 805 mg/kg
Method: Acute toxicity estimate
Assessment: The component/mixture is moderately toxic after single ingestion.
- Acute inhalation toxicity : LC50 (Rat): 1,19 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Acute toxicity estimate
Assessment: The component/mixture is highly toxic after short term inhalation.
Remarks: May cause respiratory irritation.
- Acute dermal toxicity : LD50 (Rabbit): 633 mg/kg
Method: Acute toxicity estimate
Assessment: The component/mixture is toxic after single contact with skin.
Remarks: Dermal absorption possible

Skin corrosion/irritation

Causes severe burns.

Product:

- Species : Rabbit
Method : Draize Test
Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.
- Remarks : Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

- Species : Rabbit
Method : OECD Test Guideline 405

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

Result : Irreversible effects on the eye
Remarks : May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Causes sensitisation.

Exposure routes : Inhalation
Remarks : No data available

Remarks : Causes sensitisation.

Germ cell mutagenicity

Suspected of causing genetic defects.

Product:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: Directive 67/548/EEC, Annex, B.13/14
Result: positive

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Method: Directive 67/548/EEC, Annex, B.17
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Mouse (male and female)
Application Route: Intravenous
Method: Directive 67/548/EEC, Annex V, B.12.
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse (males)
Application Route: Intraperitoneal

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

Method: Directive 67/548/EEC, Annex, B.22
Result: positive

Test Type: In vivo mammalian alkaline comet assay
Species: Rat (male)
Application Route: inhalation (vapour)
Method: OECD Test Guideline 489
Result: negative

Germ cell mutagenicity- Assessment : Suspected of causing genetic defects., The GHS classification specified by the authority

Carcinogenicity

Suspected of causing cancer.

Product:

Species : Rat, male and female
Application Route : inhalation (vapour)
NOEC : 15 mg/l
Method : OECD Test Guideline 451
Symptoms : carcinogenic effects, Systemic toxicity
GLP : yes

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat, male and female
Application Route: Oral
General Toxicity F1: NOAEL: 21 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes

Effects on foetal development : Test Type: Prenatal development toxicity study (teratogenicity)
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 35 mg/kg body weight
Developmental Toxicity: NOAEL: >= 35 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

STOT - single exposure

May cause respiratory irritation.

Product:

Exposure routes : Inhalation
Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Remarks : Not classified due to data which are conclusive although insufficient for classification.

Repeated dose toxicity

Product:

Species : Rat, male and female
NOAEL : 21 mg/kg bw/day
Application Route : Oral
Method : OECD Test Guideline 422
GLP : yes

Species : Rat, male and female
NOAEC : 22,2 mg/m³
Application Route : inhalation (vapour)
Method : OECD Test Guideline 412
GLP : yes

Aspiration toxicity

Not classified based on available information.

Product:

Not classified due to data which are conclusive although insufficient for classification.

Further information

Product:

Remarks : This information is not available.
Remarks : Solvents may degrease the skin.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 42,3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 20 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2,1 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (Bacteria): 24,3 mg/l
Test Type: Respiration inhibition of activated sludge
- Toxicity to soil dwelling organisms : LC50: 166 mg/kg
Exposure time: 14 d
End point: Mortality/concentration

Ecotoxicology Assessment

- Acute aquatic toxicity : Toxic to aquatic life., Based on test data
- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects., Based on test data

12.2 Persistence and degradability

Product:

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d

12.3 Bioaccumulative potential

Product:

- Bioaccumulation : Remarks: Bioaccumulation is unlikely.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3109
RID : UN 3109
IMDG : UN 3109
IATA : UN 3109

14.2 UN proper shipping name

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

ADR : ORGANIC PEROXIDE TYPE F, LIQUID
(tert-BUTYL HYDROPEROXIDE)

RID : ORGANIC PEROXIDE TYPE F, LIQUID
(tert-BUTYL HYDROPEROXIDE)

IMDG : ORGANIC PEROXIDE TYPE F, LIQUID
(tert-BUTYL HYDROPEROXIDE)

IATA : Organic peroxide type F, liquid
(tert-Butyl hydroperoxide)

14.3 Transport hazard class(es)

ADR : 5.2

RID : 5.2

IMDG : 5.2

IATA : 5.2

14.4 Packing group

ADR
Packing group : Not assigned by regulation
Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2 (8)
Tunnel restriction code : (D)

RID
Packing group : Not assigned by regulation
Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2 (8)

IMDG
Packing group : Not assigned by regulation
Labels : 5.2 (8)
EmS Code : F-J, S-R

IATA (Cargo)
Packing instruction (cargo aircraft) : 570
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat, Corrosive

IATA (Passenger)
Packing instruction (passenger aircraft) : 570
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat, Corrosive

14.5 Environmental hazards

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 40, 3

Regulation on Persistent Organic Pollutants (Number 30595) : Not applicable

Regulation on prevention of major industrial accidents. Reg number 30702

		Quantity 1	Quantity 2
H2	ACUTE TOXIC	50 t	200 t
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Other regulations:

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): II (German regulatory require-

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

ments)

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I". Regulation on Classification, Labelling and Packaging of Substances and Mixtures. Dated 11 December 2013, Numbered 28848 (Bis) Ministry of Environment and Forestry.

The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AIRC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
TECI (TH)	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



TBHP-70-AQ

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
3.1	07.01.2022	600000000045	Date of first issue: 17.07.2018

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN