

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : TBPB-HA-M1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : polymerisation initiators

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type C	H242: Heating may cause a fire.
Acute toxicity, Category 3	H331: Toxic if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPB-HA-M1



Version 2.0      Revision Date: 24.06.2020      SDS Number: 600000000201      Date of last issue: 24.10.2017  
Date of first issue: 09.11.2016

---

Hazard pictograms :



Signal word : Danger

Hazard statements : H242 Heating may cause a fire.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H331 Toxic if inhaled.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P233 Keep container tightly closed.  
P235 Keep cool.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P315 Get immediate medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:  
tert-Butyl perbenzoate (CAS-No. 614-45-9)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic Peroxide

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPB-HA-M1



Version 2.0      Revision Date: 24.06.2020      SDS Number: 600000000201      Date of last issue: 24.10.2017  
Date of first issue: 09.11.2016

Liquid mixture

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tert-Butyl perbenzoate	614-45-9 210-382-2 01-2119513317-46-0003	Org. Perox. C; H242 Acute Tox. 4; H332 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412  M-Factor (Acute aquatic toxicity): 1	>= 90 - < 95
Acetylacetone	123-54-6 204-634-0 606-029-00-0 01-2119458968-15	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311	>= 10 - < 15

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.  
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.  
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Call a physician immediately.  
If breathed in, move person into fresh air.  
Contact a poison control center.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Call a physician immediately.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.  
May cause an allergic skin reaction.  
Toxic if inhaled.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- 

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

#### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |   |   |   |
|---|---|---|
| Technical measures                              | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Advice on safe handling                         | : | Do not swallow.<br>Do not breathe vapours/dust.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>Avoid formation of aerosol.<br>Take precautionary measures against static discharges.<br>Never return any product to the container from which it was originally removed.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Avoid confinement.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Wash thoroughly after handling.<br>For personal protection see section 8.<br>Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.<br>Protect from contamination. |
| Advice on protection against fire and explosion | : | Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.   |
| Hygiene measures                                | : | Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.  |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |   |
|---|---|---|
| Requirements for storage areas and containers | : | Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations. |
| Advice on common storage                      | : | Keep away from strong acids, bases, heavy metal salts and other reducing substances.  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version 2.0      Revision Date: 24.06.2020      SDS Number: 600000000201      Date of last issue: 24.10.2017  
Date of first issue: 09.11.2016

Storage class (TRGS 510) : 5.2, Organic peroxides and self-reacting hazardous materials

Recommended storage temperature : 10 - 30 °C

Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Acetylacetone	123-54-6	AGW	30 ppm 126 mg/m <sup>3</sup>	DE TRGS 900
Peak-limit: excursion factor (category)	2;(II)			
Further information	Commission for dangerous substances, Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-Butyl perbenzoate	Workers	Inhalation	Long-term systemic effects	4 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	6,25 mg/kg bw/day
Acetylacetone	Workers	Inhalation		84 mg/m <sup>3</sup>
	Workers	Skin contact		12 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-Butyl perbenzoate	Fresh water	0,0088 mg/l
	Marine water	0,0009 mg/l
	Intermittent use/release	0,008 mg/l
	Sewage treatment plant	0,6 mg/l
	Fresh water sediment	0,24 mg/kg
	Marine sediment	0,024 mg/kg
	Soil	0,043 mg/kg
Acetylacetone	Fresh water	0,026 mg/l
	Marine water	0,0026 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPB-HA-M1



Version 2.0      Revision Date: 24.06.2020      SDS Number: 600000000201      Date of last issue: 24.10.2017  
Date of first issue: 09.11.2016

	Sewage treatment plant	1,32 mg/l
	Fresh water sediment	0,155 mg/kg wet weight
	Marine sediment	0,0155 mg/kg wet weight
	Soil	0,01582 mg/kg wet weight

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

#### Hand protection

Material : butyl-rubber  
Break through time : 120 min  
Glove thickness : 0,5 mm

Material : butyl-rubber  
Break through time : 240 min  
Glove thickness : 0,7 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : light yellow



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

Odour	:	ester-like
Odour Threshold	:	No data available
pH	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	63 °C Method: ISO 3679
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Density	:	1,03 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	completely miscible Solvent: Alcohol
		completely miscible Solvent: Esters
Partition coefficient: n-octanol/water	:	No data available
Viscosity	:	
Viscosity, dynamic	:	5 mPa.s (20 °C)
Explosive properties	:	Risk of explosion by shock, friction, fire or other sources of ignition.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

### 9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	60 °C Method: UN-Test H.4
--	---	------------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Stable under recommended storage conditions.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

#### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

#### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Toxic if inhaled.

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0,9124 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version 2.0      Revision Date: 24.06.2020      SDS Number: 600000000201      Date of last issue: 24.10.2017  
Date of first issue: 09.11.2016

---

### Components:

#### **tert-Butyl perbenzoate:**

- Acute oral toxicity : LD0 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat): 1,01 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436
- Acute dermal toxicity : LD0 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Acetylacetone:**

- Acute oral toxicity : LD50 (Rat): 570 mg/kg
- Acute inhalation toxicity : LC50 (Rat): 5,1 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403
- Acute dermal toxicity : LD50 (Rabbit, female): 790 mg/kg

#### **Skin corrosion/irritation**

Causes skin irritation.

### Product:

- Remarks : May cause skin irritation in susceptible persons.

### Components:

#### **tert-Butyl perbenzoate:**

- Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

#### **Acetylacetone:**

- Species : Rabbit  
Result : No skin irritation

#### **Serious eye damage/eye irritation**

Not classified based on available information.

### Product:

- Remarks : Vapours may cause irritation to the eyes, respiratory system

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

and the skin.

### Components:

#### **tert-Butyl perbenzoate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

#### **Acetylacetone:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Remarks : Causes sensitisation.

### Components:

#### **tert-Butyl perbenzoate:**

Species : Mouse  
Method : OECD Test Guideline 429  
Result : May cause sensitisation by skin contact.

#### **Acetylacetone:**

Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **tert-Butyl perbenzoate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Test Type: Mouse Lymphoma  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Application Route: Oral  
Result: negative

### Acetylacetone:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 479  
Result: positive

Method: OECD Test Guideline 473  
Result: positive

Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Method: OECD Test Guideline 474  
Result: positive

Method: OECD Test Guideline 483  
Result: negative

Method: OECD Test Guideline 475  
Result: negative

Method: OECD Test Guideline 478  
Result: Equivocal

Test Type: DNA Repair  
Species: Rat  
Application Route: Oral  
Result: negative

Species: Rat  
Application Route: inhalation (vapour)  
Method: OPPTS 870.5395  
Result: negative

### Carcinogenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version 2.0      Revision Date: 24.06.2020      SDS Number: 600000000201      Date of last issue: 24.10.2017  
Date of first issue: 09.11.2016

---

### Components:

#### **tert-Butyl perbenzoate:**

Remarks : This information is not available.

#### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **tert-Butyl perbenzoate:**

Effects on fertility : Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 300 mg/kg body weight  
Method: OECD Test Guideline 421

Effects on foetal development : Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Method: OECD Test Guideline 414

#### **Acetylacetone:**

Effects on foetal development : Species: Rat  
Application Route: inhalation (vapour)  
Duration of Single Treatment: 13 d  
General Toxicity Maternal: NOAEC: 200  
Teratogenicity: NOAEC Parent: 400  
Embryo-foetal toxicity: NOAEC F1: 50  
Method: OECD Test Guideline 414

Species: Rat  
Application Route: inhalation (vapour)  
Duration of Single Treatment: 13 d  
General Toxicity Maternal: LOAEC: 400  
Embryo-foetal toxicity: LOAEC F1: 200  
Method: OECD Test Guideline 414

#### **STOT - single exposure**

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

#### **Repeated dose toxicity**

### Components:

#### **Acetylacetone:**

Species : Rat  
NOAEL : 200 mg/kg  
LOAEL : 805 mg/kg  
Application Route : inhalation (vapour)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

Exposure time	:	9 d
Species	:	Rat
NOAEL	:	100 mg/kg
Application Route	:	inhalation (vapour)
Exposure time	:	90 d
Method	:	OECD Test Guideline 413
Species	:	Rabbit
NOAEL	:	244 mg/kg
LOAEL	:	975 mg/kg
Application Route	:	Dermal
Exposure time	:	9 d

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Acetylacetone:

No aspiration toxicity classification

### Further information

#### Product:

Remarks : No data available

### Components:

#### Acetylacetone:

Remarks : Solvents may degrease the skin.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### tert-Butyl perbenzoate:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 1,6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 11 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0,8 mg/l Exposure time: 72 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,72 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 : 43 mg/l  
Exposure time: 0,5 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0,49 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Acetylacetone:

Toxicity to fish : LC50 (Fish): 104 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 25,9 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 83,22 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 3,2 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 107,6 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

EC10 : 13,2 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 34 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

LOEC: 22 mg/l

Exposure time: 34 d



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### 12.2 Persistence and degradability

#### Components:

##### **tert-Butyl perbenzoate:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

##### **Acetylacetone:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Components:

##### **tert-Butyl perbenzoate:**

Partition coefficient: n-octanol/water : log Pow: 2,89 (25 °C)

##### **Acetylacetone:**

Bioaccumulation : Bioconcentration factor (BCF): 3,16  
Remarks: Calculation

Partition coefficient: n-octanol/water : log Pow: 0,68 (40 °C)

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological infor- : An environmental hazard cannot be excluded in the event of

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

mation unprofessional handling or disposal.  
Very toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

### Components:

#### Acetylacetone:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 3103  
ADR : UN 3103  
RID : UN 3103  
IMDG : UN 3103  
IATA : UN 3103

### 14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)  
ADR : ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)  
RID : ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)  
IMDG : ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

**IATA** : Organic peroxide type C, liquid  
(tert-Butyl peroxybenzoate)

### 14.3 Transport hazard class(es)

**ADN** : 5.2  
**ADR** : 5.2  
**RID** : 5.2  
**IMDG** : 5.2  
**IATA** : 5.2

### 14.4 Packing group

#### ADN

Packing group : Not assigned by regulation  
Classification Code : P1  
Labels : 5.2

#### ADR

Packing group : Not assigned by regulation  
Classification Code : P1  
Labels : 5.2  
Tunnel restriction code : (D)

#### RID

Packing group : Not assigned by regulation  
Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2

#### IMDG

Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away From Heat

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away From Heat

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H2	ACUTE TOXIC	50 t	200 t
P6b	SELF-REACTIVE	50 t	200 t

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPB-HA-M1

Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

### SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

E1	ENVIRONMENTAL HAZARDS	100 t	200 t
----	-----------------------	-------	-------

Water contaminating class (Germany) : WGK 3 highly hazardous to water  
Classification according VwVwS, Annex 4.

#### Other regulations:

Gefahrgruppe nach § 3 BGV B4: Ib, S+ (German regulatory requirements)

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

#### The components of this product are reported in the following inventories:

TCSI (TW)	: On the inventory, or in compliance with the inventory
TSCA (US)	: All substances listed as active on the TSCA inventory
AICS (AU)	: On the inventory, or in compliance with the inventory
DSL (CA)	: All components of this product are on the Canadian DSL
ENCS (JP)	: On the inventory, or in compliance with the inventory
ISHL (JP)	: On the inventory, or in compliance with the inventory
KECI (KR)	: On the inventory, or in compliance with the inventory
PICCS (PH)	: On the inventory, or in compliance with the inventory
IECSC (CN)	: On the inventory, or in compliance with the inventory

#### 15.2 Chemical safety assessment

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPB-HA-M1



Version 2.0      Revision Date: 24.06.2020      SDS Number: 600000000201      Date of last issue: 24.10.2017  
Date of first issue: 09.11.2016

---

### SECTION 16: Other information

#### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

#### Classification of the mixture:

Org. Perox. C                      H242  
Acute Tox. 3                        H331  
Skin Irrit. 2                        H315  
Skin Sens. 1                        H317  
Aquatic Acute 1                    H400  
Aquatic Chronic 3                 H412

#### Classification procedure:

Based on product data or assessment  
Calculation method  
Calculation method  
Calculation method  
Calculation method  
Calculation method

#### Full text of H-Statements

H226 : Flammable liquid and vapour.  
H242 : Heating may cause a fire.  
H302 : Harmful if swallowed.  
H311 : Toxic in contact with skin.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H331 : Toxic if inhaled.  
H332 : Harmful if inhaled.  
H400 : Very toxic to aquatic life.  
H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Flam. Liq. : Flammable liquids  
Org. Perox. : Organic peroxides  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 24.10.2017
2.0	24.06.2020	600000000201	Date of first issue: 09.11.2016

---

for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN