

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TBPB-HA-M1

Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

Emergency telephone number : +49 / 89 / 74422 – 0 (24 h)

E-mail address : contact@united-in.com

2. HAZARDS IDENTIFICATION

GHS Classification

Organic peroxides : Type C

Acute toxicity (Inhalation) : Category 3

Skin corrosion/irritation : Category 2

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H242 Heating may cause a fire.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

H331 Toxic if inhaled.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.
No smoking.
P220 Keep/Store away from clothing/ strong acids, bases,
heavy metal salts and other reducing substances /combustible
materials.
P234 Keep only in original container.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash the contact area thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of
the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P311 IF INHALED: Remove victim to fresh air
and keep at rest in a position comfortable for breathing. Call a
POISON CENTER or doctor/ physician.
P321 Specific treatment (see supplemental first aid instructions
on this label).
P333 + P313 If skin irritation or rash occurs: Get medical ad-
vice/ attention.
P362 + P364 Take off contaminated clothing and wash it before
reuse.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container
tightly closed.
P405 Store locked up.
P410 Protect from sunlight.
P411 + P235 Store at temperatures not exceeding 30 °C/ 86
°F. Keep cool.
P420 Store away from other materials.

Disposal:

P501 Dispose of contents and container according to wastes
control act.

Other hazards which do not result in classification

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET

TBPB-HA-M1



Version 2.0 Revision Date: 2020/06/25 SDS Number: 600000000201 Date of last issue: 2018/03/14
Date of first issue: 2018/03/14

Chemical nature : Organic Peroxide
Liquid mixture

Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
tert-Butyl perbenzoate	tert-Butyl perbenzoate	614-45-9	>= 90 - < 95
Acetylacetone	Acetylacetone	123-54-6	>= 10 - < 15

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
Call a physician immediately.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.
- If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Call a physician immediately.
If breathed in, move person into fresh air.
Contact a poison control center.
- If swallowed : Keep respiratory tract clear.
Call a physician immediately.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
May cause an allergic skin reaction.
Toxic if inhaled.

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable and unsuitable extinguishing media

Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Cool closed containers exposed to fire with water spray.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Follow safe handling advice and personal protective equipment recommendations.

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	60000000201	Date of first issue: 2018/03/14

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Use only explosion-proof equipment.
Keep away from combustible material.

Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma,

SAFETY DATA SHEET

TBPB-HA-M1



Version 2.0 Revision Date: 2020/06/25 SDS Number: 600000000201 Date of last issue: 2018/03/14
Date of first issue: 2018/03/14

allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Protect from contamination.

Conditions for safe storage : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Materials to avoid : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : 10 - 30 °C

Further information on storage stability : No decomposition if stored normally.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Acetylacetone	123-54-6	TWA	25 ppm	ACGIH

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.

Hand protection

Material : butyl-rubber

Break through time : 120 min

SAFETY DATA SHEET

TBPB-HA-M1



Version 2.0	Revision Date: 2020/06/25	SDS Number: 600000000201	Date of last issue: 2018/03/14 Date of first issue: 2018/03/14
----------------	------------------------------	-----------------------------	---

| Glove thickness : 0.5 mm

| Material : butyl-rubber
| Break through time : 240 min
| Glove thickness : 0.7 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

Odour : ester-like

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : 63 °C

Method: ISO 3679

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	completely miscible Solvent: Alcohol
		completely miscible Solvent: Esters
Density	:	1.03 g/cm ³ (20 °C)
Partition coefficient: n-octanol/water	:	No data available
Self-Accelerating decomposition temperature (SADT)	:	60 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity	:	
Viscosity, dynamic	:	5 mPa.s (20 °C)
Explosive properties	:	Risk of explosion by shock, friction, fire or other sources of ignition.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions	:	Stable under recommended storage conditions. Stable under recommended storage conditions. Vapours may form explosive mixture with air.
Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

Incompatible materials	:	Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Hazardous decomposition products	:	Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data available

Health hazard information

Acute toxicity

Toxic if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0.9124 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

tert-Butyl perbenzoate:

Acute oral toxicity : LD0 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 1.01 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436

Acute dermal toxicity : LD0 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Acetylacetone:

Acute oral toxicity : LD50 (Rat): 570 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.1 mg/l

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, female): 790 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

tert-Butyl perbenzoate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Acetylacetone:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

tert-Butyl perbenzoate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Acetylacetone:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Product:

Remarks : Causes sensitisation.

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

Components:

tert-Butyl perbenzoate:

Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitisation by skin contact.

Acetylacetone:

Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Carcinogenicity

Components:

tert-Butyl perbenzoate:

Remarks : This information is not available.

Germ cell mutagenicity

Components:

tert-Butyl perbenzoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Test Type: Mouse Lymphoma
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative

Acetylacetone:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Method: OECD Test Guideline 479
Result: positive

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

Genotoxicity in vivo

: Method: OECD Test Guideline 473
Result: positive

Method: OECD Test Guideline 476
Result: negative

: Method: OECD Test Guideline 474
Result: positive

Method: OECD Test Guideline 483
Result: negative

Method: OECD Test Guideline 475
Result: negative

Method: OECD Test Guideline 478
Result: Equivocal

Test Type: DNA Repair
Species: Rat
Application Route: Oral
Result: negative

Species: Rat
Application Route: inhalation (vapour)
Method: OPPTS 870.5395
Result: negative

Reproductive toxicity

Components:

tert-Butyl perbenzoate:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 421

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 414

Acetylacetone:

Effects on foetal development : Species: Rat
Application Route: inhalation (vapour)
Duration of Single Treatment: 13 d
General Toxicity Maternal: NOAEC: 200
Teratogenicity: NOAEC Parent: 400
Embryo-foetal toxicity: NOAEC F1: 50
Method: OECD Test Guideline 414

SAFETY DATA SHEET

TBPB-HA-M1



Version 2.0 Revision Date: 2020/06/25 SDS Number: 600000000201 Date of last issue: 2018/03/14
Date of first issue: 2018/03/14

Species: Rat
Application Route: inhalation (vapour)
Duration of Single Treatment: 13 d
General Toxicity Maternal: LOAEC: 400
Embryo-foetal toxicity: LOAEC F1: 200
Method: OECD Test Guideline 414

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

Acetylacetone:

Species : Rat
NOAEL : 200 mg/kg
LOAEL : 805 mg/kg
Application Route : inhalation (vapour)
Exposure time : 9 d

Species : Rat
NOAEL : 100 mg/kg
Application Route : inhalation (vapour)
Exposure time : 90 d
Method : OECD Test Guideline 413

Species : Rabbit
NOAEL : 244 mg/kg
LOAEL : 975 mg/kg
Application Route : Dermal
Exposure time : 9 d

Aspiration toxicity

Components:

Acetylacetone:

No aspiration toxicity classification

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

Further information

Product:

Remarks : No data available

Components:

Acetylacetone:

Remarks : Solvents may degrease the skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

tert-Butyl perbenzoate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 11 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.72 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0.49 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 43 mg/l
Exposure time: 0.5 h
Method: OECD Test Guideline 209

Acetylacetone:

Toxicity to fish : LC50 (Fish): 104 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 25.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 83.22 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 3.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 10 mg/l
Exposure time: 34 d
Method: OECD Test Guideline 210
- LOEC (Pimephales promelas (fathead minnow)): 22 mg/l
Exposure time: 34 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 18 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50: 107.6 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- EC10: 13.2 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Components:

tert-Butyl perbenzoate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301D

Acetylacetone:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

tert-Butyl perbenzoate:

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

Partition coefficient: n-octanol/water : log Pow: 2.89 (25 °C)

Acetylacetone:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Remarks: Calculation

Partition coefficient: n-octanol/water : log Pow: 0.68 (40 °C)

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

Components:

Acetylacetone:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

Disposal precautions

Dispose of contents and container according to wastes control act.

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3103
Proper shipping name : ORGANIC PEROXIDE TYPE C, LIQUID
(tert-BUTYL PEROXYBENZOATE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2

IATA-DGR

UN/ID No. : UN 3103
Proper shipping name : Organic peroxide type C, liquid
(tert-Butyl peroxybenzoate)
Class : 5.2
Packing group : Not assigned by regulation
Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away
From Heat
Packing instruction (cargo aircraft) : 570
Packing instruction (passenger aircraft) : 570

IMDG-Code

UN number : UN 3103
Proper shipping name : ORGANIC PEROXIDE TYPE C, LIQUID
(tert-BUTYL PEROXYBENZOATE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-J, S-R
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

15. REGULATORY INFORMATION

National regulatory information

Regulation under the Occupational Safety and Health Act

Harmful Substances Prohibited from Manufacturing

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Harmful Agents to be kept below Occupational Exposure Limits

Not applicable

Harmful Agents Required to be kept below Permission Levels

Not applicable

Hazardous substances requiring management

Not applicable

Special Management Materials

Not applicable

Controlled Substances Subject to Environment Monitoring

Not applicable

Controlled Substances Subject to Health Examination

Not applicable

Regulation under the Chemicals Control Act

Toxic Chemicals

Not applicable

Restricted Chemicals

Not applicable

Prohibited Chemicals

Not applicable

Toxic Release Inventory

Not applicable

Accident Precaution Chemicals

Not applicable

Dangerous Substances Safety Management Act

Classification	:	Group 5, Self-reactive substances, Organic peroxides
Hazard rank	:	Hazardous rank I
Designated Quantity	:	10 kilogram
Safety Warning	:	Be careful with shock, Keep away from fire

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

Wastes Control Act

Industrial waste
Follow article 13 of the act to dispose the product waste

Other requirements in domestic and other countries

The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AICS (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Issuing date : 2018/03/14

Revision number and date

Number of Revision : 2.0

Revision Date : 2020/06/25

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or prod-

SAFETY DATA SHEET

TBPB-HA-M1



Version	Revision Date:	SDS Number:	Date of last issue: 2018/03/14
2.0	2020/06/25	600000000201	Date of first issue: 2018/03/14

uct specification.

These safety instructions also apply to empty packaging which may still contain product residues.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

KR / EN