according to the Hazardous Products Regulations

TBPB



Version	Revision Date:	SDS Number:	Date of last issue: 04/29/2024
4.0	02/25/2025	60000000000	Date of first issue: 10/24/2016

SECTION 1. IDENTIFICATION

Trade name	:	ТВРВ	
Other means of identification	:	No data available	
CAS-No.	:	614-45-9	
Manufacturer or supplier's c	leta	ails	
Company name of supplier	:	United Initiators, Inc.	
Address	:	555 Garden Street Elyria OH 44035 USA	
		United Initiators Canada Ltd. 2147 PG Pulp Mill Road Prince George, BC-V2N 2S6 CANADA	
Telephone	:	+1-440-323-3112	
Telefax	:	+1-440-323-2659	
Emergency telephone	:	CHEMTREC US (24h): CHEMTREC WORLD (24h): CANUTEC (24h):	+1-800-424-9300 +1-703-527-3887 1-613-996-6666
For Transportation Incidents	:	GFL Environmental Inc. (24h): 1-800-567-7455	
E-mail address of person responsible for the SDS	:	cs-initiators.nafta@united-in.com	
Recommended use of the cl	hen	nical and restrictions on use	
Recommended use	:	polymerization initiators	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Organic peroxides	:	Туре С
Acute toxicity (Inhalation)	:	Category 4
Skin irritation	:	Category 2

according to the Hazardous Products Regulations





Version 4.0	Revision Date: 02/25/2025	SDS Number: 600000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016
Ski	n sensitization	: Category 1	
	ort-term (acute) aquatic ard	: Category 1	
	ng-term (chronic) aquatic card	: Category 3	
	S label elements zard pictograms		
Sig	nal Word	: Danger	
Haz	zard Statements	H315 Causes s H317 May caus H332 Harmful H400 Very toxi	se an allergic skin reaction.
Pre	cautionary Statements	and other igniti P234 Keep onl P240 Ground a P261 Avoid bre P264 Wash ski P271 Use only P272 Contamir the workplace. P273 Avoid rel P280 Wear pro	ay from heat, hot surfaces, sparks, open flames on sources. No smoking. y in original packaging. and bond container and receiving equipment. eathing mist or vapors. in thoroughly after handling. outdoors or in a well-ventilated area. nated work clothing should not be allowed out of ease to the environment. otective gloves/ protective clothing/ eye protection/ / hearing protection.
		P304 + P340 + and keep comf doctor if you fe P333 + P313 If attention. P362 + P364 T reuse. P370 + P378 Ir	skin irritation or rash occurs: Get medical advice/ ake off contaminated clothing and wash it before a case of fire: Use water spray, alcohol-resistant nical or carbon dioxide to extinguish.

according to the Hazardous Products Regulations

TBPB



Version	Revision Date:	SDS Number:	Date of last issue: 04/29/2024	
4.0	02/25/2025	60000000000	Date of first issue: 10/24/2016	

Storage:

- P403 Store in a well-ventilated place.
- P410 Protect from sunlight.
- P411 Store at temperatures not exceeding 40 °C/ 104 °F.
- P420 Store separately.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Substance
Chemical nature	: Organic Peroxide liquid
Substance name	: tert-Butyl perbenzoate
CAS-No.	: 614-45-9
Common Name/Synonym	: No data available

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
tert-Butyl perbenzoate	tert-Butyl per- benzoate	614-45-9	<= 100 *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	 Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 Symptoms of poisoning may appear several hours later. Administer oxygen if breathing is difficult or cyanosis is observed.

according to the Hazardous Products Regulations





Version 4.0	Revision Date: 02/25/2025		umber:)000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016
		lf n Cal If u adv	ot breathing, g I a physician o	ive person into fresh air. ive artificial respiration. In poison control center immediately. ace in recovery position and seek medical tract clear.
In ca	se of skin contact	In o for and Wa If o	ase of contact at least 15 mir shoes.	
In cas	se of eye contact	of v Rei Pro Kee	vater and seek move contact l otect unharmed ep eye wide op	
lf swa	allowed	Rin Kee	ep respiratory	oughly with water.
	important symptoms effects, both acute and ed	Ma Ha	uses skin irrita y cause an alle rmful if inhaled sitizing effects	ergic skin reaction.
Prote	ction of first-aiders			ers should pay attention to self-protection nmended protective clothing
Notes	s to physician	: Tre	at symptomati	cally and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Risk of explosion if heated under confinement. Possible emission of gaseous decomposition products may

according to the Hazardous Products Regulations





Versi 4.0	ion	Revision Date: 02/25/2025		DS Number: 0000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016
				Avoid confinemen Contact with incor temperatures exc	npatible materials or exposure to eeding SADT may result in a self- mposition reaction with release of flammable
				Do not allow run-o courses. Vapors may form The product will fl water.	s violently. ble over considerable distance. off from fire fighting to enter drains or water explosive mixtures with air. oat on water and can be reignited on surface iners exposed to fire with water spray.
	Specifi ods	c extinguishing meth-	:	fire. Remove undamag so.	I water stream as it may scatter and spread ged containers from fire area if it is safe to do o cool unopened containers.
	Further	information	:	circumstances an Use a water spray Collect contamina must not be disch Fire residues and	measures that are appropriate to local d the surrounding environment. / to cool fully closed containers. ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.
		l protective equipment fighters	:	necessary.	ed breathing apparatus for firefighting if ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice and personal protective equipment recommendations. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".
Environmental precautions	:	Prevent product from entering drains.

according to the Hazardous Products Regulations





Versio 4.0	'n	Revision Date: 02/25/2025	SDS Number: 600000000000		Date of last issue: 04/29/2024 Date of first issue: 10/24/2016
					akage or spillage if safe to do so. taminates rivers and lakes or drains inform ties.
Methods and materials for containment and cleaning up		:	decomposition at Clear spills immed Suppress (knock jet. To clean the floor material, use plen Soak up with inert Isolate waste and Non-sparking tool Local or national r disposal of this m employed in the c	diately. down) gases/vapors/mists with a water spray and all objects contaminated by this ty of water. absorbent material.	

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material.
Advice on safe handling	:	Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the application area. Wash thoroughly after handling.

according to the Hazardous Products Regulations



TBPB

Version 4.0	Revision Date: 02/25/2025		DS Number: 0000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016		
			Persons susceptil allergies, chronic	ection see section 8. ble to skin sensitization problems or asthma, or recurrent respiratory disease should not ny process in which this mixture is being		
Conditions for safe storage Materials to avoid		:	 Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep in a well-ventilated place. Contamination may result in dangerous pressure increase closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations Avoid impurities (e.g. rust, dust, ash), risk of decompositio Electrical installations / working materials must comply wit the technological safety standards. Containers which are opened must be carefully resealed a kept upright to prevent leakage. Keep away from combustible materials. Keep away from strong acids, bases, heavy metal salts ar other reducing substances. 			
		:				
Reco perat	mmended storage tem- ure	:	10 - 40 °C			
Further information on stor- age stability		:	Stable under reco	mmended storage conditions.		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.							
Engineering measures	:	Minimize workplace exposure concentrations.					
Personal protective equipment							
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.					
Filter type	:	ABEK-filter					
		Use NIOSH approved respiratory protection.					
Hand protection Material Break through time Glove thickness	:	Nitrile rubber 480 min 0.40 mm					

according to the Hazardous Products Regulations





Version 4.0	Revision Date: 02/25/2025	SDS Numbe 6000000000				
	Remarks	: The data about break through time/strength of materia standard values! The exact break through time/strengt material has to be obtained from the producer of the protective glove. Choose gloves to protect hands again chemicals depending on the concentration and quantit hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protecti				
Ey	e protection	breaks a : Ensure t to the wo Please fo	gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements wher			
		Always v eye cont Tightly fi Please v	protective measures for a specific workplace. year eye protection when the potential for inadvertent act with the product cannot be excluded. ting safety goggles year suitable protective goggles. Also wear face n if there is a splash hazard.			
Sk	in and body protection		propriate protective clothing based on chemical e data and an assessment of the local exposure			
		task beir disposat Wear as	al body garments should be used based upon the g performed (e.g., sleevelets, apron, gauntlets, le suits) to avoid exposed skin surfaces. appropriate: tardant antistatic protective clothing.			
Pro	otective measures	to the co	of protective equipment must be selected according ncentration and amount of the dangerous substance ecific workplace.			
Hy	giene measures	Keep aw When us When us	ntact with skin, eyes and clothing. ay from food and drink. ing do not eat or drink. ing do not smoke. nds before breaks and immediately after handling uct.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
------------	---	--------

Color : light yellow

Odor

: ester-like

according to the Hazardous Products Regulations

TBPB



Ver 4.0	Version Revision Date: 4.0 02/25/2025		SDS Number: 60000000000		Date of last issue: 04/29/2024 Date of first issue: 10/24/2016
	Odor T	hreshold	:	No data available	9
	рН		:	not determined s	ubstance/mixture is non-soluble (in water)
	Melting	point/freezing point	:	ca. 10 °C	
	Initial b range	oiling point and boiling	:	Decomposition: [Decomposes below the boiling point.
	Flash p	point	:	100 °C	
				Method: ISO 367	'9, closed cup
	Evapor	ation rate	:	No data available	9
	Flamm	ability (solid, gas)	:	Not applicable	
	Flamm	ability (liquids)	:	Organic peroxide	e, Flammable liquid
	Self-igr	nition	:	The substance o	r mixture is not classified as pyrophoric.
		explosion limit / Upper ability limit	:	Upper explosion not determined	limit
	Lower explosion limit / Lower flammability limit		:	Lower explosion not determined	limit
	Vapor	oressure	:	0.003 hPa (20 °C)
	Relativ	e vapor density	:	No data available	9
	Relativ	e density	:	not determined	
	Density	/	:	1.04 g/cm3 (20 °	C)
	Solubili Wat	ity(ies) ter solubility	:	insoluble	
	Solu	ubility in other solvents	:	completely miscil Solvent: Alcohol	ble
				completely miscil Solvent: Phthalat	
	Partitio octano	n coefficient: n- l/water	:	log Pow: 3.0 (25	°C)

Autoignition temperature

: not determined Decomposition

according to the Hazardous Products Regulations



TBPB

Version 4.0	on Revision Date: 02/25/2025		S Number: 0000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016	
	f-Accelerating decomposi- temperature (SADT)	:	temperature at w	H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.	
	cosity Viscosity, dynamic	:	8 mPa.s (20 °C)		
	Viscosity, kinematic	:	not determined		
Exp	Explosive properties		Not explosive In use, may form flammable/explosive vapor-air mixture.		
Oxi	dizing properties	:	The substance of Organic peroxide	r mixture is not classified as oxidizing.	
Sel	f-heating substances	:	The substance of	r mixture is not classified as self heating.	
Ref	ractive index	:	1.499 (20 °C)		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions. Heating may cause a fire or explosion.		
Chemical stability	:	Stable under recommended storage conditions.		
Possibility of hazardous reac- tions	:	Vapors may form explosive mixture with air.		
Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.		
Incompatible materials	:	Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents		
Hazardous decomposition products	:	Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition		

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if inhaled.

according to the Hazardous Products Regulations





Version 4.0	Revision Date: 02/25/2025	SDS Numbe 6000000000	
	duct:		a_{1} formula: $a_{2} = 0.00 \text{ mg/kg}$
Acu	Acute oral toxicity		at, female): > 2,000 mg/kg OECD Test Guideline 423 s ent: The substance or mixture has no acute oral tox-
Acu	Acute inhalation toxicity		at, male and female): > 1.01 - 4.9 mg/l e time: 4 h osphere: dust/mist OECD Test Guideline 436 s eent: The component/mixture is moderately toxic after n inhalation.
l Acu	te dermal toxicity	Method: GLP: yes	at, male and female): > 2,000 mg/kg OECD Test Guideline 402 sent: The substance or mixture has no acute dermal
	nponents:		
	Butyl perbenzoate: te oral toxicity	Method: GLP: yes	at, female): > 2,000 mg/kg OECD Test Guideline 423 s ent: The substance or mixture has no acute oral tox-
Acu	te inhalation toxicity	Exposure Test atm Method: GLP: yes Assessm	at, male and female): > 1.01 - 4.9 mg/l e time: 4 h osphere: dust/mist OECD Test Guideline 436 s eent: The component/mixture is moderately toxic after n inhalation.
l Acu	te dermal toxicity	Method: GLP: yes	at, male and female): > 2,000 mg/kg OECD Test Guideline 402 sent: The substance or mixture has no acute dermal
-	n corrosion/irritation ses skin irritation.		
<u>Pro</u> Spe Metl		: Rabbit : OECD T	est Guideline 404

according to the Hazardous Products Regulations



sion	Revision Date: 02/25/2025	SDS Number: 600000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016				
Resul	t	: Skin irritation					
Rema	rks	: May cause skin	irritation in susceptible persons.				
<u>Comp</u>	oonents:						
tert-B	utyl perbenzoate:						
Specie		: Rabbit					
Metho Resul		: OECD Test Gu : Skin irritation	deline 404				
Serio	us eye damage/eye i	rritation					
Basec	d on available data, the	e classification criteria	are not met.				
<u>Produ</u>	<u>ict:</u>						
Speci		: Rabbit					
Resul Metho		: No eye irritatior : OECD Test Gu					
Remarks		: Vapors may ca and the skin.	: Vapors may cause irritation to the eyes, respiratory system and the skin.				
<u>Comp</u>	oonents:						
	utyl perbenzoate:						
Speci		: Rabbit					
Resul [®] Metho			No eye irritationOECD Test Guideline 405				
Respiratory or skin sensitization							
	sensitization						
	ause an allergic skin i	eaction.					
•	iratory sensitization						
	assified due to lack of	data.					
<u>Produ</u>	ıct:						
Specie		: Mouse					
Metho	bd	: OECD Test Gu					
Resul	t	: May cause sen	sitization by skin contact.				
Rema	irks	: Causes sensitiz	ration.				
Comp	oonents:						
tert-B	utyl perbenzoate:						
Specie	es	: Mouse	deline 429				
Metho							

according to the Hazardous Products Regulations



Versior 4.0	n Revision Date: 02/25/2025	-	9S Number: 0000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016
Re	esult	:	May cause sensit	ization by skin contact.
	erm cell mutagenicity ot classified due to lack of	data.		
Pr	oduct:			
	enotoxicity in vitro	:	Test Type: Bacter Method: OECD Te Result: positive	rial reverse mutation assay (AMES) est Guideline 471
			Test Type: In vitro Method: OECD To Result: positive	o mammalian cell gene mutation test est Guideline 476
			Test Type: Chrom Method: OECD To Result: positive	nosome aberration test in vitro est Guideline 473
G	enotoxicity in vivo	:	Test Type: In vivo Species: Mouse (Application Route Method: OECD To Result: negative	: Oral
<u>Co</u>	omponents:			
te	rt-Butyl perbenzoate:			
	enotoxicity in vitro	:	Test Type: Bacter Method: OECD Te Result: positive	ial reverse mutation assay (AMES) est Guideline 471
			Test Type: In vitro Method: OECD To Result: positive	o mammalian cell gene mutation test est Guideline 476
			Test Type: Chrom Method: OECD To Result: positive	nosome aberration test in vitro est Guideline 473
G	enotoxicity in vivo	:	Test Type: In vivo Species: Mouse (Application Route Method: OECD To Result: negative	: Oral
	arcinogenicity ot classified due to lack of	data.		
Pr	oduct:			
	emarks	:	No data available	

according to the Hazardous Products Regulations



rsion Revision Date: 0 02/25/2025		SDS Number: 600000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016	
Comp	oonents:			
	Butyl perbenzoate:			
Rema		: No data availal	ble	
-	oductive toxicity assified due to lack o	f data.		
<u>Produ</u>	uct:			
Effect	s on fertility	Application Ro Dose: 0 100, 3 General Toxici General Toxici	nale and female ute: Oral 00, 750, 1000 milligram per kilogram ty Parent: NOAEL: 300 mg/kg bw/day ty F1: NOAEL: 300 mg/kg bw/day 0 Test Guideline 421	
<u>Comp</u>	oonents:			
tert-B	utyl perbenzoate:			
Effect	s on fertility	General Toxicit General Toxicit		
	-single exposure assified due to lack o	f data		
Produ		l'uuu.		
Rema		: Not classified of ficient for class	lue to data which are conclusive although ins ification.	
<u>Comp</u>	oonents:			
tert-B	utyl perbenzoate:			
Rema	arks	: Not classified of ficient for class	lue to data which are conclusive although ins ification.	
стот	-repeated exposure			
		ne classification criteria	are not met.	
<u>Prod</u> u	uct:			
	ssment		or mixture is not classified as specific target repeated exposure.	

according to the Hazardous Products Regulations

TBPB



Version 4.0	Revision Date: 02/25/2025	SDS Numbe 6000000000						
Com	ponents:							
	Butyl perbenzoate: ssment		tance or mixture is not elegatified as apositis targe					
A356:	SSITTETIC	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.						
Repe	ated dose toxicity							
Prod	uct:							
Spec			e and female					
NOA	EL cation Route	: 30 mg/kǫ : Oral	l					
	sure time	: 90 d						
Com	ponents:							
tert-E	Butyl perbenzoate:							
Spec			e and female					
-	NOAEL :		l					
	cation Route sure time	: Oral : 90 d						
Acnii	ration toxicity							
-	d on available data, th	e classification o	riteria are not met					
Prod								
	spiration toxicity class	fication						
Com	ponents:							
	Butyl perbenzoate: spiration toxicity classi	fication						
No ac		noution						
Furth	ner information							
Prod	uct:							
Rema	arks	: No data	available					
SECTION	12. ECOLOGICAL IN	FORMATION						
	oxicity							
Prod								
Toxic	to fish		anio rerio (zebra fish)): 1.6 mg/l					
			Exposure time: 96 h Test Type: semi-static test					

Test Type: semi-static test

according to the Hazardous Products Regulations



Versi 4.0	on	Revision Date: 02/25/2025		0S Number: 0000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016
				Method: OECD Te GLP: yes	est Guideline 203
				NOEC (Danio reri Exposure time: 96 Test Type: semi-s Method: OECD Te GLP: yes	static test
	Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Daphnia m Exposure time: 48 Test Type: Immob Method: OECD Te GLP: yes	bilization
				NOEC (Daphnia r Exposure time: 48 Test Type: Immob Method: OECD Te GLP: yes	bilization
	Toxicity plants	to algae/aquatic	:	EC10 (Pseudokird mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
				EC50 (Pseudokiro mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
				NOEC (Pseudokir mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
a		to daphnia and other invertebrates (Chron- ty)	:	EC10 (Daphnia m End point: reprodu Exposure time: 21 Test Type: semi-s Method: OECD Te GLP: yes	d tatic test
٢	Toxicity	to microorganisms	:	EC50 (activated s Exposure time: 0. Test Type: Respir	5 h

according to the Hazardous Products Regulations



Versio 4.0	on	Revision Date: 02/25/2025		9S Number: 0000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016
				Method: OECD Te GLP: yes	est Guideline 209
		icology Assessment	:	Very toxic to aqua	tic life.
C	Chronic aquatic toxicity		:	Harmful to aquation	life with long lasting effects.
<u>(</u>	Compo	onents:			
	tert-Butyl perbenzoate: Toxicity to fish		:	LC50 (Danio rerio Exposure time: 96 Test Type: semi-s Method: OECD Te GLP: yes	tatic test
				NOEC (Danio reri Exposure time: 96 Test Type: semi-s Method: OECD Te GLP: yes	tatic test
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Test Type: Immob Method: OECD Te GLP: yes	vilization
				NOEC (Daphnia n Exposure time: 48 Test Type: Immob Method: OECD Te GLP: yes	vilization
	Foxicity plants	v to algae/aquatic	:	EC10 (Pseudokiro mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
				EC50 (Pseudokiro mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
				NOEC (Pseudokir	chneriella subcapitata (green algae)): 0.72

according to the Hazardous Products Regulations





Versi 4.0	on	Revision Date: 02/25/2025	SDS Number: 600000000000		Date of last issue: 04/29/2024 Date of first issue: 10/24/2016
				mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
	M-Facto city)	or (Acute aquatic tox-	:	1	
a		to daphnia and other invertebrates (Chron- y)	:	EC10 (Daphnia m End point: reprodu Exposure time: 21 Test Type: semi-s Method: OECD Te GLP: yes	d tatic test
ſ	Toxicity	to microorganisms	:	EC50 (activated s Exposure time: 0.3 Test Type: Respir Method: OECD Te GLP: yes	5 h ation inhibition
E	Ecotoxi	icology Assessment			
ŀ	Acute a	quatic toxicity	:	Very toxic to aqua	tic life.
(Chronic	aquatic toxicity	:	Harmful to aquation	life with long lasting effects.
F	Persiste	ence and degradabili	ty		
	Produc				
E	Biodegr	adability	:	Result: Readily bio Method: OECD Te	odegradable. est Guideline 301D
<u>(</u>	Compo	nents:			
		t yl perbenzoate: adability	:	Result: Readily bio Method: OECD Te	odegradable. est Guideline 301D
E	Bioaccu	umulative potential			
<u>(</u>	Compo	nents:			
F		t yl perbenzoate: n coefficient: n- /water	:	log Pow: 3 (25 °C))
	-	y in soil available			

according to the Hazardous Products Regulations

TBPB



	ion Date:	SDS Number:	Date of last issue: 04/29/2024
	5/2025	600000000000	Date of first issue: 10/24/2016
Other advers <u>Product:</u> Additional eco mation		unprofessional ha Very toxic to aqua	hazard cannot be excluded in the event of Indling or disposal. atic life. c life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	Dispose of in accordance with local regulations. Clean container with water. Dispose of contents/ container to an approved waste disposal plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3103
Proper shipping name	:	ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)
Class	:	5.2
Packing group	:	Not assigned by regulation
Labels	:	5.2
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3103
Proper shipping name	:	Organic peroxide type C, liquid (tert-Butyl peroxybenzoate)
Class	:	5.2
Packing group	:	Not assigned by regulation
Labels	:	Organic Peroxides, Keep Away From Heat
Packing instruction (cargo aircraft)	:	570
Packing instruction (passen-	:	570

according to the Hazardous Products Regulations





Version Revision Date:	SDS Number:	Date of last issue: 04/29/2024
4.0 02/25/2025	600000000000	Date of first issue: 10/24/2016

ger aircraft)

IMDG-Code		
UN number	:	UN 3103
Proper shipping name	:	ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)
Class	:	5.2
Packing group	:	Not assigned by regulation
Labels	:	5.2
EmS Code	:	F-J, S-R
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG UN number Proper shipping name	:	UN 3103 ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)
Class	:	5.2
Packing group	:	II
Labels	:	5.2
ERG Code	:	146
Marine pollutant	:	yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

International Regulations

Gefahrgruppe nach TRGS 741: lb, S+ (German regulatory requirements) Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirement)

The ingredients of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AIIC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory

according to the Hazardous Products Regulations





Version 4.0	Revision Date: 02/25/2025		DS Number: 0000000000	Date of last issue: 04/29/2024 Date of first issue: 10/24/2016	
KECI (KR)		:	: On the inventory, or in compliance with the inventory		
PICCS (PH)		:	On the inventory, or in compliance with the inventory		
IECSC (CN)		:	On the inventory, or in compliance with the inventory		
TECI (TH)		:	On the inventory	, or in compliance with the inventory	

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

according to the Hazardous Products Regulations



TBPB

Version	Revision Date:	SDS Number:	Date of last issue: 04/29/2024
4.0	02/25/2025	60000000000	Date of first issue: 10/24/2016

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	:	02/25/2025 mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8