



				Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
--	--	--	--	---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name		ТВРВ
	•	
REACH Registration Number	:	01-2119513317-46-0003
Substance name	:	tert-Butyl perbenzoate
EC-No.	:	210-382-2
1.2 Relevant identified uses of th	າຍ ຄ	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	polymerisation initiators
Recommended restrictions on use	:	Exposure Scenario is available as separate attachment., For further information see eSDS.
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	:	+49 / 89 / 74422 – 0
E-mail address of person responsible for the SDS	:	contact@united-in.com

### 1.4 Emergency telephone number

+44 1235 239670

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	72/2008)
Organic peroxides, Type C	H242: Heating may cause a fire.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

Revision Date:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SDS Number:



Version



Date of last issue: 18.07.2023

5.0		24.02.2025		000000000000000000000000000000000000000		Date of first issue: 07.03.2016
	Short-t gory 1	erm (acute) aquatic h	aza	rd, Cate-	H400:	Very toxic to aquatic life.
	Long-te egory 3	erm (chronic) aquatic 3	haz	ard, Cat-	H412: fects.	Harmful to aquatic life with long lasting ef-
2.2 L	_abel e	lements				
	Labelli	ing (REGULATION (I	EC)	No 1272/20	08)	
	Hazaro	d pictograms	:	JUL .		
				<u> 7</u>	$^{\prime}$	
	Signal	word		Dongor		<ul> <li></li> </ul>
	Signal	word	•	Danger		
	Hazaro	statements	:	H242		ng may cause a fire.
				H315 H317		es skin irritation. cause an allergic skin reaction.
				H332		ful if inhaled.
				H410		toxic to aquatic life with long lasting effects.
	Precau	itionary statements	:	Preventio	n:	
				P210		away from heat, hot surfaces, sparks, open s and other ignition sources. No smoking.
				P234	Keep	only in original packaging.
				P273		release to the environment.
				P280		protective gloves/ protective clothing/ eye ction/ face protection.
				Response	:	
				P370 + P3		case of fire: Use water spray, alcohol-
					resist	ant foam, dry chemical or carbon dioxide to

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

P391

extinguish.

Collect spillage.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



# TBPB

Version	Revision Date: 24.02.2025	SDS Number:	Date of last issue: 18.07.2023
5.0		600000000000	Date of first issue: 07.03.2016

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Substance name	:	tert-Butyl perbenzoate
EC-No.	:	210-382-2
Chemical nature	:	Organic Peroxide liquid

### Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
tert-Butyl perbenzoate	614-45-9 210-382-2	<= 100	M-Factor (Acute aquatic toxicity): 1

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	<ul> <li>Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later.</li> </ul>
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing
If inhaled	<ul> <li>Administer oxygen if breathing is difficult or cyanosis is observed.</li> <li>If breathed in, move person into fresh air.</li> <li>If not breathing, give artificial respiration.</li> <li>Call a physician or poison control centre immediately.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> </ul>
In case of skin contact	<ul> <li>If symptoms persist, call a physician.</li> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> <li>Wash contaminated clothing before re-use.</li> </ul>

**TBPB** 

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





#### Version Revision Date: SDS Number: Date of last issue: 18.07.2023 24.02.2025 60000000000 Date of first issue: 07.03.2016 5.0 If on skin, rinse well with water. If on clothes, remove clothes. In case of eye contact In the case of contact with eyes, rinse immediately with plenty : of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Call a physician immediately. : Rinse mouth thoroughly with water. Keep respiratory tract clear. If symptoms persist, call a physician. 4.2 Most important symptoms and effects, both acute and delayed Symptoms sensitising effects : Risks Causes skin irritation. : May cause an allergic skin reaction. Harmful if inhaled. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically and supportively. **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media : Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing : High volume water jet media

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-	: Risk of explosion if heated under confinement.
fighting	Possible emission of gaseous decomposition products may
	lead to a dangerous pressure build-up.
	Avoid confinement.
	Contact with incompatible materials or exposure to tempera-
	tures exceeding SADT may result in a self-accelerating de-
	composition reaction with release of flammable vapors which
	may auto-ignite.
	The product burns violently.
	Flash back possible over considerable distance.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Versi 5.0	ion	Revision Date: 24.02.2025		0S Number: 0000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
				courses. Vapours may forn The product will fl water.	off from fire fighting to enter drains or water n explosive mixtures with air. oat on water and can be reignited on surface iners exposed to fire with water spray.
5.3 Advice for firefighters Special protective equipment for firefighters		:		ed breathing apparatus for firefighting if nec- onal protective equipment.	
	Specific ods	extinguishing meth-	:	fire. Remove undamag so.	water stream as it may scatter and spread ged containers from fire area if it is safe to do o cool unopened containers.
	Further	information	:	cumstances and t Use a water spray Collect contamina must not be disch Fire residues and	measures that are appropriate to local cir- he surrounding environment. / to cool fully closed containers. ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Follow safe handling advice and personal protective equip- ment recommendations. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".
----------------------	---	--

### 6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains.
		Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contact with incompatible substances can cause decomposi-
-------------------------	---	---

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version Revision Date:	SDS Number:	Date of last issue: 18.07.2023
5.0 24.02.2025	600000000000	Date of first issue: 07.03.2016

tion at or below SADT. Clear spills immediately. Suppress (knock down) gases/vapours/mists with a water spray jet. To clean the floor and all objects contaminated by this material, use plenty of water. Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Technical measures :	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on safe handling :	Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash thoroughly after handling. For personal protection see section 8. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Advice on protection against : fire and explosion	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Ver 5.0	sion	Revision Date: 24.02.2025		DS Number: 0000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
	Hygier	ne measures	:	Avoid contact with food and drink. W	n. Keep away from combustible material. h skin, eyes and clothing. Keep away from /hen using do not eat or drink. When using ash hands before breaks and immediately product.
7.2	Conditi	ons for safe storage,	inc	luding any incom	patibilities
	Requir	ements for storage and containers	:	Store in original c cool, well-ventilat ventilated place. sure increases - c precautions. Stor regulations. Avoid composition. Elec comply with the te	container. Keep containers tightly closed in a ed place. Store in cool place. Keep in a well- Contamination may result in dangerous pres- closed containers may rupture. Observe label e in accordance with the particular national d impurities (e.g. rust, dust, ash), risk of de- ctrical installations / working materials must echnological safety standards. Containers d must be carefully resealed and kept upright
	Advice	on common storage	:		combustible materials. strong acids, bases, heavy metal salts and lbstances.
	Recorr peratu	nmended storage tem- re	:	10 - 40 °C	
	Furthe age sta	r information on stor- ability	:	Stable under reco	ommended storage conditions.
7 2	Snecifi	c end use(s)			
1.3	-	c use(s)	:	For further inform sheet.	ation, refer to the product technical data

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Contains no substances with occupational exposure limit values.

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
tert-Butyl perbenzoate	Workers	Inhalation	Long-term systemic effects	24.7 mg/m3
	Workers	Skin contact	Long-term systemic effects	17.5 mg/kg bw/day



# TBPB

Version	Revision Date:	SDS Number:	Date of last issue: 18.07.2023
5.0	24.02.2025	60000000000	Date of first issue: 07.03.2016

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
tert-Butyl perbenzoate	Fresh water	0.01 mg/l
	Marine water	1.01 µg/l
	Sewage treatment plant	0.6 mg/l
	Fresh water sediment	0.28 mg/kg dry weight (d.w.)
	Marine sediment	0.028 mg/kg dry weight (d.w.)
	Soil	0.049 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

### **Engineering measures**

Minimize workplace exposure concentrations.

Personal protective equipmer	ht
Eye/face protection :	Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face pro- tection if there is a splash hazard. Equipment should conform to EN 166
Hand protection Material : Break through time : Glove thickness :	Nitrile rubber 480 min 0.40 mm
Directive	Equipment should conform to EN 374
Remarks :	The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protec- tive glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazard- ous substance and specific to place of work. For special ap- plications, we recommend clarifying the resistance to chemi- cals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection :	Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TBPB

Version 5.0	Revision Date: 24.02.2025		DS Number: 00000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
			task being perform posable suits) to Wear as appropri	arments should be used based upon the med (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. ate: antistatic protective clothing.
Respiratory protection		:		st or aerosol formation use respirator with an
			Respirator with co 141)	ombination filter for vapour/particulate (EN
Filt	ter type	:	ABEK-filter	
Protec	ctive measures	The type of protective equipment must be selected a to the concentration and amount of the dangerous s at the specific workplace.		on and amount of the dangerous substance

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	light yellow
Odour	:	ester-like
Odour Threshold	:	No data available
Melting point/freezing point	:	ca. 10 °C
Initial boiling point and boiling range	:	Decomposition: Decomposes below the boiling point.
Flammability	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Upper explosion limit not determined
Lower explosion limit / Lower	:	Lower explosion limit





Vers 5.0	sion	Revision Date: 24.02.2025		S Number: 0000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
	flamma	ability limit		not determined	
	Flash p	point	:	100 °C Method: ISO 367	9, closed cup
	Auto-ig	nition temperature	:	not determined Decomposition	
		celerating decomposi- nperature (SADT)	:	temperature at w	t H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
	рН		:	not determined s	ubstance/mixture is non-soluble (in water)
	Viscosi Visc	ty cosity, dynamic	:	8 mPa.s (20 °C)	
	Viso	cosity, kinematic	:	not determined	
	Solubil Wat	ity(ies) er solubility	:	insoluble	
	Solu	ubility in other solvents	:	Solvent: Alcohol completely miscil	ble
				Solvent: Phthalat completely miscil	
	Partitio octano	n coefficient: n- I/water	:	log Pow: 3.0 (25	°C)
	Vapour	- pressure	:	0.003 hPa (20 °C	2)
	Relativ	e density	:	not determined	
	Density	/	:	1.04 g/cm3 (20 °	C)
	Relativ	e vapour density	:	No data available	9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version	Revision Date:	SDS Number:	Date of last issue: 18.07.2023
5.0	24.02.2025	60000000000	Date of first issue: 07.03.2016

9.2 Other information		
Explosives	:	Not explosive In use, may form flammable/explosive vapour-air mixture.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide
Flammability (liquids)	:	Organic peroxide, Flammable liquid
Self-ignition	:	The substance or mixture is not classified as pyrophoric.
Self-heating substances	:	The substance or mixture is not classified as self heating.
Substances and mixtures, which in contact with water, emit flammable gases	:	The substance or mixture does not emit flammable gases in contact with water.
Desensitised explosives	:	Not applicable
Evaporation rate	:	No data available
Refractive index	:	1.499 at 20 °C

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version 5.0	Revision Date: 24.02.2025	SDS Number: 600000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
Condi	itions to avoid	: Protect from c Contact with ir tion at or below Heat, flames a Avoid confiner	ncompatible substances can cause decomposi- w SADT. Ind sparks.
10.5 Incor	npatible materials		
Mater	ials to avoid		strong acids and bases, heavy metals and alts, reducing agents
	rdous decomposition t, caustic, flammable,	•	nd vapours can develop in the case of fire and

decomposition

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if inhaled.	
Product: Acute oral toxicity	<ul> <li>LD50 (Rat, female): &gt; 2,000 mg/kg Method: OECD Test Guideline 423 GLP: yes Assessment: The substance or mixture has no acute oral tox- icity</li> </ul>
Acute inhalation toxicity	<ul> <li>LC50 (Rat, male and female): &gt; 1.01 - 4.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 GLP: yes Assessment: The component/mixture is moderately toxic after short term inhalation.</li> </ul>
Acute dermal toxicity	<ul> <li>LD50 (Rat, male and female): &gt; 2,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity</li> </ul>
Components:	
tert-Butyl perbenzoate: Acute oral toxicity	<ul> <li>LD50 (Rat, female): &gt; 2,000 mg/kg Method: OECD Test Guideline 423 GLP: yes Assessment: The substance or mixture has no acute oral tox-</li> </ul>

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# TBPB



Version 5.0	Revision Date: 24.02.2025		OS Number: 0000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
			icity	
Acute	e inhalation toxicity	:	Exposure time: 4 Test atmosphere Method: OECD GLP: yes	e: dust/mist Fest Guideline 436 e component/mixture is moderately toxic after
Acute	e dermal toxicity	:	Method: OECD GLP: yes	and female): > 2,000 mg/kg Fest Guideline 402 e substance or mixture has no acute dermal
	corrosion/irritation es skin irritation.			
Produ	uct:			
Speci		:	Rabbit	
Metho Resul		:	OECD Test Guid Skin irritation	leline 404
Rema		:	May cause skin irritation in susceptible persons.	
Com	ponents:			
tert-E	Butyl perbenzoate:			
Speci		:	Rabbit	
Metho	bd	:	OECD Test Guid	leline 404
Resu	lt	:	Skin irritation	
Serio	ous eye damage/eye ii	rritati	on	
	d on available data, the			re not met.
Prod	uct:			
Speci		:	Rabbit	
Metho	od	:	OECD Test Guid	leline 405
Resu	lt	:	No eye irritation	
Rema	arks	:	Vapours may ca and the skin.	use irritation to the eyes, respiratory system
Com	ponents:			
tert-B	Butyl perbenzoate:			
Speci		:	Rabbit	
Metho	bd	:	OECD Test Guid	leline 405

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version 5.0	Revision Date: 24.02.2025	-	0S Number: 0000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
Resu	ult	:	No eye irritation	
Res	piratory or skin sensi	tisatio	n	
Skin	sensitisation			
May	cause an allergic skin	reactio	on.	
-	<b>piratory sensitisation</b> classified due to lack of	data		
	luct:	uulu.		
Spec			Mouse	
Meth		÷	OECD Test Gui	deline 429
Resu	ult	:	May cause sens	sitisation by skin contact.
Rem	arks	:	Causes sensitis	ation.
Com	ponents:			
tert-	Butyl perbenzoate:			
Spec		:	Mouse	
Meth Resu		:	OECD Test Gui May cause sens	deline 429 itisation by skin contact.
Gerr	n cell mutagenicity			
Not o	classified due to lack of	data.		
Proc	luct:			
Gene	otoxicity in vitro	:		erial reverse mutation assay (AMES) Test Guideline 471
				ro mammalian cell gene mutation test Test Guideline 476
				mosome aberration test in vitro Test Guideline 473
Gen	otoxicity in vivo	:	Species: Mouse Application Rou	Test Guideline 474
Com	ponents:			

tert-Butyl perbenzoate:

TBPB





Vers 5.0	-	Revision Date: 24.02.2025	-	S Number: 000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
	Genotox	kicity in vitro	:	Test Type: Bacter Method: OECD Te Result: positive	ial reverse mutation assay (AMES) est Guideline 471
				Test Type: In vitro Method: OECD Te Result: positive	mammalian cell gene mutation test est Guideline 476
				Test Type: Chrom Method: OECD Te Result: positive	osome aberration test in vitro est Guideline 473
	Genoto	kicity in vivo	:	Test Type: In vivo Species: Mouse (i Application Route Method: OECD Te Result: negative	nale and female) : Oral
		<b>ogenicity</b> sified due to lack of da	ita.		
	Product Remark		:	No data available	
	Compo	nents:			
	tert-But Remark	s <b>yl perbenzoate:</b> S	:	No data available	
	-	uctive toxicity sified due to lack of da	ita.		
	Product Effects of	<u>t:</u> on fertility	:	Species: Rat, mal Application Route	
				Dose: 0 100, 300, General Toxicity -	750, 1000 milligram per kilogram Parent: NOAEL: 300 mg/kg bw/day 1: NOAEL: 300 mg/kg bw/day
	Compo	nents:			
		yl perbenzoate:			
	Effects of	on fertility	:	General Toxicity -	



# TBPB

sion	Revision Date: 24.02.2025	SDS Number: 6000000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
		Method: OEC GLP: yes	D Test Guideline 421
		GLF. yes	
	<b>- single exposure</b> lassified due to lack o	f data.	
Prod	uct:		
Rema		: Not classified ficient for clas	due to data which are conclusive although ins
<u>Com</u>	oonents:		
tert-E	Butyl perbenzoate:		
Rema		: Not classified ficient for clas	due to data which are conclusive although ins
	- repeated exposur		
Base	d on available data, th	e classification criter	ia are not met.
Prod	uct:		
Asses	ssment		e or mixture is not classified as specific target t, repeated exposure.
<u>Com</u>	oonents:		
tert-E	Butyl perbenzoate:		
	ssment		e or mixture is not classified as specific target t, repeated exposure.
Repe	ated dose toxicity		
Prod	uct:		
Speci	es	: Rat, male and	d female
NOAE		: 30 mg/kg	
	cation Route sure time	: Oral : 90 d	
<u>Com</u>	oonents:		
tert-E	Butyl perbenzoate:		
Speci		: Rat, male and	d female
NOAE		: 30 mg/kg	
	cation Route sure time	: Oral : 90 d	
Aspir	ation toxicity		
-	d on available data, th	e classification criter	ia are not met

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version	Revision Date:	SDS Number:	Date
5.0	24.02.2025	60000000000	Date

Date of last issue: 18.07.2023 Date of first issue: 07.03.2016

### Product:

No aspiration toxicity classification

### **Components:**

### tert-Butyl perbenzoate:

No aspiration toxicity classification

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### Product:

Assessment
------------

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

Product:

Remarks

: No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product:		
Toxicity to fish :	:	LC50 (Danio rerio (zebra fish)): 1.6 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
		NOEC (Danio rerio (zebra fish)): 0.72 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 11 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
		NOEC (Daphnia magna (Water flea)): 7.7 mg/l





Version 5.0	Revision Date: 24.02.2025		00000000000000000000000000000000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
			Exposure time: 48 Test Type: Immob Method: OECD Te GLP: yes	ilization
Toxici plants	ity to algae/aquatic	:	·	est
			EC50 (Pseudokird mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
			NOEC (Pseudokir mg/l Exposure time: 72 Test Type: static t Method: OECD Te GLP: yes	est
	ity to daphnia and other ic invertebrates (Chron- icity)	:	EC10: 0.49 mg/l End point: reprodu Exposure time: 21 Species: Daphnia Test Type: semi-s Method: OECD Te GLP: yes	d magna (Water flea) tatic test
Toxici	ity to microorganisms	:	EC50 (activated s Exposure time: 0.4 Test Type: Respir Method: OECD Te GLP: yes	5 h ation inhibition
	oxicology Assessment		Vony toxic to onus	tialifa
	e aquatic toxicity	:	Very toxic to aqua Harmful to aquation	life with long lasting effects.
Com	oonents:			
	Butyl perbenzoate: ity to fish	:	LC50 (Danio rerio Exposure time: 96	(zebra fish)): 1.6 mg/l i h





Version 5.0	Revision Date: 24.02.2025		0S Number: 0000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
			Test Type: semi-s Method: OECD T GLP: yes	
			NOEC (Danio reri Exposure time: 96 Test Type: semi-s Method: OECD T GLP: yes	static test
	tity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Test Type: Immol Method: OECD T GLP: yes	pilization
			NOEC (Daphnia r Exposure time: 48 Test Type: Immol Method: OECD T GLP: yes	pilization
Toxic plant	city to algae/aquatic s	:	EC10 (Pseudokiro mg/l Exposure time: 72 Test Type: static Method: OECD T GLP: yes	test
			EC50 (Pseudokiro mg/l Exposure time: 72 Test Type: static f Method: OECD T GLP: yes	test
			NOEC (Pseudokii mg/l Exposure time: 72 Test Type: static f Method: OECD T GLP: yes	test
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
Toxic	sity to microorganisms	:	EC50 (activated s Exposure time: 0. Test Type: Respin Method: OECD T GLP: yes	5 h ration inhibition





Version 5.0	Revision Date: 24.02.2025	-	DS Number: 00000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016
aqı	kicity to daphnia and other latic invertebrates (Chron- oxicity)	:	End point: reprod Exposure time: 2 Species: Daphni Test Type: semi-	21 d a magna (Water flea)
Ec	otoxicology Assessment			
Acu	ute aquatic toxicity	:	Very toxic to aqu	atic life.
Ch	ronic aquatic toxicity	:	Harmful to aquat	ic life with long lasting effects.
12.2 Pe	rsistence and degradabil	ity		
	oduct: degradability	:	Result: Readily b Method: OECD	biodegradable. Fest Guideline 301D
<u>Co</u>	mponents:			
	t <b>-Butyl perbenzoate:</b> degradability	:	Result: Readily b Method: OECD <sup>-</sup>	biodegradable. Test Guideline 301D
12.3 Bio	paccumulative potential			
<u>Co</u>	mponents:			
Pa	t- <b>Butyl perbenzoate:</b> rtition coefficient: n- anol/water	:	log Pow: 3 (25 °(	C)
	<b>bility in soil</b> data available			
12.5 Re	sults of PBT and vPvB as	sse	ssment	
	oduct: sessment	:	to be either pers	nixture contains no components considered istent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of



# TBPB

Version	Revision Date:	SDS Number:	Date of last issue: 18.07.2023
5.0	24.02.2025	60000000000	Date of first issue: 07.03.2016

### **12.6 Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

Product:	
Additional ecological infor-	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

### **SECTION 13: Disposal considerations**

13.1 Waste treatme	ent methods	
Product	:	Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
		According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated p	backaging :	Dispose of in accordance with local regulations. Clean container with water. Dispose of contents/ container to an approved waste disposal plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADR	:	UN 3103
RID	:	UN 3103

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TBPB

Version 5.0	Revision Date: 24.02.2025		DS Number: 00000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016	
IMDO	3	:	UN 3103		
ΙΑΤΑ		:	UN 3103		
14.2 UN p	roper shipping name				
ADR		:		DXIDE TYPE C, LIQUID ROXYBENZOATE)	
RID	RID		ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL PEROXYBENZOATE)		
IMDO	6	:		DXIDE TYPE C, LIQUID ROXYBENZOATE)	
ΙΑΤΑ		:	Organic peroxide (tert-Butyl peroxy		
14.3 Tran	sport hazard class(es)				
			Class	Subsidiary risks	
ADR		:	5.2		
RID		:	5.2		
IMDO	6	:	5.2		
ΙΑΤΑ		:	5.2	HEAT	
14.4 Pack	ing group				
Class Label	ing group sification Code	: :	Not assigned by P1 5.2 (D)	regulation	
Class	ing group sification Code rd Identification Number Is	: : :	Not assigned by P1 539 5.2	regulation	
Label	ing group	:	Not assigned by 5.2 F-J, S-R	regulation	
	( <b>Cargo)</b> ing instruction (cargo aft)	:	570		
	ing group	:	Not assigned by Organic Peroxide	regulation es, Keep Away From Heat	
Pack	(Passenger) ing instruction (passen- ircraft)	:	570		



# TBPB

Version 5.0	Revision Date: 24.02.2025	SDS Number: 600000000000	Date of last issue: 18.07.2023 Date of first issue: 07.03.2016	
-				-

Packing group Labels	<ul><li>Not assigned by regulation</li><li>Organic Peroxides, Keep Away From Heat</li></ul>
-------------------------	---

### 14.5 Environmental hazards

٩DF	२
	-

IMDG Marine pollutant	:	ves
<b>RID</b> Environmentally hazardous	:	yes
Environmentally hazardous	:	yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TBPB

Version	Revision Date:	SDS Number:	Date of last issue: 18.07.2023
5.0	24.02.2025	60000000000	Date of first issue: 07.03.2016

Seveso III: Directive 2012/18/EU of the Euro-
pean Parliament and of the Council on the
control of major-accident hazards involving
dangerous substances.

P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

E1 ENVIRONMENTAL HAZARDS

### Other regulations:

Gefahrgruppe nach TRGS 741: lb, S+ (German regulatory requirements)

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirement)

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory	
TSCA (US)	:	All substances listed as active on the TSCA inventory	
AIIC (AU)	:	On the inventory, or in compliance with the inventory	
DSL (CA)	:	All components of this product are on the Canadian DSL	
ENCS (JP)	:	On the inventory, or in compliance with the inventory	
ISHL (JP)	:	On the inventory, or in compliance with the inventory	
KECI (KR)	:	On the inventory, or in compliance with the inventory	
PICCS (PH)	:	On the inventory, or in compliance with the inventory	
IECSC (CN)	:	On the inventory, or in compliance with the inventory	
TECI (TH)	:	On the inventory, or in compliance with the inventory	

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance. For further information see eSDS.



## TBPB

Version	Revision Date:
5.0	24.02.2025

 Date of last issue: 18.07.2023 Date of first issue: 07.03.2016

### **SECTION 16: Other information**

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information :	This safety datasheet only contains information relating to safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the con- tainer.
Sources of key data used to : compile the Safety Data Sheet	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TBPB

Version	Revision Date:	SDS Number:	Date of last issue: 18.07.2023
5.0	24.02.2025	60000000000	Date of first issue: 07.03.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN