

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : TBPEH-30-AL (IBC)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : polymerisation initiators

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type F	H242: Heating may cause a fire.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 1B	H360F: May damage fertility.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET


according to Regulation (EC) No. 1907/2006

## TBPEH-30-AL (IBC)



Version 6.0      Revision Date: 16.11.2020      SDS Number: 600000000207      Date of last issue: 27.09.2019  
Date of first issue: 14.03.2016

---

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H226 Flammable liquid and vapour.  
H242 Heating may cause a fire.  
H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H360F May damage fertility.  
H410 Very toxic to aquatic life with long lasting effects.
- Supplemental Hazard Statements : EUH066 Repeated exposure may cause skin dryness or cracking.
- Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P233 Keep container tightly closed.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.  
**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P411 Store at temperatures not exceeding 30 °C.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version 6.0      Revision Date: 16.11.2020      SDS Number: 600000000207      Date of last issue: 27.09.2019  
Date of first issue: 14.03.2016

2,2,4,6,6-pentamethylheptane (CAS-No. 13475-82-6)  
tert-Butyl 2-ethylperoxyhexanoate (CAS-No. 3006-82-4)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic Peroxide  
Liquid mixture

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2,2,4,6,6-pentamethylheptane	13475-82-6 236-757-0 01-2119490725-29	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 4; H413	>= 70 - < 75
tert-Butyl 2-ethylperoxyhexanoate	3006-82-4 221-110-7 01-2119498310-40-0000	Org. Perox. C; H242 Skin Sens. 1; H317 Repr. 1B; H360F Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 1	>= 25 - < 30

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.  
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.  
Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

If inhaled : Call a physician or poison control centre immediately.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

- If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Call a physician immediately.  
Contact a poison control center.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May be fatal if swallowed and enters airways.  
May cause an allergic skin reaction.  
May damage fertility.  
Repeated exposure may cause skin dryness or cracking.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.
- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPEH-30-AL (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

spray jet.

To clean the floor and all objects contaminated by this material, use plenty of water.

Soak up with inert absorbent material.

Isolate waste and do not reuse.

Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |   |   |   |
|---|---|---|
| Technical measures                              | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Advice on safe handling                         | : | Do not swallow.<br>Do not breathe vapours/dust.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>Avoid formation of aerosol.<br>Take precautionary measures against static discharges.<br>Never return any product to the container from which it was originally removed.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Avoid confinement.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Wash thoroughly after handling.<br>For personal protection see section 8.<br>Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.<br>Protect from contamination. |
| Advice on protection against fire and explosion | : | Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.  |
| Hygiene measures                                | : | Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPEH-30-AL (IBC)



Version 6.0      Revision Date: 16.11.2020      SDS Number: 600000000207      Date of last issue: 27.09.2019  
Date of first issue: 14.03.2016

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.
- Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Storage class (TRGS 510) : 5.2, Organic peroxides and self-reacting hazardous materials
- Recommended storage temperature : < 10 °C
- Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

- Specific use(s) : For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-Butyl 2-ethylperoxyhexanoate	Workers	Inhalation	Long-term systemic effects	9,8 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	5,6 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-Butyl 2-ethylperoxyhexanoate	Fresh water	0,002 mg/l
	Marine water	0,00019 mg/l
	Sewage treatment plant	0,64 mg/l
	Fresh water sediment	0,622 mg/kg dry weight (d.w.)
	Marine sediment	0,062 mg/kg dry weight (d.w.)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPEH-30-AL (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

#### Hand protection

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0,4 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : ester-like

Odour Threshold : No data available

pH : No data available

Melting point/range : < -25 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

Flash point	:	55 °C Method: ISO 3679
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Density	:	0,79 g/cm <sup>3</sup> (20 °C)
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Viscosity Viscosity, dynamic	:	1,8 mPa.s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

### 9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	40 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
--	---	--

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air.
---------------------	---	--

### 10.4 Conditions to avoid

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPEH-30-AL (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **2,2,4,6,6-pentamethylheptane:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Acute oral toxicity : LD50 (Rat):  $\geq$  10.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): > 42,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 16.820 mg/kg  
Method: OECD Test Guideline 402

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version 6.0      Revision Date: 16.11.2020      SDS Number: 600000000207      Date of last issue: 27.09.2019  
Date of first issue: 14.03.2016

---

### **Skin corrosion/irritation**

Repeated exposure may cause skin dryness or cracking.

#### **Product:**

Remarks : May cause skin irritation in susceptible persons.

#### **Components:**

##### **2,2,4,6,6-pentamethylheptane:**

Result : Repeated exposure may cause skin dryness or cracking.

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Product:**

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

#### **Components:**

##### **2,2,4,6,6-pentamethylheptane:**

Result : No eye irritation

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Product:**

Remarks : Causes sensitisation.

#### **Components:**

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Species : Guinea pig  
Method : OECD Test Guideline 406

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

Result : May cause sensitisation by skin contact.

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **2,2,4,6,6-pentamethylheptane:**

Germ cell mutagenicity- Assessment : No known effect.

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive

Genotoxicity in vivo : Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

#### **Components:**

##### **2,2,4,6,6-pentamethylheptane:**

Carcinogenicity - Assessment : No known effect.

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Remarks : This information is not available.

### **Reproductive toxicity**

May damage fertility.

#### **Components:**

##### **2,2,4,6,6-pentamethylheptane:**

Reproductive toxicity - Assessment : No known effect.

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPEH-30-AL (IBC)



Version 6.0      Revision Date: 16.11.2020      SDS Number: 600000000207      Date of last issue: 27.09.2019  
Date of first issue: 14.03.2016

---

Application Route: Oral  
General Toxicity - Parent: NOEL: 300 mg/kg body weight  
Method: OECD Test Guideline 421

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 300 mg/kg body weight  
General Toxicity F1: NOAEL: 300 mg/kg body weight  
Fertility: NOAEL Mating/Fertility: 100 mg/kg body weight  
Early Embryonic Development: NOAEL F2: 300 mg/kg body weight  
Method: OECD Test Guideline 443  
GLP: yes

Effects on foetal development : Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Method: OECD Test Guideline 414

Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOEL: 400 mg/kg body weight  
Developmental Toxicity: NOEL: 400 mg/kg body weight  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Remarks : No data available

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Remarks : No data available

### Repeated dose toxicity

#### Components:

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Species : Rat, male

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

NOAEL : 316 mg/kg  
Exposure time : 28 d  
Method : OECD Test Guideline 407

Species : Rat, female  
NOAEL : 100 mg/kg  
Exposure time : 28 d  
Method : OECD Test Guideline 407

Species : Rat  
NOAEL : 450 mg/kg  
Method : OECD Test Guideline 408

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### **2,2,4,6,6-pentamethylheptane:**

May be fatal if swallowed and enters airways.

### Further information

#### Product:

Remarks : Solvents may degrease the skin.

### Components:

#### **2,2,4,6,6-pentamethylheptane:**

Remarks : May cause headache and dizziness.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **2,2,4,6,6-pentamethylheptane:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 0,04 mg/l  
Exposure time: 48 h  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants : IC50 (algae): > 0,04 mg/l  
Exposure time: 72 h  
Remarks: Information given is based on data obtained from similar substances.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.  
Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

### tert-Butyl 2-ethylperoxyhexanoate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8,66 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
  
NOEC (Poecilia reticulata (guppy)): 2,10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7,5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,44 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
NOEC (Pseudokirchneriella subcapitata (green algae)): 0,018 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 : 64 mg/l  
Exposure time: 0,5 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,45 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
  
LOEC: 0,87 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

## 12.2 Persistence and degradability

### Components:

#### **2,2,4,6,6-pentamethylheptane:**

Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

### **tert-Butyl 2-ethylperoxyhexanoate:**

Biodegradability : Result: Biodegradable  
Method: OECD Test Guideline 301D

### **12.3 Bioaccumulative potential**

#### **Components:**

#### **2,2,4,6,6-pentamethylheptane:**

Partition coefficient: n-octanol/water : Remarks: No data available

#### **tert-Butyl 2-ethylperoxyhexanoate:**

Partition coefficient: n-octanol/water : log Pow: 4,79 (20 °C)

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

#### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### **12.6 Other adverse effects**

#### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.  
Toxic to aquatic life with long lasting effects.

---

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

Dispose of in accordance with local regulations.

---

### SECTION 14: Transport information

#### 14.1 UN number

<b>ADR</b>	:	UN 3119
<b>RID</b>	:	UN 3119 Not permitted for transport
<b>IMDG</b>	:	UN 3119
<b>IATA</b>	:	UN 3119 Not permitted for transport

#### 14.2 UN proper shipping name

<b>ADR</b>	:	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXY-2-ETHYLHEXANOATE)
<b>RID</b>	:	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED Not permitted for transport
<b>IMDG</b>	:	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXY-2-ETHYLHEXANOATE)
<b>IATA</b>	:	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED Not permitted for transport

#### 14.3 Transport hazard class(es)

<b>ADR</b>	:	5.2
<b>RID</b>	:	Not permitted for transport
<b>IMDG</b>	:	5.2
<b>IATA</b>	:	Not permitted for transport

#### 14.4 Packing group

<b>ADR</b>	:	
Packing group	:	Not assigned by regulation
Classification Code	:	P2
Hazard Identification Number	:	539
Labels	:	5.2
Tunnel restriction code	:	(D)
<b>RID</b>	:	Not permitted for transport
<b>IMDG</b>	:	
Packing group	:	Not assigned by regulation
Labels	:	5.2
EmS Code	:	F-F, S-R

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

**IATA (Cargo)** : Not permitted for transport

**IATA (Passenger)** : Not permitted for transport

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : yes

**RID** : Not permitted for transport

#### IMDG

Marine pollutant : yes

### 14.6 Special precautions for user

#### Additional advice

Temperature controlled transport.:

Control temperature : 30 °C

Emergency temperature : 35 °C

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the fol-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

the market and use of certain dangerous substances, preparations and articles (Annex XVII)

lowing entries should be considered:  
Number on list 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Water contaminating class (Germany) : WGK 2 obviously hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

### Other regulations:

Gefahrgruppe nach § 3 BGV B4: III (German regulatory requirements)

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

DSL (CA) : All components of this product are on the Canadian DSL

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TCSI (TW) : On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

This information is not available.

---

## SECTION 16: Other information

### Further information

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TBPEH-30-AL (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Flam. Liq. 3	H226
Org. Perox. F	H242
Skin Sens. 1	H317
Repr. 1B	H360F
Asp. Tox. 1	H304
Aquatic Acute 1	H400
Aquatic Chronic 2	H411

### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

### Full text of H-Statements

H226	: Flammable liquid and vapour.
H242	: Heating may cause a fire.
H304	: May be fatal if swallowed and enters airways.
H317	: May cause an allergic skin reaction.
H360F	: May damage fertility.
H400	: Very toxic to aquatic life.
H411	: Toxic to aquatic life with long lasting effects.
H411	: May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Flam. Liq.	: Flammable liquids
Org. Perox.	: Organic peroxides
Repr.	: Reproductive toxicity
Skin Sens.	: Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System;

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TBPEH-30-AL (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2019
6.0	16.11.2020	600000000207	Date of first issue: 14.03.2016

---

GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN