according to the Hazardous Products Regulations



TBPEH-50-AL1

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2020
4.1	10/24/2024	60000000064	Date of first issue: 03/13/2019

SECTION 1. IDENTIFICATION

Trade name	:	TBPEH-50-AL1		
Other means of identification	:	No data available		
Manufacturer or supplier's c	leta	ails		
Company name of supplier	:	United Initiators, Inc.		
Address	:	555 Garden Street Elyria OH 44035 USA		
		United Initiators Canada Ltd. 2147 PG Pulp Mill Road Prince George, BC-V2N 2S6 CANADA		
Telephone	:	+1-440-323-3112		
Telefax	:	+1-440-323-2659		
Emergency telephone	:	CHEMTREC US (24h): CHEMTREC WORLD (24h): CANUTEC (24h):	+1-800-424-9300 +1-703-527-3887 1-613-996-6666	
For Transportation Incidents	:	GFL Environmental Inc. (24h): 1-800-567-7455		
E-mail address of person responsible for the SDS	:	cs-initiators.nafta@united-in.com		
Recommended use of the cl Recommended use	nen :	nical and restrictions on use polymerization initiators		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids	:	Category 3
Organic peroxides	:	Туре Е
Skin sensitization	:	Category 1
Reproductive toxicity	:	Category 1B

according to the Hazardous Products Regulations



Vers 4.1	ion Revision Date: 10/24/2024		umber: 0000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
	Aspiration hazard	: Ca	tegory 1	
	Short-term (acute) aquatic hazard	: Ca	tegory 1	
	Long-term (chronic) aquatic hazard	: Ca	tegory 2	
	GHS label elements Hazard pictograms	:		
	Signal Word	: Da	nger	
	Hazard Statements	H2 H3 H3 H3 H4	42 Heating n 04 May be fa 17 May caus 60F May dar 00 Very toxic	le liquid and vapor. hay cause a fire. Ital if swallowed and enters airways. e an allergic skin reaction. nage fertility. to aquatic life. quatic life with long lasting effects.
	Precautionary Statements	: Pro	evention:	
		P2 and P2 P2 P2 P2 P2 P2 P2 P2 P2 P2 P2 P2 P2	02 Do not ha d understood 10 Keep awa d other ignitio 33 Keep con 34 Keep only 40 Ground a 41 Use explo nt. 42 Use non-s 43 Take actio 61 Avoid bre 72 Contamin workplace. 73 Avoid rele 80 Wear prof	ecial instructions before use. ndle until all safety precautions have been read y from heat, hot surfaces, sparks, open flames on sources. No smoking. tainer tightly closed. r in original packaging. nd bond container and receiving equipment. ision-proof electrical/ ventilating/ lighting/ equip- sparking tools. on to prevent static discharges. athing mist or vapors. ated work clothing should not be allowed out of ease to the environment. tective gloves/ protective clothing/ eye protection/ hearing protection.
		P3 CE P3 all	NTER/ docto 03 + P361 + contaminate	SWALLOWED: Immediately call a POISON or. P353 IF ON SKIN (or hair): Take off immediately d clothing. Rinse skin with water.

according to the Hazardous Products Regulations

TBPEH-50-AL1



Version 4.1	Revision Date: 10/24/2024	SDS Number: 60000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
		P333 + P313 If attention. P362 + P364 T reuse. P370 + P378 Ir	nduce vomiting. skin irritation or rash occurs: Get medical advice/ ake off contaminated clothing and wash it before n case of fire: Use water spray, alcohol-resistant nical or carbon dioxide to extinguish. billage.
		P405 Store lo P410 Protect P411 Store a P420 Store s Disposal:	Store in a well-ventilated place. Keep cool. ocked up. from sunlight. t temperatures not exceeding < 50 °F/ < 10 °C. eparately. of contents/ container to an approved waste dis-

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Subs	tan	ice /	/ Mix	ture		:	Mix	ture		
							_		_	

Chemical nature	:	Organic Peroxide
		Liquid mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
tert-Butyl 2- ethylperoxyhexanoate	tert-Butyl 2- ethylperoxyhex- anoate	3006-82-4	>= 50 - < 55 *
Contains one or both isoparaffinic hydrocar- bons (Naphtha hy- drotreated heavy CAS 64742-48-9, Alkanes, C10-13-iso CAS 68551-19-9)	Contains one or both isoparaffin- ic hydrocarbons (Naphtha hy- drotreated heavy CAS 64742-48-9, Alkanes, C10- 13-iso CAS 68551-19-9)		>= 45 - < 50 *

* Actual concentration or concentration range is withheld as a trade secret

according to the Hazardous Products Regulations

TBPEH-50-AL1



Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2020	
4.1	10/24/2024	60000000064	Date of first issue: 03/13/2019	

SECTION 4. FIRST AID MEASURES

General advice	:	Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
If inhaled	:	Administer oxygen if breathing is difficult or cyanosis is observed. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear.
In case of skin contact	:	If symptoms persist, call a physician. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Call a physician immediately. Contact a poison control center. Keep respiratory tract clear. Do NOT induce vomiting. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May damage fertility. sensitizing effects May be fatal if swallowed and enters airways. May cause an allergic skin reaction.

according to the Hazardous Products Regulations



Versior 4.1		Revision Date: 0/24/2024		0S Number: 0000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
				May damage fertil	ity.
Pr	rotectior	n of first-aiders	:		ers should pay attention to self-protection nmended protective clothing
No	otes to p	ohysician	:	Treat symptomation	cally and supportively.
SECTI	ON 5. F	IRE-FIGHTING ME	ASL	IRES	
Su	uitable e	extinguishing media	:	Water spray jet Alcohol-resistant f Carbon dioxide (C Dry chemical	
	nsuitabl edia	e extinguishing	:	High volume wate	r jet
	pecific h ghting	azards during fire	:	Possible emission lead to a dangero Avoid confinemen Contact with incor temperatures exce	npatible materials or exposure to eeding SADT may result in a self- mposition reaction with release of flammable
				Do not allow run-o courses. Vapors may form The product will fl water.	s violently. le over considerable distance. off from fire fighting to enter drains or water explosive mixtures with air. oat on water and can be reignited on surface iners exposed to fire with water spray.
Sr oc		extinguishing meth-	:	fire. Remove undamaç so.	I water stream as it may scatter and spread ged containers from fire area if it is safe to do o cool unopened containers.
Fu	urther in	formation	:	circumstances and Use a water spray Collect contamina must not be disch Fire residues and	measures that are appropriate to local d the surrounding environment. to cool fully closed containers. ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.

according to the Hazardous Products Regulations

TBPEH-50-AL1




Vers 4.1	ion	Revision Date: 10/24/2024		9S Number: 0000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019	
	Special protective equipment for fire-fighters			Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.		
SEC	TION 6.	ACCIDENTAL RELE	ASE	EMEASURES		
	tive equ	al precautions, protec- ipment and emer- rocedures	:	equipment recomm Beware of vapors concentrations. Va Use personal prot Ensure adequate Remove all source Evacuate personn Never return spills	accumulating to form explosive apors can accumulate in low areas. ective equipment. ventilation. es of ignition.	
	Environ	mental precautions	:	Prevent further lea	om entering drains. akage or spillage if safe to do so. aminates rivers and lakes or drains inform ties.	
		s and materials for ment and cleaning up	:	decomposition at a Clear spills immed Suppress (knock o jet. To clean the floor material, use plen Soak up with inert Isolate waste and Non-sparking tool Local or national r disposal of this ma employed in the c	diately. down) gases/vapors/mists with a water spray and all objects contaminated by this ty of water. absorbent material. do not reuse.	

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

according to the Hazardous Products Regulations





Versi 4.1	ion	Revision Date: 10/24/2024		0S Number: 0000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
				Use only explosio Keep away from o ignition. Keep away from o	neat and sources of ignition. n-proof equipment. open flames, hot surfaces and sources of combustible material. naked flame or any incandescent material.
	Advice	on safe handling	:	Protect from conta Do not swallow. Do not breathe va Avoid exposure - Avoid contact with Avoid formation o Take precautiona Never return any originally removed Provide sufficient Avoid confinemen Keep away from h other ignition sour Smoking, eating a application area. Wash thoroughly For personal prote Persons susceptil allergies, chronic	apors/dust. obtain special instructions before use. n skin and eyes. f aerosol. ry measures against static discharges. product to the container from which it was d. air exchange and/or exhaust in work rooms. it. neat, hot surfaces, sparks, open flames and rces. No smoking. and drinking should be prohibited in the
	Conditio	ons for safe storage	:	Store in cool place Contamination ma closed containers Observe label pre Store in accordan Avoid impurities (Electrical installat the technological	ightly closed in a cool, well-ventilated place. e. ay result in dangerous pressure increases - may rupture. cautions. ce with the particular national regulations. e.g. rust, dust, ash), risk of decomposition. ions / working materials must comply with safety standards. are opened must be carefully resealed and
I	Materia	ls to avoid	:		combustible materials. strong acids, bases, heavy metal salts and bstances.
	Recomi perature	mended storage tem- e	:	< 10 °C	
	Further age sta	information on stor- bility	:	Stable under reco	mmended storage conditions.

according to the Hazardous Products Regulations



TBPEH-50-AL1

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2020
4.1	10/24/2024	60000000064	Date of first issue: 03/13/2019

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Contains one or both isoparaffinic hydrocarbons (Naphtha hydrotreated heavy CAS 64742-48-9, Alkanes, C10-13-iso CAS 68551-19-9)	64742-48-9	TWA	525 mg/m3	CA ON OEL
Engineering measures	Minimize work	kplace exposure	concentrations.	
Personal protective equipmer	nt			
Respiratory protection			formation use respira	tor with an
Filter type	ABEK-filter			
	Use NIOSH a	pproved respira	tory protection.	
Hand protection Material Break through time Glove thickness	Nitrile rubber <= 480 min 0.4 mm			
Material Break through time Glove thickness	 butyl-rubber <= 60 min 0.5 mm 			
Remarks	standard valu material has t protective glo chemicals de hazardous su For special a resistance to gloves with th	es! The exact br o be obtained fro ve. Choose glov pending on the c bstance and spe pplications, we r chemicals of the	time/strength of mat reak through time/stre om the producer of th res to protect hands a concentration and qua ecific to place of work recommend clarifying a aforementioned prot cturer. Wash hands b	ength of e gainst antity of the the ective
Eye protection	to the worksta Please follow selecting prot Always wear	ation location. all applicable lo ective measures eye protection w	and safety showers a cal/national requirem for a specific workpl then the potential for cannot be excluded.	ents when ace.

according to the Hazardous Products Regulations



_


TBPEH-50-AL1

Version 4.1	Revision Date: 10/24/2024	SDS Number: 600000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
		Please wear	g safety goggles r suitable protective goggles. Also wear face there is a splash hazard.
Skin	and body protection		opriate protective clothing based on chemical ata and an assessment of the local exposure
		task being p disposable s Wear as app	ody garments should be used based upon the erformed (e.g., sleevelets, apron, gauntlets, suits) to avoid exposed skin surfaces. propriate: dant antistatic protective clothing.
Prote	ective measures	to the conce	protective equipment must be selected according entration and amount of the dangerous substance ic workplace.
Hygi	ene measures	Keep away t When using When using	ct with skin, eyes and clothing. from food and drink. do not eat or drink. do not smoke. s before breaks and immediately after handling

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	colorless
Odor	:	ester-like
рН	:	No data available
Melting point/ range	:	< -25 °C
Boiling point/boiling range	:	Not applicable Decomposition
Flash point	:	55 °C
		Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable

according to the Hazardous Products Regulations





Vers 4.1	sion	Revision Date: 10/24/2024		S Number: 0000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
	Self-igr	nition	:	No data available	9
		explosion limit / Upper bility limit	:	No data available)
		explosion limit / Lower bility limit	:	No data available	9
	Vapor p	pressure	:	2 Pa (293.2 K) Active ingredient	
	Density	/	:	0.82 g/cm3 (20 °	C)
	Solubili Wat	ity(ies) er solubility	:	negligible	
		n coefficient: n-	:	log Pow: 4.79 (20) °C)
	octanol	/water		Active ingredient	
		celerating decomposi- nperature (SADT)	:	temperature at w	t H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
	Viscosi Visc	ty cosity, dynamic	:	3.7 mPa.s (20 °(C)
	Visc	cosity, kinematic	:	No data available	9
	Oxidiziı	ng properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions. Heating may cause a fire or explosion.
Chemical stability	:	Stable under recommended storage conditions. No decomposition if stored normally.
Possibility of hazardous reac- tions	:	Vapors may form explosive mixture with air.
Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.

according to the Hazardous Products Regulations



ersion 1	Revision Date: 10/24/2024		S Number: 0000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
Incom	patible materials	:		strong acids and bases, heavy metals and alts, reducing agents
Hazar produ	dous decomposition	:		, flammable, noxious/toxic gases and vapours the case of fire and decomposition
ECTION	11. TOXICOLOGICAL	INFC	RMATION	
	e toxicity d on available data, the	class	sification criteria	are not met.
<u>Produ</u>	uct:			
Acute	oral toxicity	:	Assessment: Thicity	he substance or mixture has no acute oral tox
Acute	inhalation toxicity	:	Assessment: The tion toxicity	he substance or mixture has no acute inhala-
Acute	dermal toxicity	:	Assessment: The toxicity	he substance or mixture has no acute dermal
<u>Comp</u>	oonents:			
tert-B	utyl 2-ethylperoxyhe	xanoa	ate:	
Acute	oral toxicity	:	Assessment: Thicity	10,000 mg/kg Test Guideline 401 he substance or mixture has no acute oral tox hortality observed at this dose.
Acute	inhalation toxicity	:	LC50 (Rat): > 4 Exposure time: Test atmosphe Assessment: T tion toxicity	4 h
Acute	dermal toxicity	:		16,820 mg/kg Test Guideline 402 he substance or mixture has no acute dermal
	ains one or both isop Alkanes, C10-13-iso (ns (Naphtha hydrotreated heavy CAS 6474
Acute	oral toxicity	:	LD50 (Rat): > 5	,000 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 5 Exposure time: Test atmosphere	8 h

according to the Hazardous Products Regulations



	Revision Date: 10/24/2024	SDS Number: 600000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
		tion toxicity Remarks: I	it: The substance or mixture has no acute inhala nsufficient Data to Classify ata from similar materials
Acute	dermal toxicity		bit): > 5,000 mg/kg it: The substance or mixture has no acute derma
	corrosion/irritation assified due to lack o	fdata	
<u>Produ</u> Rema		: May cause	skin irritation in susceptible persons.
<u>Comp</u>	oonents:		
tert-B	utyl 2-ethylperoxyh	exanoate:	
Speci		: Rabbit	
Metho Resul		: OECD Test : No skin irrit	Guideline 404 ation
	ains one or both iso Alkanes, C10-13-iso		rbons (Naphtha hydrotreated heavy CAS 647
Asses Resul	ssment t		exposure may cause skin dryness or cracking. exposure may cause skin dryness or cracking.
Serio	us eye damage/eye	irritation	
		e	
Not cl	assified due to lack o	f data.	
Not cl <u>Produ</u> Rema	<u>uct:</u>		y cause irritation to the eyes, respiratory system
<u>Produ</u> Rema	<u>uct:</u>	: Vapors may	
<u>Produ</u> Rema <u>Com</u> r	<u>uct:</u> ırks ponents:	: Vapors may and the ski	
Produ Rema <u>Comp</u> tert-B	uct: urks ponents: sutyl 2-ethylperoxyh	: Vapors may and the ski	
<u>Produ</u> Rema <u>Com</u> r	uct: urks ponents: sutyl 2-ethylperoxyh es	: Vapors may and the skin	n.
Produ Rema Comp tert-B Speci	<u>uct:</u> irks ponents: s utyl 2-ethylperoxyh es t	: Vapors may and the skin exanoate: : Rabbit : No eye irrita	n.
Produ Rema Comp tert-B Speci Resul Metho Conta	uct: urks ponents: sutyl 2-ethylperoxyh es t od	: Vapors may and the skin exanoate: : Rabbit : No eye irrita : OECD Test	n. ation : Guideline 405 i rbons (Naphtha hydrotreated heavy CAS 647

according to the Hazardous Products Regulations



TBPEH-50-AL1

	Revision Date: 10/24/2024		lumber: 0000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
Resp	iratory or skin sens	itization		
Skin	sensitization			
Mayo	cause an allergic skin	reaction.		
Resp	iratory sensitization	1		
Not c	lassified due to lack o	of data.		
Prod	uct:			
Rema	arks	: Ca	uses sensitiza	tion.
Com	ponents:			
tert-E	Butyl 2-ethylperoxyh	exanoate:		
Spec			inea pig	
Resu	Method		CD Test Guid	eline 406 tization by skin contact.
			.,	
48-9,	Alkanes, C10-13-iso arks	CAS 685	51-19-9):	s (Naphtha hydrotreated heavy CAS 64
48-9, Rema Germ Not c	arks cell mutagenicity lassified due to lack o	CAS 685 : Dio	51-19-9):	nsitization on laboratory animals.
48-9, Rema Germ Not c <u>Com</u>	arks 1 cell mutagenicity lassified due to lack o ponents:	CAS 685 : Did	51-19-9): d not cause se	
48-9, Rema Germ Not c <u>Com</u> tert-E	arks cell mutagenicity lassified due to lack o	of data. exanoate: . Te	5 1-19-9): d not cause se	
48-9, Rema Germ Not c <u>Com</u> tert-E	arks I cell mutagenicity lassified due to lack o ponents: Butyl 2-ethylperoxyh	of data. exanoate: Me Re Te Me	51-19-9): d not cause set st Type: Bacte ethod: OECD T sult: positive st Type: In vitre	nsitization on laboratory animals. rial reverse mutation assay (AMES)
48-9, Rema Not c <u>Com</u> tert-E Geno	arks I cell mutagenicity lassified due to lack o ponents: Butyl 2-ethylperoxyh	of data. i Did of data. exanoate: Te Me Re Re Ap Ap Me	51-19-9): d not cause set st Type: Bacte ethod: OECD T sult: positive st Type: In vitre ethod: OECD T sult: positive ecies: Mouse plication Route	nsitization on laboratory animals. rial reverse mutation assay (AMES) rest Guideline 471 o mammalian cell gene mutation test rest Guideline 476
48-9, Rema Not c Com tert-E Geno Geno	arks a cell mutagenicity lassified due to lack of ponents: Butyl 2-ethylperoxyh toxicity in vitro	of data. i Did of data. exanoate: Te Me Re Re Ap Ap Me Re Paraffinic	51-19-9): d not cause set st Type: Bacte ethod: OECD T sult: positive st Type: In vitre thod: OECD T sult: positive ecies: Mouse plication Route thod: OECD T sult: negative hydrocarbon	nsitization on laboratory animals. rial reverse mutation assay (AMES) est Guideline 471 o mammalian cell gene mutation test est Guideline 476

Carcinogenicity

Not classified due to lack of data.

according to the Hazardous Products Regulations



ersion 1	Revision Date: 10/24/2024	SDS Number: 600000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
Com	ponents:		
tert-F	Butyl 2-ethylperoxyhe	anoate:	
Rema			tion is not available.
	ains one or both isopa Alkanes, C10-13-iso (rbons (Naphtha hydrotreated heavy CAS 647
Carci ment			ased on benzene content < 0.1% (Regulation (E Annex VI, Part 3, Note P)
-	oductive toxicity damage fertility.		
-	ponents:		
		anasta.	
	Butyl 2-ethylperoxyhex ts on fertility	: Test Type: F test Species: Ra Application I General Tox	
		Species: Ra Application I General Tox General Tox Fertility: NO Early Embry weight	
Effect	ts on fetal development	Application I General Tox Developmer	
		Developmer	
Repro	oductive toxicity - As-	: Clear evider fertility, base	nce of adverse effects on sexual function and

according to the Hazardous Products Regulations

Revision Date:

10/24/2024



Date of last issue: 11/11/2020

Date of first issue: 03/13/2019

TBPEH-50-AL1

Version


4.1

48-9, Alkanes, C10-13-iso CA	affinic hydrocarbons (Naphtha hydrotreated heavy CAS 64 S 68551-19-9):
Effects on fetal development	: Species: Rat Application Route: Oral Teratogenicity: NOAEL: 1,000 Method: OECD Test Guideline 414 Remarks: Based on data from similar materials
STOT-single exposure	
Not classified due to lack of dat	ta.
Components:	
tert-Butyl 2-ethylperoxyhexar	noate:
Remarks	: No data available
STOT-repeated exposure Not classified due to lack of dat	ta.
Components:	
tert-Butyl 2-ethylperoxyhexar	noate:
	: No data available
Repeated dose toxicity	
Repeated dose toxicity <u>Components:</u> tert-Butyl 2-ethylperoxyhexar	noate:
<u>Components:</u> tert-Butyl 2-ethylperoxyhexar Species	: Rat, male
<u>Components:</u> tert-Butyl 2-ethylperoxyhexar Species NOAEL	: Rat, male : 316 mg/kg
<u>Components:</u> tert-Butyl 2-ethylperoxyhexar Species NOAEL	: Rat, male
<u>Components:</u> tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time	: Rat, male : 316 mg/kg : 28 d
<u>Components:</u> tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407
<u>Components:</u> tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method Species NOAEL Exposure time	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407 Rat, female 100 mg/kg 28 d
<u>Components:</u> tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method Species NOAEL	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407 Rat, female 100 mg/kg
Components: tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method Species NOAEL Exposure time Method Species	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407 Rat, female 100 mg/kg 28 d OECD Test Guideline 407 Rat
Components: tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method Species NOAEL Exposure time Method Species NOAEL	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407 Rat, female 100 mg/kg 28 d OECD Test Guideline 407 Rat 450 mg/kg
Components: tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method Species NOAEL Exposure time Method Species	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407 Rat, female 100 mg/kg 28 d OECD Test Guideline 407 Rat
Components: tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method Species NOAEL Exposure time Method Species NOAEL Method	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407 Rat, female 100 mg/kg 28 d OECD Test Guideline 407 Rat 450 mg/kg OECD Test Guideline 408
Components: tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method Species NOAEL Exposure time Method Species NOAEL Method Contains one or both isopara	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407 Rat, female 100 mg/kg 28 d OECD Test Guideline 407 Rat 450 mg/kg OECD Test Guideline 408 Affinic hydrocarbons (Naphtha hydrotreated heavy CAS 64 S 68551-19-9): Rat
Components: tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method Species NOAEL Exposure time Method Species NOAEL Method Contains one or both isopara 48-9, Alkanes, C10-13-iso CA Species	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407 Rat, female 100 mg/kg 28 d OECD Test Guideline 407 Rat 450 mg/kg OECD Test Guideline 408 Affinic hydrocarbons (Naphtha hydrotreated heavy CAS 64 S 68551-19-9): Rat 1000 mg/kg
Components: tert-Butyl 2-ethylperoxyhexar Species NOAEL Exposure time Method Species NOAEL Exposure time Method Species NOAEL Method Contains one or both isopara 48-9, Alkanes, C10-13-iso CA	 Rat, male 316 mg/kg 28 d OECD Test Guideline 407 Rat, female 100 mg/kg 28 d OECD Test Guideline 407 Rat 450 mg/kg OECD Test Guideline 408 affinic hydrocarbons (Naphtha hydrotreated heavy CAS 64 S 68551-19-9): Rat

SDS Number:

6000000064

according to the Hazardous Products Regulations





/ersion .1	Revision Date: 10/24/2024	SDS Number: 60000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
Rema	arks	: Based on data	from similar materials
Aspir	ation toxicity		
May b	be fatal if swallowed a	ind enters airways.	
Com	ponents:		
48-9,	Alkanes, C10-13-isc	CAS 68551-19-9):	ons (Naphtha hydrotreated heavy CAS 64742
May t	be fatal if swallowed a	ind enters airways.	
Expe	rience with human e	exposure	
Com	oonents:		
	ains one or both iso Alkanes, C10-13-isc		ons (Naphtha hydrotreated heavy CAS 64742
Skin o	contact	: Remarks: Prolo duce dermatitis	onged skin contact may defat the skin and pro- s.
Furth	er information		
Produ	uct:		
Rema	arks	: Solvents may o	degrease the skin.
ECTION	12. ECOLOGICAL IN	NFORMATION	
Ecoto	oxicity		
Com	oonents:		

tert-Butyl 2-ethylperoxyhexanoate:

Toxicity to fish		LC50 (Oncorhynchus mykiss (rainbow trout)): 8.66 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
		NOEC (Poecilia reticulata (guppy)): 2.10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 7.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): 0.44 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201


according to the Hazardous Products Regulations



sion	Revision Date: 10/24/2024		OS Number: 0000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019
			GLP: yes	
			0.018 mg/l Exposure time: 7 Test Type: Grow	
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 2	magna (Water flea)): 0.45 mg/l 21 d Test Guideline 211
			Exposure time: 2	magna (Water flea)): 0.87 mg/l 21 d Test Guideline 211
Toxici	ty to microorganisms	:	Exposure time: (0.5 h Test Guideline 209
Ecoto	xicology Assessment			
Acute	aquatic toxicity	:	Very toxic to aqu	latic life.
Chron	ic aquatic toxicity	:	Toxic to aquatic	life with long lasting effects.
	iins one or both isopar Alkanes, C10-13-iso C			ns (Naphtha hydrotreated heavy CAS 647
	ty to fish	:	•	chus mykiss (rainbow trout)): > 1,000 mg/l 96 h
	ty to daphnia and other c invertebrates	:	EL50 (Daphnia r Exposure time: 4	nagna (Water flea)): > 1,000 mg/l 48 h
Toxici plants	ty to algae/aquatic	:	EL50 (Pseudokii mg/l Exposure time: 7	rchneriella subcapitata (green algae)): > 1,0 72 h
Toxici icity)	ty to fish (Chronic tox-	:	NOELR (Oncorh Exposure time: 2	ynchus mykiss (rainbow trout)): 316 mg/l 28 d
Persis	stence and degradabili	ity		
	oonents:			

tert-Butyl 2-ethylperoxyhexanoate:					
Biodegradability	:	Theoretical oxygen demand			

according to the Hazardous Products Regulations





Vers 4.1	ion Revision Date: 10/24/2024		Number: 000000064	Date of last issue: 11/11/2020 Date of first issue: 03/13/2019	
	Result: rapidly biodegradable Biodegradation: 65 % Exposure time: 28 d Method: OECD Test Guideline 301D GLP: yes Remarks: According to the results of tests of biodegradable this product is considered as being readily biodegradable				
	Contains one or both isopa 48-9, Alkanes, C10-13-iso C			(Naphtha hydrotreated heavy CAS 64742-	
	Biodegradability	: F	Result: Readily bio	odegradable.	
	Bioaccumulative potential				
	Components:				
	tert-Butyl 2-ethylperoxyhexa				
	Bioaccumulation		Bioconcentration f Method: QSAR	actor (BCF): 202.4	
	Contains one or both isopa 48-9, Alkanes, C10-13-iso C Partition coefficient: n- octanol/water	AS 68		(Naphtha hydrotreated heavy CAS 64742-	
	Mobility in soil No data available				
	Other adverse effects				
	<u>Product:</u> Additional ecological infor- mation	ι \	inprofessional ha /ery toxic to aqua	hazard cannot be excluded in the event of ndling or disposal. tic life. e with long lasting effects.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	:	Dispose of in accordance with local regulations. Clean container with water. Dispose of contents/ container to an approved waste disposal

according to the Hazardous Products Regulations



TBPEH-50-AL1

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2020
4.1	10/24/2024	60000000064	Date of first issue: 03/13/2019

plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3117
Proper shipping name	:	ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXY-2-ETHYLHEXANOATE)
Class	:	5.2
Packing group	:	Not assigned by regulation
Labels	:	5.2
Environmentally hazardous	:	yes
IATA-DGR Not permitted for transport		
IMDG-Code		
UN number	:	UN 3117
Proper shipping name	:	ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED
		(tert-BUTYL PEROXY-2-ETHYLHEXANOATE)
Class	:	5.2
Packing group	:	Not assigned by regulation
Labels	:	5.2
EmS Code	:	F-F, S-R
Marine pollutant	:	yes
Transport in bulk according	- 4 -	Annov II of MARROL 72/79 and the IRC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG		
UN number	:	UN 3117
Proper shipping name	:	ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXY-2-ETHYLHEXANOATE)
Class	:	5.2
Packing group	:	II
Labels	:	5.2
ERG Code	:	148
Marine pollutant	:	yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

according to the Hazardous Products Regulations



TBPEH-50-AL1

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2020
4.1	10/24/2024	60000000064	Date of first issue: 03/13/2019

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Additional advice

Temperature controlled transport .:						
Control temperature		30 °C				
Emergency temperature	:	35 °C				

SECTION 15. REGULATORY INFORMATION

NPRI Components	:	Contains one or both isoparaffinic hydrocarbons (Naphtha hydrotreated heavy CAS 64742-48-9, Alkanes, C10-13-iso CAS 68551-19-9)			
The ingredients of this product are reported in the following inventories:					
TSCA (US)	:	All substances listed as active on the TSCA inventory			
AIIC (AU)	:	On the inventory, or in compliance with the inventory			
DSL (CA)	:	All components of this product are on the Canadian DSL			
ENCS (JP)	:	On the inventory, or in compliance with the inventory			
ISHL (JP)	:	On the inventory, or in compliance with the inventory			
KECI (KR)	:	On the inventory, or in compliance with the inventory			
PICCS (PH)	:	On the inventory, or in compliance with the inventory			
IECSC (CN)	:	On the inventory, or in compliance with the inventory			

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under
		the Occupational Health and Safety Act.
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

according to the Hazardous Products Regulations



TBPEH-50-AL1

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2020
4.1	10/24/2024	60000000064	Date of first issue: 03/13/2019

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Revision Date	:	10/24/2024
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8