according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

Version Revision Date: SDS Number: Date of last issue: 28.02.2023 19.12.2023 600000000002 Date of first issue: 10.03.2016 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TBPEHC

REACH Registration Number : 01-2119964023-44-0002

Substance name : tert-Butyl peroxy-2-ethylhexylcarbonate

EC-No. 252-029-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

polymerisation initiators

Recommended restrictions

on use

Exposure Scenario is available as separate attachment., For

further information see eSDS.

1.3 Details of the supplier of the safety data sheet

: United Initiators GmbH Company

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

E-mail address of person

responsible for the SDS

: contact@united-in.com

1.4 Emergency telephone number

+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type D H242: Heating may cause a fire.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

*

Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P234 Keep only in original packaging.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

P391 Collect spillage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : tert-Butyl peroxy-2-ethylhexylcarbonate

EC-No. : 252-029-5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

Chemical nature : Organic Peroxide

liquid

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
tert-Butyl peroxy-2-	34443-12-4	<= 100	M-Factor (Acute
ethylhexylcarbonate	252-029-5		aquatic toxicity): 1

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Administer oxygen if breathing is difficult or cyanosis is ob-

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth thoroughly with water.

Keep respiratory tract clear.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water

courses

Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth- : Do not use a solid water stream as it may scatter and spread

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

ods fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Use personal protective equipment. Remove all sources of ignition.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al. use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Open drum carefully as content may be under pressure.

Protect from contamination.

Do not swallow.

Do not breathe vapours/dust. Avoid contact with skin and eyes.

Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material.

Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from

food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately

after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Keep in a well-ventilated place. Contamination may result in dangerous pressure increases - closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright

to prevent leakage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

Version Revision Date: SDS Number: Date of last issue: 28.02.2023 19.12.2023 600000000002 Date of first issue: 10.03.2016 3.0

Keep away from combustible materials. Advice on common storage

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem- : < 20 °C

perature

age stability

Further information on stor- : Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) For further information, refer to the product technical data

sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
tert-Butyl peroxy-2- ethylhexylcarbonate	Workers	Inhalation	Long-term systemic effects	59.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	84 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-Butyl peroxy-2-	Fresh water	0.214 μg/l
ethylhexylcarbonate		
	Intermittent use/release	2.14 µg/l
	Marine water	0.021 µg/l
	Sewage treatment plant	3.16 mg/l
	Fresh water sediment	0.129 mg/kg dry
		weight (d.w.)
	Marine sediment	0.0129 mg/kg dry
		weight (d.w.)
	Soil	0.0257 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : 240 min
Glove thickness : 0.2 mm

Material : Nitrile rubber
Break through time : 240 min
Glove thickness : 0.2 mm

Directive : Equipment should conform to EN 374

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Directive : Equipment should conform to EN 374

Material : butyl-rubber Break through time : 480 min Glove thickness : 0.47 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Respirator with combination filter for vapour/particulate (EN

141)

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : very faint, ester-like

Odour Threshold : No data available

Melting point/freezing point : < -30 °C

Initial boiling point and boiling

range

Decomposition: Decomposes below the boiling point.

Flammability : Not applicable

Upper explosion limit / Upper

flammability limit

Upper explosion limit

not determined

Lower explosion limit / Lower

flammability limit

Lower explosion limit

not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

Flash point : $100 \, ^{\circ}\text{C}(1,013 \, \text{hPa})$

Method: ISO 3679, closed cup

Auto-ignition temperature : not determined

Self-Accelerating decomposi: :

tion temperature (SADT)

60 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

pH : substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : 6.19 mPa.s (20 °C)

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : 5.39 mg/l (20 °C)

Method: OECD Test Guideline 123

GLP: yes

practically insoluble

Partition coefficient: n-

octanol/water

log Pow: 5.2 (25 °C)

Method: OECD Test Guideline 123

Dispersion Stability : not determined

Vapour pressure : < 0.01 hPa (25 °C)

Relative density : 0.927 (20 °C)

Density : 0.927 g/cm3 (20 °C)

Relative vapour density : not determined

9.2 Other information

Explosives : Not explosive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Flammability (liquids) : Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Self-heating substances : The substance or mixture is not classified as self heating.

Substances and mixtures, which in contact with water, emit flammable gases

The substance or mixture does not emit flammable gases in

contact with water.

Desensitised explosives : Not applicable

Evaporation rate : No data available

Refractive index : 1.428 at 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions.

No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and

decomposition

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD0 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD0 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

Product:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: positive

Method: OECD Test Guideline 476

Result: positive

Genotoxicity in vivo : Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 483

Result: negative

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: positive

Method: OECD Test Guideline 476

Result: positive

Genotoxicity in vivo : Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 483

Result: negative

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : This information is not available.

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Remarks : This information is not available.

Reproductive toxicity

Not classified due to lack of data.

Product:

Effects on fertility : Remarks: No data available

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Effects on fertility : Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Product:

Species : Rat

NOAEL : 150 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Species : Rat

NOAEL : 150 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Aspiration toxicity

Not classified due to lack of data.

Product:

No data available

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.214

mg/

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.109

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1

icity)

: EC50 (Bacteria): > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

12.2 Persistence and degradability

Toxicity to microorganisms

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

tert-Butyl peroxy-2-ethylhexylcarbonate:

Partition coefficient: n- : log Pow: 5.2 (25 °C)

octanol/water Method: OECD Test Guideline 123

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3105
RID : UN 3105
IMDG : UN 3105
IATA : UN 3105

14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-BUTYL PEROXY-2-ETHYLHEXYLCARBONATE)

RID : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-BUTYL PEROXY-2-ETHYLHEXYLCARBONATE)

IMDG : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-BUTYL PEROXY-2-ETHYLHEXYLCARBONATE)

IATA : Organic peroxide type D, liquid

(tert-Butyl peroxy-2-ethylhexylcarbonate)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADR : 5.2 RID : 5.2 IMDG : 5.2

IATA : 5.2 HEAT

14.4 Packing group

ADR

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

IMDG

Packing group : Not assigned by regulation

Labels : 5.2

EmS Code : F-J, S-R

IATA (Cargo)

Packing instruction (cargo : 570

aircraft)

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

570

IATA (Passenger)

Packing instruction (passen: :

ger aircraft)

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

19 / 22

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

P6b SELF-REACTIVE SUBSTANCES

AND MIXTURES and ORGANIC

PEROXIDES

E1 ENVIRONMENTAL HAZARDS

Other regulations:

Gefahrgruppe nach TRGS 741: lb (German regulatory requirements)

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AllC (AU) : All components are listed on the inventory, regulatory obliga-

tions/restrictions apply

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance. For further information see eSDS.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

SECTION 16: Other information

Further information

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPEHC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.02.2023

 3.0
 19.12.2023
 600000000002
 Date of first issue: 10.03.2016

Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN