

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TBPIB-50-AL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : polymerisation initiators

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

E-mail address of person
responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type D	H242: Heating may cause a fire.
Acute toxicity, Category 3	H331: Toxic if inhaled.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)


SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPIB-50-AL



Version 3.0 Revision Date: 22.02.2019 SDS Number: 600000000442 Date of last issue: 05.04.2018
Date of first issue: 16.10.2017

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H226 Flammable liquid and vapour.
H242 Heating may cause a fire.
H304 May be fatal if swallowed and enters airways.
H331 Toxic if inhaled.
H411 Toxic to aquatic life with long lasting effects.
- Supplemental Hazard Statements : EUH066 Repeated exposure may cause skin dryness or cracking.
- Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
P233 Keep container tightly closed.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P315 Get immediate medical advice/ attention.
P331 Do NOT induce vomiting.
Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
P411 Store at temperatures not exceeding 15 °C.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Heptane, 2,2,4,6,6-pentamethyl- (CAS-No. 13475-82-6)
tert-Butyl peroxyisobutyrate (CAS-No. 109-13-7)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPIB-50-AL



Version 3.0 Revision Date: 22.02.2019 SDS Number: 600000000442 Date of last issue: 05.04.2018
Date of first issue: 16.10.2017

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Organic Peroxide
Liquid mixture

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Heptane, 2,2,4,6,6-pentamethyl-	13475-82-6 236-757-0 01-2119490725-29	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 4; H413	>= 50 - < 55
tert-Butyl peroxyisobutyrate	109-13-7 203-650-5 01-2119964669-16-0000	Flam. Liq. 3; H226 Org. Perox. B; H241 Acute Tox. 3; H331 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 45 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Call a physician immediately.
If breathed in, move person into fresh air.
Contact a poison control center.
- In case of skin contact : Wash contaminated clothing before re-use.
If on skin, rinse well with water.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

- If on clothes, remove clothes.
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Call a physician immediately.
Contact a poison control center.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May be fatal if swallowed and enters airways.
Toxic if inhaled.
Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

- Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.
-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPIB-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and dis-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPIB-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|---|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Advice on safe handling | : | Do not swallow.
Do not breathe vapours/dust.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Protect from contamination. |
| Advice on protection against fire and explosion | : | Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material. |
| Hygiene measures | : | Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|---|
| Requirements for storage areas and containers | : | Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations. |
|---|---|---|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version 3.0 Revision Date: 22.02.2019 SDS Number: 600000000442 Date of last issue: 05.04.2018
Date of first issue: 16.10.2017

- Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Storage class (TRGS 510) : 5.2, Organic peroxides and self-reacting hazardous materials
- Recommended storage temperature : < 10 °C
- Further information on storage stability : No decomposition if stored normally.

7.3 Specific end use(s)

- Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-Butyl peroxyisobutyrate	Workers	Inhalation	Long-term systemic effects	3,5 mg/m ³
	Workers	Skin contact	Long-term systemic effects	1 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-Butyl peroxyisobutyrate	Fresh water	0,0817 mg/l
	Marine water	0,00817 mg/l
	Intermittent use/release	0,0817 mg/l
	Sewage treatment plant	2,07 mg/l
	Fresh water sediment	2,41 mg/kg
	Marine sediment	0,241 mg/kg
	Soil	0,434 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

- Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

Hand protection	
Material	: butyl-rubber
Break through time	: >= 480 min
Glove thickness	: 0,5 mm
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Respiratory protection	: In the case of dust or aerosol formation use respirator with an approved filter.
Filter type	: ABEK-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless
Odour	: ester-like
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
	Decomposition
Flash point	: 43 °C Method: ISO 3679
Flammability (solid, gas)	: Not applicable
Upper explosion limit / Upper	: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0,82 g/cm³ (20 °C)

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Viscosity
Viscosity, dynamic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Self-Accelerating decomposition temperature (SADT) : ca. 40 °C
Method: UN-Test H.4
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.
Contact with incompatible substances can cause decomposition at or below SADT.
Heat, flames and sparks.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPIB-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Toxic if inhaled.

Product:

Acute inhalation toxicity : Acute toxicity estimate: 5,06 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

tert-Butyl peroxyisobutyrate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 2,53 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.500 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version 3.0 Revision Date: 22.02.2019 SDS Number: 600000000442 Date of last issue: 05.04.2018
Date of first issue: 16.10.2017

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

Result : Repeated exposure may cause skin dryness or cracking.

tert-Butyl peroxyisobutyrate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

Remarks : No data available

tert-Butyl peroxyisobutyrate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

tert-Butyl peroxyisobutyrate:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

Germ cell mutagenicity- As- : No known effect.
essment

tert-Butyl peroxyisobutyrate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: positive

Method: OECD Test Guideline 476
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

Carcinogenicity - Assessment : No known effect.

tert-Butyl peroxyisobutyrate:

Remarks : This information is not available.

Reproductive toxicity

Not classified based on available information.

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

Reproductive toxicity - Assessment : No known effect.

tert-Butyl peroxyisobutyrate:

Effects on fertility : Species: Rat
General Toxicity - Parent: NOAEL: 200 mg/kg body weight
General Toxicity F1: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 150 mg/kg body weight
Method: OECD Test Guideline 414
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

tert-Butyl peroxyisobutyrate:

Species	: Rat, male
NOAEL	: 200 mg/kg
Application Route	: oral (gavage)
Exposure time	: 28 d
Method	: OECD Test Guideline 422

Species	: Rat, female
NOAEL	: 600 mg/kg
Application Route	: oral (gavage)
Exposure time	: 28 d
Method	: OECD Test Guideline 422

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

May be fatal if swallowed and enters airways.

tert-Butyl peroxyisobutyrate:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

Remarks : May cause headache and dizziness.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version 3.0 Revision Date: 22.02.2019 SDS Number: 600000000442 Date of last issue: 05.04.2018
Date of first issue: 16.10.2017

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 0,04 mg/l
Exposure time: 48 h
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae : IC50 (algae): > 0,04 mg/l
Exposure time: 72 h
Remarks: Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

tert-Butyl peroxyisobutyrate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 17,2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 72,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 6,13 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,28 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 207 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

Biodegradability : Result: Not readily biodegradable.

tert-Butyl peroxyisobutyrate:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

12.3 Bioaccumulative potential

Components:

Heptane, 2,2,4,6,6-pentamethyl-:

Partition coefficient: n-octanol/water : Remarks: No data available

tert-Butyl peroxyisobutyrate:

Partition coefficient: n-octanol/water : log Pow: 2,68 (25 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPIB-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 3115
ADR	:	UN 3115
RID	:	UN 3115 Not permitted for transport
IMDG	:	UN 3115
IATA	:	UN 3115 Not permitted for transport

14.2 UN proper shipping name

ADN	:	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYISOBUTYRATE)
ADR	:	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYISOBUTYRATE)
RID	:	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED Not permitted for transport
IMDG	:	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYISOBUTYRATE)
IATA	:	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED Not permitted for transport

14.3 Transport hazard class(es)

ADN	:	5.2
ADR	:	5.2
RID	:	Not permitted for transport
IMDG	:	5.2
IATA	:	Not permitted for transport

14.4 Packing group

ADN	:	
Packing group	:	Not assigned by regulation
Classification Code	:	P2
Labels	:	5.2
ADR	:	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

Packing group : Not assigned by regulation
Classification Code : P2
Labels : 5.2
Tunnel restriction code : (D)

RID : Not permitted for transport

IMDG

Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-F, S-R

IATA (Cargo) : Not permitted for transport

IATA (Passenger) : Not permitted for transport

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID : Not permitted for transport

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Additional advice:

Temperature controlled transport.:

Control temperature : 15 °C

Emergency temperature : 20 °C

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPIB-50-AL

Version 3.0 Revision Date: 22.02.2019 SDS Number: 600000000442 Date of last issue: 05.04.2018
Date of first issue: 16.10.2017

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H2	ACUTE TOXIC	50 t	200 t
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Water contaminating class (Germany) : WGK 2 obviously hazardous to water

Other regulations:

Gefahrgruppe nach § 3 BGV B4: II (German regulatory requirements)

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

KECI (KR) : On the inventory, or in compliance with the inventory
PICCS (PH) : On the inventory, or in compliance with the inventory
TCSI (TW) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPIB-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour.
H241 : Heating may cause a fire or explosion.
H304 : May be fatal if swallowed and enters airways.
H331 : Toxic if inhaled.
H411 : Toxic to aquatic life with long lasting effects.
H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Asp. Tox. : Aspiration hazard
Flam. Liq. : Flammable liquids
Org. Perox. : Organic peroxides

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPIB-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2018
3.0	22.02.2019	600000000442	Date of first issue: 16.10.2017

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Flam. Liq. 3	H226
Org. Perox. D	H242
Acute Tox. 3	H331
Asp. Tox. 1	H304
Aquatic Chronic 2	H411

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN