

### TBPIN

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
2.0	16.04.2024	60000000003	Date of first issue: 24.08.2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Trade name	:	TBPIN
	REACH Registration Number	:	01-2119498308-25-0000
	Substance name	:	tert-butyl 3,5,5-trimethylperoxyhexanoate
	EC-No.	:	236-050-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:	polymerisation initiators
stance/Mixture		

#### 1.3 Details of the supplier of the safety data sheet

Company	: United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	: +49 / 89 / 74422 - 0
E-mail address of person responsible for the SDS	: contact@united-in.com

#### 1.4 Emergency telephone number

+44 1235 239670

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION	(EC) No 1272/2008)	as amended by GB-CLP R	Regulation, UK
SI 2019/720, and UK SI 2020/1	567)	-	-

Organic peroxides, Type D	H242: Heating may cause a fire.
Skin sensitisation, Sub-category 1B	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.



### TBPIN

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
2.0	16.04.2024	60000000003	Date of first issue: 24.08.2022

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<ul><li>H242 Heating may cause a fire.</li><li>H317 May cause an allergic skin reaction.</li><li>H410 Very toxic to aquatic life with long lasting effects.</li></ul>
Precautionary statements	:	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P234 Keep only in original packaging.</li> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.</li> <li>Response:</li> <li>P370 + P378 In case of fire: Use water spray, alcoholresistant foam, dry chemical or carbon dioxide to extinguish.</li> <li>P391 Collect spillage.</li> </ul>

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

3.1 Substances		
Substance name	:	tert-butyl 3,5,5-trimethylperoxyhexanoate
EC-No.	:	236-050-7
Chemical nature	:	Organic Peroxide liquid

#### Components

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### TBPIN

VersionRevision Date:SDS Number:Date of last issue: 21.02.20232.016.04.202460000000003Date of first issue: 24.08.2022	
---	--

Chemical name	CAS-No.	Concentration (% w/w)
	EC-No.	
tert-butyl 3,5,5-	13122-18-4	<= 100
trimethylperoxyhexanoate	236-050-7	

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice	:	Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
lf inhaled	:	Administer oxygen if breathing is difficult or cyanosis is ob- served. If breathed in, move person into fresh air. If not breathing, give artificial respiration. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If symptoms persist, call a physician. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Call a physician immediately. Keep respiratory tract clear. If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed



### TBPIN

Version 2.0	Revision Date: 16.04.2024	SDS Number: 600000000003	Date of last issue: 21.02.2023 Date of first issue: 24.08.2022	
Symp	otoms	: sensitising e	ffects	
Risks		: May cause a	an allergic skin reaction.	
	•		on and special treatment needed	
Treatment		: Treat sympt	omatically and supportively.	

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

	. 0		
	Specific hazards during fire- fighting	:	Risk of explosion if heated under confinement. Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up. Avoid confinement. Contact with incompatible materials or exposure to tempera- tures exceeding SADT may result in a self-accelerating de- composition reaction with release of flammable vapors which may auto-ignite. The product burns violently. Flash back possible over considerable distance. Do not allow run-off from fire fighting to enter drains or water courses. Vapours may form explosive mixtures with air. The product will float on water and can be reignited on surface water. Cool closed containers exposed to fire with water spray.
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.
	Specific extinguishing meth- ods	:	Do not use a solid water stream as it may scatter and spread fire. Remove undamaged containers from fire area if it is safe to do so. Use water spray to cool unopened containers.



## TBPIN

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
2.0	16.04.2024	60000000003	Date of first issue: 24.08.2022
Furthe	er information	cumstances an Use a water sp Collect contam must not be dis Fire residues a	ing measures that are appropriate to local cir- ind the surrounding environment. bray to cool fully closed containers. inated fire extinguishing water separately. This scharged into drains. ind contaminated fire extinguishing water must in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Follow safe handling advice and personal protective equipment recommendations.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> <li>Use personal protective equipment.</li> <li>Remove all sources of ignition.</li> <li>Never return spills in original containers for re-use.</li> <li>Treat recovered material as described in the section "Disposal</li> </ul>
	considerations".

#### 6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains.
		Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	<ul> <li>Contact with incompatible substances can cause decomposition at or below SADT. Clear spills immediately. Suppress (knock down) gases/vapours/mists with a water spray jet. To clean the floor and all objects contaminated by this material, use plenty of water. Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</li> </ul>
-------------------------	---

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.



## TBPIN

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
2.0	16.04.2024	60000000003	Date of first issue: 24.08.2022

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling Technical measures See Engineering measures under EXPOSURE · CONTROLS/PERSONAL PROTECTION section. Advice on safe handling Open drum carefully as content may be under pressure. Protect from contamination. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the application area. Wash thoroughly after handling. For personal protection see section 8. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Advice on protection against Take necessary action to avoid static electricity discharge : (which might cause ignition of organic vapours). Keep away fire and explosion from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product. 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in original container. Keep containers tightly closed in a
areas and containers		cool, well-ventilated place. Store in cool place. Keep in a well- ventilated place. Contamination may result in dangerous pres-
		sure increases - closed containers may rupture. Observe label
		precautions. Store in accordance with the particular national
		regulations. Avoid impurities (e.g. rust, dust, ash), risk of de-
		composition. Electrical installations / working materials must
		comply with the technological safety standards. Containers
		which are opened must be carefully resealed and kept upright

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### TBPIN

Versic 2.0	on Revision Date: 16.04.2024		DS Number: 0000000003	Date of last issue: 21.02.2023 Date of first issue: 24.08.2022
Ą	Advice on common storage	:		combustible materials. strong acids, bases, heavy metal salts and
Recommended storage tem- perature		:	< 30 °C	
	urther information on stor- ge stability	:	Stable under reco	ommended storage conditions.
-	<b>pecific end use(s)</b> Specific use(s)	:	For further information sheet.	ation, refer to the product technical data

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
tert-butyl 3,5,5- trimethylperoxyhexa- noate	Workers	Inhalation	Long-term systemic effects	2.5 mg/m3
	Workers	Skin contact	Long-term systemic effects	7 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
tert-butyl 3,5,5-	Fresh water	0.003 mg/l
trimethylperoxyhexanoate		
	Marine water	0.0 mg/l
	Intermittent use/release	0.005 mg/l
	Sewage treatment plant	2.63 mg/l
	Fresh water sediment	0.497 mg/kg dry weight (d.w.)
	Marine sediment	0.05 mg/kg dry weight (d.w.)
	Soil	0.098 mg/kg dry weight (d.w.)

#### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TBPIN

Version 2.0	Revision Date: 16.04.2024	SDS Num 60000000	
Dorr	anal protoctivo oquin	mont	
	sonal protective equip	: Ensur the w Pleas selec Alway eye c Tight! Pleas	re that eyewash stations and safety showers are close to orkstation location. e follow all applicable local/national requirements when ting protective measures for a specific workplace. /s wear eye protection when the potential for inadvertent ontact with the product cannot be excluded. y fitting safety goggles e wear suitable protective goggles. Also wear face pro- n if there is a splash hazard.
M B G M B	d protection Material Break through time Blove thickness Material Break through time Blove thickness	: butyl-r : <= 480 : 0.47 n : Nitrile : <= 480 : 0.40 n	D min nm rubber D min
F	Remarks	standa materi tive gl depen ous su plicatio cals o	ata about break through time/strength of material are ard values! The exact break through time/strength of al has to be obtained from the producer of the protec- ove. Choose gloves to protect hands against chemicals ding on the concentration and quantity of the hazard- ubstance and specific to place of work. For special ap- ons, we recommend clarifying the resistance to chemi- f the aforementioned protective gloves with the glove acturer. Wash hands before breaks and at the end of ay.
Skin	and body protection	sistan tial. Additio being suits) Wear	appropriate protective clothing based on chemical re- ce data and an assessment of the local exposure poten- onal body garments should be used based upon the task performed (e.g., sleevelets, apron, gauntlets, disposable to avoid exposed skin surfaces. as appropriate: e retardant antistatic protective clothing.
Resp	piratory protection		case of dust or aerosol formation use respirator with an ed filter.
F	ïlter type	: ABEK	-filter
Prote	ective measures	to the	vpe of protective equipment must be selected according concentration and amount of the dangerous substance specific workplace.



### TBPIN

VersionRevision Date:SDS Number:Date of last issue: 21.02.20232.016.04.20246000000003Date of first issue: 24.08.2022	
--	--

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	very faint, ester-like
Odour Threshold	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Melting point/freezing point	:	< -25 °C (1,013 hPa)
Initial boiling point and boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	94 °C Method: ISO 3679
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	0.03 hPa (30 °C)
Relative vapour density	:	not determined
Relative density	:	not determined
Density	:	0.89 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	0.0142 g/l insoluble (20 °C)
Partition coefficient: n- octanol/water	:	log Pow: 5.16
Auto-ignition temperature	:	not determined
Viscosity		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### TBPIN

Vers 2.0	sion	Revision Date: 16.04.2024		S Number: 000000003	Date of last issue: 21.02.2023 Date of first issue: 24.08.2022
	Visc	cosity, dynamic	:	5 mPa.s (20 °C)	
	Visc	cosity, kinematic	:	not determined	
	Explosi	ve properties	:	Not explosive In use, may form	flammable/explosive vapour-air mixture.
	Oxidiziı	ng properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.
9.2 (	Self-Ac	nformation celerating decomposi- nperature (SADT)	:	Method: UN-Test SADT-Self Accel temperature at w	H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
	Flamma	ability (liquids)	:	Organic peroxide	
	Self-hea	ating substances	:	The substance o	r mixture is not classified as self heating.
	Refracti	ive index	:	1.431 at 20 °C	
	Self-ign	ition	:	The substance o	r mixture is not classified as pyrophoric.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

#### 10.2 Chemical stability

Stable under recommended storage conditions. No decomposition if stored normally.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

: Protect from contamination.
Contact with incompatible substances can cause decomposi-
tion at or below SADT.
Heat, flames and sparks.
Avoid confinement.



### TBPIN

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
2.0	16.04.2024	60000000003	Date of first issue: 24.08.2022

#### **10.5 Incompatible materials**

Materials to avoid

: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

#### **10.6 Hazardous decomposition products**

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified due to lack of data.

#### Components:

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Acute oral toxicity	LD50 (Rat): 12,905 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	LC50 (Rat): > 0.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala tion toxicity	1-
Acute dermal toxicity	LD0 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402	

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : May cause skin irritation in susceptible persons.

#### Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:				
Species	: Rabbit			
Method	: OECD Test Guideline 404			
Result	: No skin irritation			

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TBPIN

ersion D	Revision Date: 16.04.2024		DS Number: 0000000003	Date of last issue: 21.02.2023 Date of first issue: 24.08.2022
<u>Prod</u> Rema		:	Vapours may of and the skin.	cause irritation to the eyes, respiratory system
Com	ananta			
	<u>oonents:</u>			
	utyl 3,5,5-trimethylp	eroxy		
Speci Metho		÷	Rabbit OECD Test Gu	uidolino 405
Resu		:	No eye irritatio	
Resp	iratory or skin sensi	tisatio	n	
	sensitisation			
-	cause an allergic skin	reaction	on.	
-	iratory sensitisation lassified due to lack o	f data.		
Prod	uct:			
Rema	arks	:	Causes sensit	isation.
<u>Com</u>	oonents:			
tert-b	utyl 3,5,5-trimethylp	eroxy	hexanoate:	
Exposure routes		:	Skin contact	
Speci		:	Guinea pig	
Metho Resu		:	OECD Test Gu The product is	uideline 406 a skin sensitiser, sub-category 1B.
Corm	ooll mutogonicity			
	<b>a cell mutagenicity</b> lassified due to lack o	f data.		
<u>Com</u>	<u>oonents:</u>			
tert-b	utyl 3,5,5-trimethylp	eroxv	hexanoate:	
_	toxicity in vitro	:	Test Type: Bac Metabolic activ	cterial reverse mutation assay (AMES) vation: Metabolic activation D Test Guideline 471 e
I				romosome aberration test in vitro D Test Guideline 473 e
Genotoxicity in vivo		:	Species: Rat	vivo micronucleus test
			Analisation De	

Application Route: Oral

Method: OECD Test Guideline 474

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### TBPIN

Version 2.0	Revision Date: 16.04.2024	SDS Number: 60000000003	Date of last issue: 21.02.2023 Date of first issue: 24.08.2022
		Result: negative	9
	<b>cinogenicity</b> classified due to lack of d	ata.	
<u>Co</u>	<u>nponents:</u>		
tert	-butyl 3,5,5-trimethylper	oxyhexanoate:	
Rer	narks	: This information	n is not available.
Not	productive toxicity classified due to lack of d nponents:	ata.	
tert	-butyl 3,5,5-trimethylper	oxyhexanoate:	
	ects on fertility	: Test Type: Rep test Species: Rat, n Application Rou General Toxicit General Toxicit	production/Developmental toxicity screening nale and female ute: Oral y - Parent: NOAEL: 160 mg/kg bw/day y F1: NOAEL: 160 mg/kg bw/day Test Guideline 421
			y - Parent: NOAEL: 50 mg/kg bw/day Test Guideline 443
Effe	ects on foetal develop- nt	Species: Rat Application Rou General Toxicit	y Maternal: NOAEL: 150 mg/kg body weight Test Guideline 414
	<b>DT - single exposure</b> classified due to lack of d	ata.	
	<b>DT - repeated exposure</b> classified due to lack of d	ata.	
Rej	peated dose toxicity		
<u>Co</u>	<u>nponents:</u>		
Spe NO App Exp	<b>-butyl 3,5,5-trimethylper</b> ecies AEL blication Route bosure time thod	oxyhexanoate: Rat, male and t 160 mg/kg oral (gavage) 90 d OECD Test Gu	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### TBPIN

Version 2.0	Revision Date: 16.04.2024		S Number: 000000003	Date of last issue: 21.02.2023 Date of first issue: 24.08.2022
	EL cation Route sure time		Rat, male and fem 50 mg/kg oral (gavage) 28 d OECD Test Guide	
Not c	ation toxicity lassified due to lack of er information	data.		
<u>Prod</u> Rema		:	No data available	

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:				
Toxicity to fish :		LC50 (Oncorhynchus mykiss (rainbow trout)): 7.03 mg/l Exposure time: 96 h Method: OECD Test Guideline 203		
		NOEC (Oncorhynchus mykiss (rainbow trout)): 3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203		
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.52 mg/l Exposure time: 48 h Method: OECD Test Guideline 202		
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (algae)): 0.125 mg/l Exposure time: 72 h Method: OECD Test Guideline 201		
1		EC50 (Pseudokirchneriella subcapitata (algae)): 0.51 mg/l Exposure time: 72 h Method: OECD Test Guideline 201		
M-Factor (Acute aquatic tox- icity)	:	1		
Toxicity to microorganisms	:	EC50 (Bacteria): 327.02 mg/l Exposure time: 3 h Method: OECD Test Guideline 209		



## TBPIN

Vers	ion Revision Da	 OS Number:	Date of last issue: 21.02.2023
2.0	16.04.2024	0000000003	Date of first issue: 24.08.2022
	Toxicity to daphnia aquatic invertebrates	NOEC: 0.22 mg/l Exposure time: 21	d

Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211

#### 12.2 Persistence and degradability

#### Components:

ic toxicity)

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Biodegradability	: Test Type: aerobic	
	Result: Readily biodegradable.	
	Biodegradation: 72 %	
	Exposure time: 28 d	
	Method: OECD Test Guideline 30	1D

#### 12.3 Bioaccumulative potential

#### Components:

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Bioaccumulation	:	Bioconcentration factor (BCF): 375 Remarks: Calculation
Partition coefficient: n-	:	log Pow: 5.16

octanol/water

12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

#### Product: Endocrine disrupt

Endocrine disrupting poten- : tial	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological infor- : mation	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.



## **TBPIN**

Revision Date: 16.04.2024	SDS Number: 60000000003	Date of last issue: 21.02.2023 Date of first issue: 24.08.2022
	Very toxic to a Harmful to aqu	quatic life. atic life with long lasting effects.
N 13: Disposal cons	siderations	
e treatment methods	5	
ct	The product sh courses or the	inate ponds, waterways or ditches with chemi-
minated packaging	Clean containe Dispose of cor plant. Empty remainin Dispose of as Do not re-use	itents/ container to an approved waste disposal
	16.04.2024	16.04.2024       600000000003         Very toxic to a Harmful to aque         N 13: Disposal considerations         treatment methods         ct         Dispose of was The product sh courses or the Do not contam cal or used courses or the Do not contam cal or used courses of the Dispose of in a Clean contained Dispose of cor plant.         minated packaging       Empty remaini Dispose of as

#### 14.1 UN number

ADR	:	UN 3105	
RID	:	UN 3105	
IMDG	:	UN 3105	
ΙΑΤΑ	:	UN 3105	
14.2 UN proper shipping name			
ADR	:	ORGANIC PEROXID (tert-BUTYL PEROX)	E TYPE D, LIQUID Y-3,5,5-TRIMETHYLHEXANOATE)
RID	:	ORGANIC PEROXID (tert-BUTYL PEROX)	E TYPE D, LIQUID Y-3,5,5-TRIMETHYLHEXANOATE)
IMDG	:	ORGANIC PEROXID (tert-BUTYL PEROX)	E TYPE D, LIQUID Y-3,5,5-TRIMETHYLHEXANOATE)
ΙΑΤΑ	:	Organic peroxide typ (tert-Butyl peroxy-3,5	e D, liquid ,5-trimethylhexanoate)
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADR	:	5.2	
		16 / 20	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### TBPIN

Version 2.0	Revision Date: 16.04.2024	SDS Number: 60000000003	Date of last issue: 21.02.2023 Date of first issue: 24.08.2022
RID		: 5.2	
IMDG		: 5.2	
IATA		: 5.2 : 5.2	НЕАТ
	ing group	. 3.2	
	ing group		
Class Labels	ng group ification Code s I restriction code	: Not assigned : P1 : 5.2 : (D)	by regulation
RID			
Class	ng group ification Code d Identification Number	: P1	by regulation
IMDG Packi Labels EmS	ng group S	: Not assigned : 5.2 : F-J, S-R	by regulation
Packi aircrat	ng group	-	by regulation ixides, Keep Away From Heat
	(Passenger) ng instruction (passen- rcraft)	: 570	
	ng group		by regulation xides, Keep Away From Heat
14.5 Envir	onmental hazards		
<b>ADR</b> Enviro	nmentally hazardous	: yes	
<b>RID</b> Enviro	nmentally hazardous	: yes	
IMDG	e pollutant	: yes	

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.



### TBPIN

Version Revision E 2.0 16.04.2024		Date of last issue: 21.02.2023 Date of first issue: 24.08.2022
--------------------------------------	--	---

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH Candidate list of substances of very concern (SVHC) for Authorisation	high	:	Not applicable
The Persistent Organic Pollutants Regulations (re Regulation (EU) 2019/1021 as amended for Great ain)		:	Not applicable
Regulation (EC) No 1005/2009 on substances th plete the ozone layer	at de-	:	Not applicable
UK REACH List of substances subject to authoris (Annex XIV)	sation	:	Not applicable
GB Export and import of hazardous chemicals - Informed Consent (PIC) Regulation	Prior	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	P6b	AND	F-REACTIVE SUBSTANCES D MIXTURES and ORGANIC ROXIDES
	E1	EN\	/IRONMENTAL HAZARDS
Other regulations:			

#### Other regulations:

Gefahrgruppe nach TRGS 741: lb (German regulatory requirements)

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:				
TCSI (TW)	:	On the inventory, or in compliance with the inventory		
TSCA (US)	:	All substances listed as active on the TSCA inventory		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### TBPIN

Version 2.0	Revision Date: 16.04.2024	SDS Number:Date of last issue: 21.02.2023600000000003Date of first issue: 24.08.2022	
AIIC	(AU)	: On the inventory, or in compliance with the invent	ory
DSL	(CA)	: All components of this product are on the Canadia	an DSL
ENC	S (JP)	: On the inventory, or in compliance with the invent	ory
ISHL	(JP)	: On the inventory, or in compliance with the invent	ory
KEC	I (KR)	: On the inventory, or in compliance with the invent	ory
PICC	S (PH)	: On the inventory, or in compliance with the invent	ory
IECS	C (CN)	: On the inventory, or in compliance with the invent	ory
TECI	(TH)	: On the inventory, or in compliance with the invent	ory

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance. For further information see eSDS.

#### **SECTION 16: Other information**

Further information		
Other information	:	This safety datasheet only contains information relating to safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the con- tainer.
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### TBPIN

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
2.0	16.04.2024	6000000003	Date of first issue: 24.08.2022

ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN