# **TBPIN**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/11/19

 3.0
 2024/06/20
 600000000003
 Date of first issue: 2019/10/07

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TBPIN

Other means of identification : None

Recommended use of the chemical and restrictions on use
Recommended use : polymerisation initiators

#### Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

Emergency telephone number : +49 / 89 / 74422 - 0 (24 h)

E-mail address : contact@united-in.com

# 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Organic peroxides : Type D

Skin sensitisation : Sub-category 1B

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 3

**GHS** label elements

Hazard pictograms







Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible

materials.

P234 Keep only in original container. P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P410 Protect from sunlight.

P411 + P235 Store at temperatures not exceeding < 30 °C/ <

86 °F. Keep cool.

P420 Store away from other materials.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : tert-butyl 3,5,5-trimethylperoxyhexanoate

CAS-No. : 13122-18-4

Synonyms : None

# Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
tert-butyl 3,5,5-trimethylperoxyhexanoate	13122-18-4	<= 100

**TBPIN** 



Version 3.0

Revision Date: 2024/06/20

SDS Number: 60000000003 Date of last issue: 2020/11/19 Date of first issue: 2019/10/07

#### 4. FIRST AID MEASURES

General advice Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

### First aid measures for different exposure routes

If inhaled Administer oxygen if breathing is difficult or cyanosis is ob-

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact If symptoms persist, call a physician.

> In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In the case of contact with eyes, rinse immediately with plenty In case of eye contact

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Call a physician immediately.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

May cause an allergic skin reaction.

sensitising effects

Protection of first-aiders First Aid responders should pay attention to self-protection

and use the recommended protective clothing

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

Notes to physician : Treat symptomatically and supportively.

# 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water

courses.

Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-: tive equipment and emer-

Follow safe handling advice and personal protective equip-

ment recommendations.

# **TBPIN**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/11/19

 3.0
 2024/06/20
 600000000003
 Date of first issue: 2019/10/07

gency procedures Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Use personal protective equipment. Remove all sources of ignition.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contact with incompatible substances can cause decomposi-

tion at or below SADT.

Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

# 7. HANDLING AND STORAGE

# Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours). Keep away from heat and sources of ignition.

Use only explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of

ignition.

Keep away from combustible material.

Advice on safe handling : Open drum carefully as content may be under pressure.

Protect from contamination.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

# **TBPIN**



Version 3.0

Revision Date: 2024/06/20

SDS Number: 600000000003

Date of last issue: 2020/11/19 Date of first issue: 2019/10/07

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling.

For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Storage

Conditions for safe storage

Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Store in cool place.

Keep in a well-ventilated place.

Contamination may result in dangerous pressure increases -

closed containers may rupture. Observe label precautions.

Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Materials to avoid : Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem- :

perature

< 30 °C

Further information on stor-

age stability

: Stable under recommended storage conditions.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Biological occupational exposure limits

Contains no substances with biological exposure indices.

**Engineering measures** : Minimize workplace exposure concentrations.

# **TBPIN**



Version 3.0

Revision Date: 2024/06/20

SDS Number: 60000000003

Date of last issue: 2020/11/19 Date of first issue: 2019/10/07

#### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : ABEK-filter

Hand protection

Material : butyl-rubber
Break through time : <= 480 min
Glove thickness : 0.47 mm

Material : Nitrile rubber
Break through time : <= 480 min
Glove thickness : 0.40 mm

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Eye protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

Keep away from food and drink. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : very faint, ester-like

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : < -25 °C

(1,013 hPa)

Initial boiling point and boiling

range

Decomposition: Decomposes below the boiling point.

Flash point : 94 °C

Method: ISO 3679

Evaporation rate : No data available

Flammability (liquids) : Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapour pressure : 0.03 hPa (30 °C)

Relative vapour density : not determined

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

Relative density : not determined

Density : 0.89 g/cm3 (20 °C)

Solubility(ies)

Water solubility : 0.0142 g/l insoluble (20 °C)

Partition coefficient: n-

octanol/water

: log Pow: 5.16

Auto-ignition temperature : not determined

Self-Accelerating decomposi-

tion temperature (SADT)

: 60 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : 5 mPa.s ( 20 °C)

Viscosity, kinematic : not determined

Explosive properties : Not explosive In use, may form flammable/explosive vapour-

air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Self-heating substances : The substance or mixture is not classified as self heating.

Refractive index : 1.431 (20 °C)

### 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Heating may cause a fire or explosion.

Chemical stability : Stable under recommended storage conditions.

No decomposition if stored normally.

Possibility of hazardous reac-

tions

Vapours may form explosive mixture with air.

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Hazardous decomposition

products

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

#### 11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure :

sensitising effects

# Acute toxicity

Not classified due to lack of data.

#### **Components:**

# tert-butyl 3,5,5-trimethylperoxyhexanoate:

Acute oral toxicity : LD50 (Rat): 12,905 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 0.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD0 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : May cause skin irritation in susceptible persons.

# **Components:**

# tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

**Product:** 

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

**Components:** 

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

**Product:** 

Remarks : Causes sensitisation.

**Components:** 

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : The product is a skin sensitiser, sub-category 1B.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

**Components:** 

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Metabolic activation: Metabolic activation Method: OECD Test Guideline 471

Result: positive

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 474

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

Result: negative

# Carcinogenicity

Not classified due to lack of data.

#### **Components:**

### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Remarks : This information is not available.

# Reproductive toxicity

Not classified due to lack of data.

# **Components:**

# tert-butyl 3,5,5-trimethylperoxyhexanoate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 160 mg/kg bw/day General Toxicity F1: NOAEL: 160 mg/kg bw/day

Method: OECD Test Guideline 421

General Toxicity - Parent: NOAEL: 50 mg/kg bw/day

Method: OECD Test Guideline 443

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 150 mg/kg body weight

Method: OECD Test Guideline 414

Result: negative

#### STOT - single exposure

Not classified due to lack of data.

# STOT - repeated exposure

Not classified due to lack of data.

### Repeated dose toxicity

#### **Components:**

# tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species : Rat, male and female

NOAEL : 160 mg/kg Application Route : oral (gavage)

Exposure time : 90 d

Method : OECD Test Guideline 408

Species : Rat, male and female

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

NOAEL : 50 mg/kg Application Route : oral (gavage)

Exposure time : 28 d

Method : OECD Test Guideline 407

Aspiration toxicity

Not classified due to lack of data.

**Further information** 

**Product:** 

Remarks : No data available

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.03 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0.52 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: NOEC (Pseudokirchneriella subcapitata (algae)): 0.125 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (algae)): 0.51 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

: 1

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.22 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Bacteria): 327.02 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

# **TBPIN**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/11/19

 3.0
 2024/06/20
 600000000003
 Date of first issue: 2019/10/07

# Persistence and degradability

### **Components:**

# tert-butyl 3,5,5-trimethylperoxyhexanoate:

Biodegradability : aerobic

Result: Readily biodegradable.

Biodegradation: 72 % Exposure time: 28 d

Method: OECD Test Guideline 301D

#### Bioaccumulative potential

#### **Components:**

# tert-butyl 3,5,5-trimethylperoxyhexanoate:

Bioaccumulation : Bioconcentration factor (BCF): 375

Remarks: Calculation

Partition coefficient: n-

octanol/water

log Pow: 5.16

# Mobility in soil

No data available

# Other adverse effects

# **Product:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

#### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

#### 14. TRANSPORT INFORMATION

#### **International Regulations**

**UNRTDG** 

UN number : UN 3105

Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3105

Proper shipping name : Organic peroxide type D, liquid

(tert-Butyl peroxy-3,5,5-trimethylhexanoate)

Class : 5.2

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

Packing instruction (cargo : 570

aircraft)

Packing instruction (passen-

ger aircraft)

570

**IMDG-Code** 

UN number : UN 3105

Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-J, S-R Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

#### **National regulatory information**

Gefahrgruppe nach TRGS 741: lb (German regulatory requirements)

Regulations on Occupational Safety and Health Facilities

Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

Regulations on Labelling and Hazard Communication of Hazardous Chemicals Rules on Road Traffic Safety

Establishment Standards and Safety Control Regulations for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases Places: Quantity subject to control

### The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AllC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

### 16. OTHER INFORMATION

#### **Further information**

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 2024/06/20

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

# **TBPIN**



Version Revision Date: SDS Number: Date of last issue: 2020/11/19 3.0 2024/06/20 600000000003 Date of first issue: 2019/10/07

Date format : yyyy/mm/dd

#### Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TW / EN