

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TBPND-50-ENF1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : polymerisation initiators

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

E-mail address of person
responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type F	H242: Heating may cause a fire.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 1	H370: Causes damage to organs.
Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.
Chronic aquatic toxicity, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

Hazard pictograms :



Signal word : Danger

Hazard statements :
H226 Flammable liquid and vapour.
H242 Heating may cause a fire.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H370 Causes damage to organs.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
P233 Keep container tightly closed.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P262 Do not get in eyes, on skin, or on clothing.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P411 Store at temperatures not exceeding -5 °C.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

tert-Butyl peroxyneodecanoate (CAS-No. 26748-41-4)

Methanol (CAS-No. 67-56-1)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Organic Peroxide
Liquid mixture

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
tert-Butyl peroxyneodecanoate	26748-41-4 247-955-1 01-2119948628-22	Org. Perox. D; H242 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 45 - < 50
Methanol	67-56-1 200-659-6 01-2119433307-44	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370	>= 10 - < 15

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Call a physician immediately.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.
May cause an allergic skin reaction.
Causes damage to organs.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version 1.0	Revision Date: 18.10.2017	SDS Number: 600000000186	Print Date: 23.01.2018
----------------	------------------------------	-----------------------------	---------------------------

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Protect from contamination.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.
- Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

Storage class (TRGS 510) : 5.2, Organic peroxides and self-reacting hazardous materials

Recommended storage temperature : < -10 °C

Other data : No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Methanol	Methanol	TWA	200 ppm 260 mg/m ³	2006/15/EC
Further information	Indicative, Identifies the possibility of significant uptake through the skin			
		AGW	200 ppm 270 mg/m ³	DE TRGS 900
Peak-limit: excursion factor (category)	4;(II)			
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., European Union (The EU has established a limit value: deviations in value and peak limit are possible), Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Methanol	67-56-1	Methanol: 30 mg/l (Urine)	Immediately after exposition or after working hours, In case of long-term exposition: after more than one shift	TRGS 903

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-butyl peroxy-neodecanoate	Workers	Inhalation	Long-term systemic effects	2,8 mg/m ³
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
----------------	---------------------------	-------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

tert-butyl peroxyneodecanoate	Fresh water	0,0049 mg/l
	Marine water	0,00049 mg/l
	Intermittent use/release	0,0033 mg/l
	Sewage treatment plant	96,69 mg/l
	Fresh water sediment	2,19 mg/kg
	Marine sediment	0,219 mg/kg
	Soil	0,434 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.

Hand protection

Material : butyl-rubber
Break through time : >= 480 min
Glove thickness : 0,5 mm

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Emulsion

Colour : white

Odour : ester-like

Odour Threshold : No data available

pH : No data available

Melting point/range : < -20 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : 38 °C
Method: ISO 3679

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Density	:	0,95 g/cm ³ (20 °C)
Solubility(ies) Water solubility	:	No data available
Viscosity Viscosity, dynamic	:	250 mPa.s (-5 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	15 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
--	---	--

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.
Contact with incompatible substances can cause decomposition at or below SADT.
Heat, flames and sparks.
Avoid confinement.

10.5 Incompatible materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version 1.0	Revision Date: 18.10.2017	SDS Number: 600000000186	Print Date: 23.01.2018
----------------	------------------------------	-----------------------------	---------------------------

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

tert-Butyl peroxyneodecanoate:

Acute oral toxicity : LD0 (Rat, male): > 12.918 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 54,8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD0 (Rabbit, male and female): > 8.000 mg/kg
Method: OECD Test Guideline 402

Methanol:

Acute oral toxicity : Acute toxicity estimate: 300 mg/kg
Method: Expert judgement
Assessment: The component/mixture is toxic after single ingestion.
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Expert judgement

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : Acute toxicity estimate: 300 mg/kg
Method: Expert judgement
Assessment: The component/mixture is toxic after single contact with skin.
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:

tert-Butyl peroxyneodecanoate:

Species: Rabbit
Method: OECD Test Guideline 404
Result: Skin irritation

Methanol:

Species: Rabbit
Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

tert-Butyl peroxyneodecanoate:

Species: Rabbit
Method: OECD Test Guideline 405
Result: No eye irritation

Methanol:

Species: Rabbit
Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: Causes sensitisation.

Components:

tert-Butyl peroxyneodecanoate:

Species: Guinea pig

Method: OECD Test Guideline 406

Result: May cause sensitisation by skin contact.

Methanol:

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

tert-Butyl peroxyneodecanoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: positive

: Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Methanol:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

Components:

tert-Butyl peroxyneodecanoate:

Remarks: This information is not available.

Methanol:

Species: Mouse
Application Route: inhalation (vapour)
Exposure time: 18 Months
Method: OECD Test Guideline 453
Result: negative

Reproductive toxicity

Not classified based on available information.

Components:

tert-Butyl peroxyneodecanoate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Oral
General Toxicity F1: NOAEL: 60 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Methanol:

Effects on fertility : Species: Rat
Application Route: inhalation (vapour)
Method: OECD Test Guideline 416
Result: negative

STOT - single exposure

Causes damage to organs.

Components:

tert-Butyl peroxyneodecanoate:

Remarks: No data available

Methanol:

Assessment: Causes damage to organs.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

STOT - repeated exposure

Not classified based on available information.

Components:

tert-Butyl peroxyneodecanoate:

Remarks: No data available

Repeated dose toxicity

Components:

tert-Butyl peroxyneodecanoate:

Species: Rat
NOAEL: 60 mg/kg
Application Route: Ingestion
Exposure time: 28 d
Method: OECD Test Guideline 422

Methanol:

Species: Rat
NOAEL: 1,06 mg/l
Application Route: inhalation (vapour)
Exposure time: 90 d

Species: Monkey
LOAEL: 2.340 mg/kg
Application Route: Oral
Exposure time: 3 d

Aspiration toxicity

Not classified based on available information.

Components:

tert-Butyl peroxyneodecanoate:

No data available

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

tert-Butyl peroxyneodecanoate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,33 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version 1.0 Revision Date: 18.10.2017 SDS Number: 600000000186 Print Date: 23.01.2018

- Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,79 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,48 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0,03 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 : > 1.000 mg/l
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,049 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1
- Methanol:**
- Toxicity to fish : NOEC (Danio rerio (zebra fish)): 3.950 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 212
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18.260 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Scenedesmus quadricauda (Green algae)): ca. 22.000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : IC50 : > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to fish (Chronic toxicity) : NOEC: 15.800 mg/l
Exposure time: 200 h
Species: Oryzias latipes (Orange-red killifish)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 208 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (Cesar models), etc.

12.2 Persistence and degradability

Components:

tert-Butyl peroxyneodecanoate:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301D

Methanol:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

tert-Butyl peroxyneodecanoate:

Partition coefficient: n-octanol/water : log Pow: 5,0

Methanol:

Partition coefficient: n-octanol/water : log Pow: -0,77

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : **An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.**
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

- ADR : UN 3119
- RID : UN 3119
Not permitted for transport
- IMDG : UN 3119
- IATA : UN 3119
Not permitted for transport

14.2 UN proper shipping name

- ADR : ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED
(tert-BUTYL PEROXYNEODECANOATE)
- RID : ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED
Not permitted for transport
- IMDG : ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED
(tert-BUTYL PEROXYNEODECANOATE)
- IATA : ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED
Not permitted for transport

14.3 Transport hazard class(es)

- ADR : 5.2
- RID : Not permitted for transport
- IMDG : 5.2
- IATA : Not permitted for transport

14.4 Packing group

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

ADR

Packing group : Not assigned by regulation
Classification Code : P2
Hazard Identification Number : 539
Labels : 5.2
Tunnel restriction code : (D)

RID

: Not permitted for transport

IMDG

Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-F, S-R

IATA (Cargo)

: Not permitted for transport

IATA (Passenger)

: Not permitted for transport

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

: Not permitted for transport

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Temperature controlled transport.:

Control temperature : -5 °C

Emergency temperature : 5 °C

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H3	STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE	50 t	200 t
P6b	SELF-REACTIVE	50 t	200 t

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

E1 ENVIRONMENTAL HAZARDS 100 t 200 t

Water contaminating class (Germany) : WGK 3 highly water endangering Classification according VwVwS, Annex 4.

Other regulations : Gefahrengruppe nach § 3 BGV B4: IV (German regulatory requirements)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

- DSL (CA) : All components of this product are on the Canadian DSL
- AICS (AU) : On the inventory, or in compliance with the inventory
- NZIoC (NZ) : On the inventory, or in compliance with the inventory
- KECI (KR) : On the inventory, or in compliance with the inventory
- PICCS (PH) : On the inventory, or in compliance with the inventory
- IECSC (CN) : On the inventory, or in compliance with the inventory
- TCSI (TW) : On the inventory, or in compliance with the inventory
- TSCA (US) : On TSCA Inventory

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

- H225 : Highly flammable liquid and vapour.
- H242 : Heating may cause a fire.
- H301 : Toxic if swallowed.
- H311 : Toxic in contact with skin.
- H315 : Causes skin irritation.
- H317 : May cause an allergic skin reaction.
- H331 : Toxic if inhaled.
- H370 : Causes damage to organs.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018

H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Flam. Liq. : Flammable liquids
Org. Perox. : Organic peroxides
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPND-50-ENF1

Version
1.0

Revision Date:
18.10.2017

SDS Number:
600000000186

Print Date:
23.01.2018
