

## TBPND-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
2.0	02.01.2024	60000000248	Date of first issue: 13.09.2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product	identifier
-------------	------------

Trade name : TBPND-75-AL

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : polymerisation initiators stance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Company	: United Initiators GmbH DrGustav-Adolph-Str. 82049 Pullach	3
Telephone	: +49 / 89 / 74422 - 0	
E-mail address of person responsible for the SDS	: contact@united-in.com	

#### **1.4 Emergency telephone number**

+44 1235 239670

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type D	H242: Heating may cause a fire.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air-ways.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **TBPND-75-AL**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
2.0	02.01.2024	60000000248	Date of first issue: 13.09.2022

## I

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H242 Heating may cause a fire.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> </ul>
Precautionary statements	:	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P234 Keep only in original packaging.</li> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.</li> </ul>
		Response:P301 + P310IF SWALLOWED: Immediately call a POISONCENTER/ doctor.P331Do NOT induce vomiting.P370 + P378In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.P391Collect spillage.Storage:P411Store at temperatures not exceeding 0 °C.
Hazardous components whi tert-Butyl peroxyneodecanoa		

tert-Butyl peroxyneodecanoate (CAS-No. 26748-41-4) Hydrocarbons, C4, 1,3-butadiene-free, polymerised., triisobutylene fraction, hydrogenated (CAS-No. 93685-81-5)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



## **TBPND-75-AL**

Version Revision Date: 2.0 02.01.2024

SDS Number: 6000000248 Date of last issue: 07.03.2023 Date of first issue: 13.09.2022

#### **SECTION 3: Composition/information on ingredients**

:

#### 3.2 Mixtures

Chemical nature

Organic Peroxide Liquid mixture

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tert-Butyl peroxyneodecanoate	26748-41-4 247-955-1 01-2119948628-22- 0000	Org. Perox. D; H242 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1	>= 70 - < 75
Hydrocarbons, C4, 1,3-butadiene- free, polymerised., triisobutylene fraction, hydrogenated	93685-81-5 236-757-0 01-2119490725-29	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 4; H413	>= 25 - < 30

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice Take off contaminated clothing and shoes immediately. : Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus. Protection of first-aiders First Aid responders should pay attention to self-protection : and use the recommended protective clothing

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 2.0	Revision Date: 02.01.2024	SDS Number:Date of last issue: 07.03.202360000000248Date of first issue: 13.09.2022
If inhaled		<ul> <li>Administer oxygen if breathing is difficult or cyanosis is observed.</li> <li>If breathed in, move person into fresh air.</li> <li>If not breathing, give artificial respiration.</li> <li>Call a physician or poison control centre immediately.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> </ul>
In case of skin contact		<ul> <li>If symptoms persist, call a physician.</li> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> <li>Wash contaminated clothing before re-use.</li> <li>If on skin, rinse well with water.</li> <li>If on clothes, remove clothes.</li> </ul>
In case of eye contact		<ul> <li>In the case of contact with eyes, rinse immediately with plent of water and seek medical advice.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed		<ul> <li>Call a physician immediately.</li> <li>Contact a poison control center.</li> <li>Rinse mouth thoroughly with water.</li> <li>Keep respiratory tract clear.</li> <li>Do NOT induce vomiting.</li> <li>If symptoms persist, call a physician.</li> </ul>
4.2 Most i	mportant symptoms	s and effects, both acute and delayed
Symp		: sensitising effects
Risks		: May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction.
	tion of any immedia	ate medical attention and special treatment needed
4.3 Indicat		: Treat symptomatically and supportively.

5.1 Extinguishing media			
Suitable extinguishing media	:	Water spray jet Alcohol-resistant foam Carbon dioxide (CO2)	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **TBPND-75-AL**

Version 2.0	Revision Date: 02.01.2024	-	DS Number: 0000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022	
			Dry chemical		
Unsi med	uitable extinguishing ia	:	High volume water jet		
5.2 Spec	ial hazards arising from	n the	e substance or mi	xture	
Specific hazards during fire- fighting		:	Risk of explosion if heated under confinement. Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up. Avoid confinement. Contact with incompatible materials or exposure to tempera- tures exceeding SADT may result in a self-accelerating de- composition reaction with release of flammable vapors which may auto-ignite. The product burns violently. Flash back possible over considerable distance. Do not allow run-off from fire fighting to enter drains or water courses. Vapours may form explosive mixtures with air. The product will float on water and can be reignited on surfac water. Cool closed containers exposed to fire with water spray.		
5.3 Advid	e for firefighters				
•	cial protective equipment refighters	:		ed breathing apparatus for firefighting if nec- onal protective equipment.	
Spec ods	cific extinguishing meth-	:	fire. Remove undamag so.	I water stream as it may scatter and spread ged containers from fire area if it is safe to do o cool unopened containers.	
Furt	Further information		cumstances and t Use a water spray Collect contamina must not be disch Fire residues and	measures that are appropriate to local cir- he surrounding environment. to cool fully closed containers. ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.	

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions :	Follow safe handling advice and personal protective equip- ment recommendations. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.				

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **TBPND-75-AL**

Version 2.0	Revision Date: 02.01.2024	SDS Number: 60000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022		
		Ensure adequate Remove all sourc Evacuate person Never return spil			
6.2 Enviror	nmental precautions				
Environmental precautions		Prevent further le	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.		
6.3 Method	ls and material for co	ntainment and clean	ing up		
Methods for cleaning up		: Contact with inco tion at or below S Clear spills imme Suppress (knock spray jet. To clean the floo al, use plenty of Soak up with ine Isolate waste and Non-sparking too Local or national posal of this mat employed in the	ompatible substances can cause decomposi- SADT. ediately. a down) gases/vapours/mists with a water r and all objects contaminated by this materi- water. rt absorbent material.		
6.4 Refere	nce to other sections				

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section	
Advice on safe handling	<ul> <li>Open drum carefully as content may be under pr Protect from contamination.</li> <li>Do not swallow.</li> <li>Do not breathe vapours/dust.</li> <li>Avoid exposure - obtain special instructions befo Avoid contact with skin and eyes.</li> <li>Avoid formation of aerosol.</li> <li>Take precautionary measures against static disc Never return any product to the container from w</li> </ul>	e use. harges.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version Revision Date: 2.0 02.01.2024		S Number: 0000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022
		Avoid confinement Keep away from h other ignition sour Smoking, eating a plication area. Wash thoroughly a For personal prote Persons susceptib allergies, chronic o	air exchange and/or exhaust in work rooms. eat, hot surfaces, sparks, open flames and ces. No smoking. nd drinking should be prohibited in the ap-
Advice on protection against fire and explosion	:	(which might caus from heat and sou equipment. Keep sources of ignition	ction to avoid static electricity discharge e ignition of organic vapours). Keep away rces of ignition. Use only explosion-proof away from open flames, hot surfaces and . Keep away from combustible material. Do ted flame or any incandescent material.
Hygiene measures	:	food and drink. W	skin, eyes and clothing. Keep away from hen using do not eat or drink. When using sh hands before breaks and immediately product.
7.2 Conditions for safe storage, Requirements for storage areas and containers	incl :	Store in original co cool, well-ventilate may result in dang ers may rupture. ( ance with the part (e.g. rust, dust, as tions / working ma	patibilities ontainer. Keep containers tightly closed in a d place. Store in cool place. Contamination perous pressure increases - closed contain- Observe label precautions. Store in accord- icular national regulations. Avoid impurities wh), risk of decomposition. Electrical installa- tterials must comply with the technological Containers which are opened must be care-
Advice on common storage	:	fully resealed and Keep away from s other reducing sul	kept upright to prevent leakage. trong acids, bases, heavy metal salts and
Recommended storage tem- perature	:	< -10 °C	
Further information on stor- age stability	:	Stable under reco	mmended storage conditions.
7.3 Specific end use(s) Specific use(s)	:	For further informa	tion, refer to the product technical data



## **TBPND-75-AL**

Version	Revision Date:
2.0	02.01.2024

SDS Number: 600000000248 Date of last issue: 07.03.2023 Date of first issue: 13.09.2022

sheet.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
tert-Butyl peroxy- neodecanoate	Workers	Inhalation	Long-term systemic effects	2.5 mg/m3
	Workers	Skin contact	Long-term systemic effects	7 mg/kg bw/dav

#### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
tert-Butyl peroxyneodecanoate	Fresh water	0.001 mg/l
	Marine water	0.0 mg/l
	Sewage treatment plant	96.69 mg/l
	Fresh water sediment	0.439 mg/kg dry
		weight (d.w.)
	Marine sediment	0.044 mg/kg dry
		weight (d.w.)
	Soil	0.087 mg/kg dry
		weight (d.w.)

#### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face pro- tection if there is a splash hazard.
Hand protection Material Break through time Glove thickness	:	Nitrile rubber 480 min 0.40 mm
Material Break through time	:	butyl-rubber 60 min

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **TBPND-75-AL**

Version 2.0	Revision Date: 02.01.2024		DS Number: 0000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022
G	Glove thickness	:	0.47 mm	
F	Remarks	:	standard values! material has to be tive glove. Choose depending on the ous substance an plications, we rec cals of the aforem	eak through time/strength of material are The exact break through time/strength of e obtained from the producer of the protec- e gloves to protect hands against chemicals concentration and quantity of the hazard- d specific to place of work. For special ap- ommend clarifying the resistance to chemi- entioned protective gloves with the glove ash hands before breaks and at the end of
Skin and body protection : Select appropriate protective clothing based on chern sistance data and an assessment of the local exposi- tial. Additional body garments should be used based upo- being performed (e.g., sleevelets, apron, gauntlets, o suits) to avoid exposed skin surfaces. Wear as appropriate: Flame retardant antistatic protective clothing.		an assessment of the local exposure poten- arments should be used based upon the task (e.g., sleevelets, apron, gauntlets, disposable bosed skin surfaces. ate:		
Resp	piratory protection	:	In the case of dus approved filter.	t or aerosol formation use respirator with an
F	ilter type	:	ABEK-filter	
Prote	ective measures	:		tive equipment must be selected according on and amount of the dangerous substance kplace.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	liquid	
Colour	colourless	
Odour	ester-like	
Odour Threshold	not determined	
рН	substance/mixture	is non-soluble (in water)
Melting point/range	< -25 °C	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Vers 2.0	sion	Revision Date: 02.01.2024	-	S Number: 0000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022
	Boiling	point/boiling range	:	Decomposition:	Decomposes below the boiling point.
	Flash p	point	:	50 °C Method: ISO 367	79, closed cup
	Flamm	ability (solid, gas)	:	Not applicable	
		explosion limit / Upper ability limit	:	Upper explosion 4 %(V) (for a component	
		explosion limit / Lower ability limit	:	Lower explosion 0.5 %(V) (for a component	
	Vapour	<sup>-</sup> pressure	:	not determined	
	Relative	e vapour density	:	not determined	
	Relative	e density	:	not determined	
	Density	/	:	0.86 g/cm3 (20 °	C)
	Solubil Wa	ity(ies) ter solubility	:	insoluble	
	Sol	ubility in other solvents	:	No data available	9
	Partitio octano	n coefficient: n- I/water	:	Not applicable	
	Auto-ig	nition temperature	:	not determined	
	Viscos Viso	ity cosity, dynamic	:	4 mPa.s (20 °C)	
	Vise	cosity, kinematic	:	not determined	
	Explos	ive properties	:	Not explosive In use, may form	flammable/explosive vapour-air mixture.
	Oxidizi	ng properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.
9.2	Other in	nformation			
		celerating decomposi- nperature (SADT)	:		: H.4 lerating Decomposition Temperature. Lowest /hich the tested package size will undergo a

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TBPND-75-AL

Version 2.0	Revision Date: 02.01.2024	SDS Number: 60000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022
		self-accelera	ating decomposition reaction.
Flamr	mability (liquids)		liquid and vapour., Organic peroxide
Self-h	eating substances	: The substan	nce or mixture is not classified as self heating.
Refrac	ctive index	: 1.433 at 20 °	°C
Self-iç	gnition	: The substan	nce or mixture is not classified as pyrophoric.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

#### 10.2 Chemical stability

Stable under recommended storage conditions. No decomposition if stored normally.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.

#### **10.5 Incompatible materials** Materials to avoid

: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

#### **10.6 Hazardous decomposition products**

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified due to lack of data.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **TBPND-75-AL**

sion	Revision Date: 02.01.2024	SDS Number: 60000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022		
<u>Com</u> p	oonents:				
tert-B	utyl peroxyneodeca	anoate:			
Acute	oral toxicity	Method: OECE	le and female): 8,082 mg/kg ) Test Guideline 401 value is calculated		
Acute	inhalation toxicity	Exposure time Test atmosphe Method: OECD	: LC50 (Rat, male and female): 37.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: The value is calculated		
Acute	dermal toxicity	Method: OECE			
Hydro	ocarbons, C4, 1,3-bu	ıtadiene-free, polyme	erised., triisobutylene fraction, hydrogenate		
Acute	oral toxicity	Assessment: T icity	5,000 mg/kg ) Test Guideline 401 he substance or mixture has no acute oral to ed on data from similar materials		
Acute	inhalation toxicity	: Remarks: No c	lata available		
Acute	dermal toxicity		Rabbit): > 5,000 mg/kg ) Test Guideline 402		
	corrosion/irritation es skin irritation.				
<u>Produ</u>	<u>uct:</u>				
Rema	rks	: May cause ski	n irritation in susceptible persons.		
<u>Comp</u>	oonents:				
tert-B	utyl peroxyneodeca	anoate:			
Speci Metho Resul	od	: Rabbit : OECD Test Gu : Skin irritation	ideline 404		
Hvdro	ocarbons, C4. 1.3-bi	Itadiene-free, polyme	rised., triisobutylene fraction, hydrogenate		
Resul			osure may cause skin dryness or cracking.		

Based on available data, the classification criteria are not met.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ersion D	Revision Date: 02.01.2024	SDS Number: 600000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022
Produ	uct.		
Rema		: Vapours ma and the skir	ay cause irritation to the eyes, respiratory system
<u>Com</u> p	<u>oonents:</u>		
tert-B	Butyl peroxyneodeca	noate:	
Speci		: Rabbit	
Metho Resul		: OECD Test : No eye irrita	Guideline 405 ation
Hydro	ocarbons, C4, 1,3-bu	tadiene-free, poly	merised., triisobutylene fraction, hydrogenated:
Resul	t	: No eye irrita	ation
Respi	iratory or skin sensi	isation	
	<b>sensitisation</b> cause an allergic skin	reaction.	
-	iratory sensitisation lassified due to lack o	f data.	
<u>Prod</u>	uct:		
Rema	arks	: Causes sen	sitisation.
<u>Com</u>	<u>oonents:</u>		
tert-B	Butyl peroxyneodeca	noate:	
Speci Metho		: Guinea pig	Guideline 406
Resul			sensitisation by skin contact.
Germ	n cell mutagenicity		
Not c	lassified due to lack o	f data.	
<u>Com</u>	oonents:		
tert-B	Butyl peroxyneodeca	noate:	
Geno	toxicity in vitro	Test system	Bacterial reverse mutation assay (AMES) n: Escherichia coli CD Test Guideline 471 tive
		Test system	In vitro mammalian cell gene mutation test n: Chinese hamster ovary cells CD Test Guideline 476 ative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **TBPND-75-AL**

Versi 2.0	on Revision Date: 02.01.2024		0S Number: 0000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022
	Genotoxicity in vivo	:	Species: Mouse (	: Intraperitoneal injection
	Hydrocarbons, C4, 1,3-buta Germ cell mutagenicity- As- sessment	adier :		ed., triisobutylene fraction, hydrogenated:
	<b>Carcinogenicity</b> Not classified due to lack of c <b>Components:</b>	data.		
	<b>tert-Butyl peroxyneodecan</b> Remarks	oate :	: This information is	s not available.
	Hydrocarbons, C4, 1,3-buta Carcinogenicity - Assess- ment Reproductive toxicity Not classified due to lack of o Components:	:		ed., triisobutylene fraction, hydrogenated:
	tert-Butyl peroxyneodecan	oate	:	
	Effects on fertility	:	reproduction/devel Species: Rat Application Route General Toxicity - General Toxicity F	Parent: NOAEL: 60 mg/kg body weight F1: NOAEL: 60 mg/kg body weight /lating/Fertility: 200 mg/kg body weight
	Effects on foetal develop- ment	:	reproduction/devel Species: Rat Strain: wistar Application Route General Toxicity N Teratogenicity: N	Maternal: NOAEL: 60 mg/kg body weight DAEL: 200 mg/kg body weight oxicity: NOAEL: 60 mg/kg body weight

#### Hydrocarbons, C4, 1,3-butadiene-free, polymerised., triisobutylene fraction, hydrogenated:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TBPND-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
2.0	02.01.2024	60000000248	Date of first issue: 13.09.2022

Reproductive toxicity - As- : No known effect. sessment

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Repeated dose toxicity

#### Components:

#### tert-Butyl peroxyneodecanoate:

Species :	Rat, male and female
NOAEL :	160 mg/kg
Application Route :	Oral
Exposure time :	90 d
Method :	OECD Test Guideline 408
Remarks :	Based on data from similar materials

#### Aspiration toxicity

May be fatal if swallowed and enters airways.

#### Components:

#### tert-Butyl peroxyneodecanoate:

No data available

Hydrocarbons, C4, 1,3-butadiene-free, polymerised., triisobutylene fraction, hydrogenated: May be fatal if swallowed and enters airways.

#### **Further information**

Product:

Remarks

: Solvents may degrease the skin.

#### Components:

Hydrocarbons,	C4, 1,3-butadiene-free, polymerised., triisobutylene fraction, hydrogenated:
Remarks	: May cause headache and dizziness.



## **TBPND-75-AL**

VersionRevision Date:SDS Number:2.002.01.202460000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022
--	---

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

tert-Butyl peroxyneodecanoate:Toxicity to fish:LC50 (Danio rerio (zebra fish)): 0.33 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203Toxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 0.79 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:EC50 (Daphnia magna (Water flea)): 0.79 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:EC50 (Daphnia magna (Water flea)): 0.381 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201M-Factor (Acute aquatic tox- icity):1Toxicity to microorganisms:EC50 :> 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge
Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203NOEC (Danio rerio (zebra fish)): 0.24 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203Toxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 0.79 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202NOEC (Daphnia magna (Water flea)): 0.381 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201M-Factor (Acute aquatic tox- icity):1Toxicity to microorganisms:EC50 :> 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge
Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203Toxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 0.79 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202NOEC (Daphnia magna (Water flea)): 0.381 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201M-Factor (Acute aquatic tox- icity):1Toxicity to microorganisms:EC50 :> 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge
aquatic invertebratesExposure time: 48 h Test Type: static test Method: OECD Test Guideline 202NOEC (Daphnia magna (Water flea)): 0.381 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201M-Factor (Acute aquatic tox- icity):1Toxicity to microorganisms:EC50 :> 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge
Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201M-Factor (Acute aquatic tox- icity):1Toxicity to microorganisms:EC50 :> 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge
plants       mg/l         End point: Growth rate         Exposure time: 72 h         Method: OECD Test Guideline 201         M-Factor (Acute aquatic tox-       :         icity)       1         Toxicity to microorganisms       :         EC50 : > 1,000 mg/l         Exposure time: 3 h         Test Type: Respiration inhibition of activated sludge
icity) Toxicity to microorganisms : EC50 : > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge
Exposure time: 3 h Test Type: Respiration inhibition of activated sludge
Method: OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)NOEC: 0.049 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Hydrocarbons, C4, 1,3-butadiene-free, polymerised., triisobutylene fraction, hydrogenated:

Toxicity to daphnia and other	:	EC50 (Daphnia (water flea)): > 0.04 mg/l
aquatic invertebrates		Exposure time: 48 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **TBPND-75-AL**

Version 2.0	Revision Date: 02.01.2024		DS Number: 0000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022
			Remarks: Informa similar substance	ation given is based on data obtained from
Toxic plants	ity to algae/aquatic s	:	IC50 (algae): > 0 Exposure time: 7 Remarks: Informa similar substance	2 h ation given is based on data obtained from
Ecoto	oxicology Assessment			
Acute	e aquatic toxicity	:	This product has	no known ecotoxicological effects.
Chror	nic aquatic toxicity	:	May cause long l	asting harmful effects to aquatic life.
12.2 Pers	istence and degradabi	ility		
<u>Com</u>	ponents:			
tert-E	Butyl peroxyneodecan	oate	<b>:</b>	
Biode	egradability	:	Test Type: aerob Result: rapidly bi Exposure time: 2 Method: OECD T	odegradable
Hydro	ocarbons, C4, 1,3-buta	die	ne-free, polymeri	sed., triisobutylene fraction, hydrogenated:
Biode	egradability	:	Result: Not readi	ly biodegradable.
12.3 Bioa	ccumulative potential			
<u>Com</u>	ponents:			
Hydro	ocarbons, C4, 1,3-buta	die	ne-free, polymeri	sed., triisobutylene fraction, hydrogenated:
	ion coefficient: n- ol/water	:	log Pow: 5.94 - 6 Remarks: The va	5.16 (20 °C) lue is calculated
	i <b>lity in soil</b> ata available			
12.5 Resu	llts of PBT and vPvB a	sse	ssment	
Prod	uct:			
	ssment	:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Othe	r adverse effects			

#### Product:



## **TBPND-75-AL**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023	
2.0	02.01.2024	60000000248	Date of first issue: 13.09.2022	
Endocrine disrupting poten- tial		ered to have er REACH Article	/mixture does not contain components consid- ndocrine disrupting properties according to 57(f) or Commission Delegated regulation ) or Commission Regulation (EU) 2018/605 at or higher.	
Additional ecological infor-		<ul> <li>An environmental hazard cannot be excluded in the event</li></ul>		
mation		unprofessional handling or disposal. <li>Very toxic to aquatic life.</li> <li>Very toxic to aquatic life with long lasting effects.</li> <li>Toxic to aquatic life with long lasting effects.</li>		

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.</li> </ul>
Contaminated packaging	<ul> <li>Dispose of in accordance with local regulations. Clean container with water. Dispose of contents/ container to an approved waste disposal plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### **SECTION 14: Transport information**

14.1 UN number		
ADR	:	UN 3115
RID	:	UN 3115 Not permitted for transport
IMDG	:	UN 3115
ΙΑΤΑ	:	UN 3115 Not permitted for transport
14.2 UN proper shipping name		
ADR	:	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 2.0	Revision Date: 02.01.2024		S Number: 0000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022
RID		:	ORGANIC PE CONTROLLED Not permitted	
IMDG	ì	:	CONTROLLED	ROXIDE TYPE D, LIQUID, TEMPERATURE ) EROXYNEODECANOATE)
ΙΑΤΑ		:	ORGANIC PE CONTROLLED Not permitted	
14.3 Tran	sport hazard class(es)			
			Class	Subsidiary risks
ADR		:	5.2	
RID		:	Not permitted	for transport
IMDG	ì	:	5.2	
ΙΑΤΑ		:	Not permitted	for transport
14.4 Pack	ing group			
Class Label	ing group ification Code s el restriction code	:	Not assigned B P2 5.2 (D)	by regulation
RID		:	Not permitted	for transport
Label	ing group	:	Not assigned I 5.2 F-F, S-R	by regulation
ΙΑΤΑ	(Cargo)	:	Not permitted	for transport
ΙΑΤΑ	(Passenger)	:	Not permitted	for transport
14.5 Envii	ronmental hazards			
<b>ADR</b> Enviro	onmentally hazardous	:	yes	
RID		:	Not permitted	for transport
<b>IMDG</b> Marin	i e pollutant	:	yes	
14.6 Spec	ial precautions for us	er		
Addit	ional advice			
Contr	erature controlled trans ol temperature gency temperature	: 0	: °C ) °C	
			19 / 2	2



## TBPND-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
2.0	02.01.2024	60000000248	Date of first issue: 13.09.2022

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable
Control of Major Accident Hazards Regulations P6b 2015 (COMAH)	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES
E1	ENVIRONMENTAL HAZARDS

#### Other regulations:

Gefahrgruppe nach TRGS 741: la (German regulatory requirements)

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive



## **TBPND-75-AL**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
2.0	02.01.2024	60000000248	Date of first issue: 13.09.2022

94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:			
TCSI (TW)	:	On the inventory, or in compliance with the inventory	
DSL (CA)	:	All components of this product are on the Canadian DSL	
ENCS (JP)	:	On the inventory, or in compliance with the inventory	
ISHL (JP)	:	On the inventory, or in compliance with the inventory	
PICCS (PH)	:	On the inventory, or in compliance with the inventory	
IECSC (CN)	:	On the inventory, or in compliance with the inventory	
TECI (TH)	:	On the inventory, or in compliance with the inventory	

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

Further information			
Other information	:	safety and does not rep uct specification. These safety instruction may still contain produc	nly contains information relating to lace any product information or prod- ns also apply to empty packaging which t residues. el also apply to residues in the con-
Sources of key data used to : compile the Safety Data Sheet		Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/	
Classification of the mixture:			Classification procedure:
Flam. Liq. 3	H22	26	Based on product data or assessment
Org. Perox. D	H24	42	Based on product data or assessment
Skin Irrit. 2	H3 <sup>-</sup>	15	Calculation method

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TBPND-75-AL

Version 2.0	Revision Date: 02.01.2024	SDS Number: 60000000248	Date of last issue: 07.03.2023 Date of first issue: 13.09.2022			
Skin	Sens. 1	H317	Calculation method			
Asp.	Tox. 1	H304	Calculation method			
Aqua	tic Acute 1	H400	Calculation method			
Aqua	tic Chronic 2	H411	Calculation method			
Full t	ext of H-Statements					
H226		: Flammable liqu	uid and vapour.			
H242		: Heating may c	ause a fire.			
H304			<ul> <li>May be fatal if swallowed and enters airways.</li> <li>Causes skin irritation.</li> <li>May cause an allergic skin reaction.</li> </ul>			
H315 H317						
H400			kic to aquatic life.			
H411			<ul><li>Toxic to aquatic life with long lasting effects.</li><li>May cause long lasting harmful effects to aquatic life.</li></ul>			
H413						
Full t	ext of other abbrevia	ations				
Aqua	tic Acute	: Short-term (ac	ute) aquatic hazard			
•	tic Chronic		onic) aquatic hazard			
Asp. Flam		: Aspiration haza : Flammable liqu				
	Perox.	: Organic peroxi				
Skin		: Skin irritation				
Skin	Sens.	: Skin sensitisat	ion			
Wate Road ing of tion ( of the Europ assoc cy So socia borat Trans rying	rways; ADR - Agreed; AllC - Australian Inv f Materials; bw - Body EC) No 1272/2008; C e German Institute for bean Chemicals Ager ciated with x% respon chedule; ENCS - Exis ted with x% growth r ory Practice; IARC - sport Association; IBC Dangerous Chemical	ment concerning the entory of Industrial Ch weight; CLP - Classif MR - Carcinogen, Mu Standardisation; DSL cy; EC-Number - Euro se; ELx - Loading rate ting and New Chemica ate response; GHS - nternational Agency for - International Code f s in Bulk; IC50 - Half r	national Carriage of Dangerous Goods by Inland International Carriage of Dangerous Goods by memicals; ASTM - American Society for the Test fication Labelling Packaging Regulation; Regula tagen or Reproductive Toxicant; DIN - Standard - Domestic Substances List (Canada); ECHA opean Community number; ECx - Concentration associated with x% response; EmS - Emergen al Substances (Japan); ErCx - Concentration as Globally Harmonized System; GLP - Good La or Research on Cancer; IATA - International Ai or the Construction and Equipment of Ships car maximal inhibitory concentration; ICAO - Interna nory of Existing Chemical Substances in China			

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quanti-



## TBPND-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2023
2.0	02.01.2024	60000000248	Date of first issue: 13.09.2022

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN