

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

### SECTION 1. IDENTIFICATION

Product name : TBPND  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : United Initiators, Inc.  
Address : 555 Garden Street  
Elyria OH 44035  
Telephone : +1-440-323-3112  
Telefax : +1-440-323-2659  
Emergency telephone : CHEMTREC US (24h): +1-800-424-9300  
CHEMTREC WORLD (24h): +1-703-527-3887  
E-mail address of person responsible for the SDS : cs-initiators.nafta@united-in.com

#### Recommended use of the chemical and restrictions on use

Recommended use : polymerization initiators

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 4  
Organic peroxides : Type D  
Skin irritation : Category 2  
Skin sensitization : Category 1  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

**Hazard Statements** : H227 Combustible liquid.  
H242 Heating may cause a fire.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P234 Keep only in original packaging.  
P240 Ground and bond container and receiving equipment.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.  
P391 Collect spillage.

**Storage:**  
P403 Store in a well-ventilated place.  
P410 Protect from sunlight.  
P411 Store at temperatures not exceeding < -10 °C/ < 14 °F.  
P420 Store separately.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**  
None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance  
Chemical nature : Organic Peroxide liquid  
Substance name : tert-Butyl peroxyneodecanoate  
CAS-No. : 26748-41-4  
Synonyms : No data available

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

### Components

Chemical name	CAS-No.	Concentration (% w/w)
tert-Butyl peroxyneodecanoate	26748-41-4	<= 100

---

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Call a physician immediately.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
May cause an allergic skin reaction.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)
-

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

- Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
- The product burns violently.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.

# SAFETY DATA SHEET

## TBPND



Version	Revision Date:	SDS Number:	Date of last issue: 03/16/2018
2.0	02/21/2019	600000000014	Date of first issue: 09/12/2017

---

Suppress (knock down) gases/vapors/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Keep away from heat and sources of ignition.  
Use only explosion-proof equipment.  
Keep away from combustible material.
- Advice on safe handling : Do not swallow.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Protect from contamination.
- Conditions for safe storage : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Electrical installations / working materials must comply with the technological safety standards.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in original container.  
Keep containers tightly closed in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Keep away from strong acids, bases, heavy metal salts and

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

other reducing substances.

Recommended storage temperature : < -10 °C

Further information on storage stability : No decomposition if stored normally.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Minimize workplace exposure concentrations.

#### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

#### Hand protection

Material : butyl-rubber

Break through time : >= 480 min

Glove thickness : 0.5 mm

#### Eye protection

: Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

#### Skin and body protection

: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

#### Hygiene measures

: Keep away from food and drink.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : ester-like

---

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

Odor Threshold : No data available

pH : Not applicable

Melting point/range : < -20 °C

Initial boiling point and boiling range : Decomposition: Decomposes below the boiling point.

Flash point : 62 °C  
Method: closed cup  
Decomposition

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : 0.53 hPa (65 °C)

Relative vapor density : No data available

Density : 0.898 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : 0.009 g/l insoluble (0 °C)

Partition coefficient: n-octanol/water : log Pow: 5.0

Self-Accelerating decomposition temperature (SADT) : 15 °C  
Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Viscosity  
Viscosity, dynamic : 6.3 mPa.s ( 20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Organic peroxide

Refractive index : 1.437 (20 °C)

---

### SECTION 10. STABILITY AND REACTIVITY

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

- Reactivity : Stable under recommended storage conditions.
- Chemical stability : Stable under recommended storage conditions.
- Possibility of hazardous reactions : Vapors may form explosive mixture with air.
- Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.
- Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
- Hazardous decomposition products : Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition
- 

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

- Acute oral toxicity : LD50 (Rat, male and female): 8,082 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The value is calculated
- Acute inhalation toxicity : LC50 (Rat, male and female): 37.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: The value is calculated
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 6,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The value is calculated

#### Components:

##### **tert-Butyl peroxyneodecanoate:**

- Acute oral toxicity : LD50 (Rat, male and female): 8,082 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The value is calculated
- Acute inhalation toxicity : LC50 (Rat, male and female): 37.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: The value is calculated
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 6,000 mg/kg



# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

Method: OECD Test Guideline 402

Remarks: The value is calculated

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

#### **Components:**

##### **tert-Butyl peroxyneodecanoate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Product:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

#### **Components:**

##### **tert-Butyl peroxyneodecanoate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Product:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitization by skin contact.

Remarks : Causes sensitization.

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

### Components:

#### **tert-Butyl peroxyneodecanoate:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitization by skin contact.

#### **Germ cell mutagenicity**

Not classified based on available information.

### Product:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Test system: Escherichia coli  
Method: OECD Test Guideline 471  
Result: positive  
  
Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Method: OECD Test Guideline 476  
Result: negative  
  
Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male and female)  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

### Components:

#### **tert-Butyl peroxyneodecanoate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Test system: Escherichia coli  
Method: OECD Test Guideline 471  
Result: positive  
  
Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Method: OECD Test Guideline 476  
Result: negative  
  
Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male and female)  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

#### **Carcinogenicity**

Not classified based on available information.

### Product:

Remarks : This information is not available.

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

### Components:

#### **tert-Butyl peroxyneodecanoate:**

Remarks : This information is not available.

#### **Reproductive toxicity**

Not classified based on available information.

### Product:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 60 mg/kg body weight  
General Toxicity F1: NOAEL: 60 mg/kg body weight  
Fertility: NOAEL Mating/Fertility: 200 mg/kg body weight  
Method: OECD Test Guideline 422

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Strain: wistar  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 60 mg/kg body weight  
Teratogenicity: NOAEL: 200 mg/kg body weight  
Developmental Toxicity: NOAEL: 60 mg/kg body weight  
Method: OECD Test Guideline 414

### Components:

#### **tert-Butyl peroxyneodecanoate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 60 mg/kg body weight  
General Toxicity F1: NOAEL: 60 mg/kg body weight  
Fertility: NOAEL Mating/Fertility: 200 mg/kg body weight  
Method: OECD Test Guideline 422

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Strain: wistar  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 60 mg/kg body weight  
Teratogenicity: NOAEL: 200 mg/kg body weight  
Developmental Toxicity: NOAEL: 60 mg/kg body weight  
Method: OECD Test Guideline 414

#### **STOT-single exposure**

Not classified based on available information.

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Product:

Species : Rat, male and female  
NOAEL : 160 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

#### Components:

##### tert-Butyl peroxyneodecanoate:

Species : Rat, male and female  
NOAEL : 160 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

#### Product:

No data available

#### Components:

##### tert-Butyl peroxyneodecanoate:

No data available

### Further information

#### Product:

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.33 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.79 mg/l  
Exposure time: 48 h  
Test Type: static test

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

Toxicity to algae : Method: OECD Test Guideline 202  
ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
NOEC (Pseudokirchneriella subcapitata (green algae)): 0.03 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.049 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

### Components:

#### **tert-Butyl peroxyneodecanoate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.33 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.79 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
NOEC (Pseudokirchneriella subcapitata (green algae)): 0.03 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.049 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 1,000 mg/l

# SAFETY DATA SHEET

## TBPND



Version 2.0      Revision Date: 02/21/2019      SDS Number: 600000000014      Date of last issue: 03/16/2018  
Date of first issue: 09/12/2017

---

Exposure time: 3 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Product:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301D

#### Components:

##### **tert-Butyl peroxyneodecanoate:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### **tert-Butyl peroxyneodecanoate:**

Partition coefficient: n-octanol/water : log Pow: 5.0

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

# SAFETY DATA SHEET

## TBPND



Version            Revision Date:            SDS Number:            Date of last issue: 03/16/2018  
2.0                02/21/2019                600000000014            Date of first issue: 09/12/2017

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number                                : UN 3115  
Proper shipping name                    : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)  
Class                                        : 5.2  
Packing group                            : Not assigned by regulation  
Labels                                       : 5.2

##### IATA-DGR

Not permitted for transport

##### IMDG-Code

UN number                                : UN 3115  
Proper shipping name                    : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)  
Class                                        : 5.2  
Packing group                            : Not assigned by regulation  
Labels                                       : 5.2  
EmS Code                                  : F-F, S-R  
Marine pollutant                         : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

UN number                                : UN 3115  
Proper shipping name                    : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)  
Class                                        : 5.2  
Packing group                            : II  
Labels                                       : 5.2  
ERG Code                                  : 148  
Marine pollutant                         : yes

Special precautions for user

##### Additional advice:

Temperature controlled transport.:  
Control temperature                    : -5 °C  
Emergency temperature                 : 5 °C

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# SAFETY DATA SHEET

## TBPND



Version            Revision Date:            SDS Number:            Date of last issue: 03/16/2018  
2.0                02/21/2019                600000000014            Date of first issue: 09/12/2017

---

### SECTION 15. REGULATORY INFORMATION

**The ingredients of this product are reported in the following inventories:**

DSL (CA)                                : All components of this product are on the Canadian DSL

AICS (AU)                                : On the inventory, or in compliance with the inventory

ENCS (JP)                                : On the inventory, or in compliance with the inventory

ISHL (JP)                                : On the inventory, or in compliance with the inventory

KECI (KR)                                : On the inventory, or in compliance with the inventory

PICCS (PH)                               : On the inventory, or in compliance with the inventory

IECSC (CN)                               : On the inventory, or in compliance with the inventory

TCSI (TW)                                : On the inventory, or in compliance with the inventory

TSCA (US)                                : On TSCA Inventory

**Canadian lists**

No substances are subject to a Significant New Activity Notification.

---

### SECTION 16. OTHER INFORMATION

**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship;



# SAFETY DATA SHEET

## TBPND



Version	Revision Date:	SDS Number:	Date of last issue: 03/16/2018
2.0	02/21/2019	600000000014	Date of first issue: 09/12/2017

---

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 02/21/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8