according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TBPPI-75-AL

REACH Registration Number : 01-2119961356-32-0000

Substance name : tert-butyl peroxypivalate

EC-No. : 213-147-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: polymerisation initiators

Recommended restrictions

on use

Exposure Scenario is available as separate attachment., For

further information see eSDS.

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

E-mail address of person

responsible for the SDS

: contact@united-in.com

1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Organic peroxides, Type C H242: Heating may cause a fire.

Skin irritation, Category 2 H315: Causes skin irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters air-

ways.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H242 Heating may cause a fire.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P234 Keep only in original packaging.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

P391 Collect spillage.

Storage:

P411 Store at temperatures not exceeding 0 °C.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : tert-butyl peroxypivalate

EC-No. : 213-147-2

Synonyms : Propaneperoxoic acid, 2,2-dimethyl-, 1,1-dimethylethyl ester

Chemical nature : Organic Peroxide

Components

Chemical name	CAS-No.	Concentration (%	M-Factor, SCL, ATE
	EC-No.	w/w)	
tert-butyl peroxypivalate	927-07-1	>= 70 - <= 77	
	213-147-2		
2,2,4,6,6-	13475-82-6	>= 23 - <= 30	
pentamethylheptane	236-757-0		

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

Version Revision Date: SDS Number: Date of last issue: 13.03.2023 5.0 01.02.2024 600000000047 Date of first issue: 04.07.2016

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use

suitable instruments/apparatus.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Administer oxygen if breathing is difficult or cyanosis is ob-

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Contact a poison control center. Rinse mouth thoroughly with water.

Keep respiratory tract clear. Do NOT induce vomiting.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : sensitising effects

Risks : May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction. May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water

courses.

Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Open drum carefully as content may be under pressure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Protect from contamination.

Do not swallow.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the application area.

Wash thoroughly after handling.

For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against fire and explosion

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.

Hygiene measures

Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Contamination may result in dangerous pressure increases - closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Advice on common storage : Keep aw

Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Storage class (TRGS 510) : 5.2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

Version Revision Date: SDS Number: Date of last issue: 13.03.2023 01.02.2024 60000000047 Date of first issue: 04.07.2016 5.0

Recommended storage tem- : -15 - -5 °C

perature

age stability

Further information on stor- : Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) For further information, refer to the product technical data

sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
tert-butyl peroxy- pivalate	Workers	Inhalation	Long-term systemic effects	2,5 mg/m3
	Workers	Skin contact	Long-term systemic	1,4 mg/kg
			effects	bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-butyl peroxypivalate	Fresh water	0,006 mg/l
	Marine water	0,001 mg/l
	Sewage treatment plant	10000 mg/l
	Fresh water sediment	0,044 mg/kg dry
		weight (d.w.)
	Marine sediment	0,004 mg/kg dry
		weight (d.w.)
	Soil	0,005 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : 30 min
Glove thickness : 0,40 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Respirator with combination filter for vapour/particulate (EN

141)

In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : ABEK-filter

ABEK-filter

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : ester-like

Odour Threshold : No data available

Melting point/range : < -15 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flammability : Not applicable

Upper explosion limit / Upper

flammability limit

4 %(V)

(for a component of this mixture)

Lower explosion limit / Lower

flammability limit

0,5 %(V)

(for a component of this mixture)

Flash point : 44 °C

Method: ISO 3679

Auto-ignition temperature : not determined

Self-Accelerating decomposi-

tion temperature (SADT)

25 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

pH : substance/mixture is non-soluble (in water)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

Version Revision Date: SDS Number: Date of last issue: 13.03.2023 Date of first issue: 04.07.2016 01.02.2024 60000000047 5.0

Viscosity

Viscosity, dynamic : 1,7 mPa.s (20 °C)

Solubility(ies)

Water solubility 1,49 g/l (20 °C)

practically insoluble

Partition coefficient: n-

octanol/water

log Pow: 3,17 (25 °C)

Vapour pressure 4,02 hPa (38 °C)

Relative density not determined

0,85 g/cm3 (20 °C) Density

Relative vapour density No data available

9.2 Other information

Explosives Not explosive

In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties The substance or mixture is not classified as oxidizing.

Organic peroxide

Flammability (liquids) Flammable liquid and vapour., Organic peroxide

Self-ignition The substance or mixture is not classified as pyrophoric.

Self-heating substances The substance or mixture is not classified as self heating.

Substances and mixtures, which in contact with water,

emit flammable gases

: The substance or mixture does not emit flammable gases in

contact with water.

Desensitised explosives Not applicable

Evaporation rate No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Refractive index : 1,414 at 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions.

No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): 4.169 mg/kg

Method: OECD Test Guideline 401

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Acute inhalation toxicity : LC50 (Rat): 7,79 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 2.500 mg/kg

Method: OECD Test Guideline 402

Components:

tert-butyl peroxypivalate:

Acute oral toxicity : LD50 (Rat): 4.169 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 7,79 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): 2.500 mg/kg

Method: OECD Test Guideline 402

2,2,4,6,6-pentamethylheptane:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icitv

Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

tert-butyl peroxypivalate:

Species : Rabbit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Method : OECD Test Guideline 404

Result : Skin irritation

2,2,4,6,6-pentamethylheptane:

Result : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Components:

tert-butyl peroxypivalate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

2,2,4,6,6-pentamethylheptane:

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

Components:

tert-butyl peroxypivalate:

Exposure routes : Skin contact Species : Guinea pig

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: Metabolic activation Method: OECD Test Guideline 471

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Mouse (male and female)
Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Components:

tert-butyl peroxypivalate:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: Metabolic activation Method: OECD Test Guideline 471

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Mouse (male and female)
Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Test Type: In vivo mammalian alkaline comet assay

Species: Rat (males) Application Route: Oral

Method: OECD Test Guideline 489

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

2,2,4,6,6-pentamethylheptane:

Germ cell mutagenicity- As-

sessment

No known effect.

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : This information is not available.

:

Components:

tert-butyl peroxypivalate:

Remarks : This information is not available.

2,2,4,6,6-pentamethylheptane:

Carcinogenicity - Assess-

ment

: No known effect.

Reproductive toxicity

Not classified due to lack of data.

Product:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: oral (gavage)

General Toxicity - Parent: NOAEL: 150 mg/kg body weight

Method: OECD Test Guideline 422

Components:

tert-butyl peroxypivalate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: oral (gavage)

Dose: 0, 50, 150, 310 milligram per kilogram

General Toxicity - Parent: NOAEL: 150 mg/kg body weight

General Toxicity F1: NOAEL: 150 mg/kg bw/day Fertility: NOAEL Parent: 310 mg/kg bw/day

Method: OECD Test Guideline 422

GLP: yes

Effects on foetal develop-

ment

Species: Rat, male and female

Strain: wistar

Application Route: Oral

Dose: 0, 50, 150, 450 milligram per kilogram

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

General Toxicity Maternal: NOAEL: 50 mg/kg bw/day Developmental Toxicity: NOAEL: 150 mg/kg bw/day

Method: OECD Test Guideline 414

GLP: yes

2,2,4,6,6-pentamethylheptane:

Reproductive toxicity - As-

sessment

: No known effect.

STOT - single exposure

May cause respiratory irritation.

Product:

Exposure routes : Inhalation

Target Organs : Respiratory Tract

Assessment : May cause respiratory irritation.

Components:

tert-butyl peroxypivalate:

Exposure routes : Inhalation

Target Organs : Respiratory Tract

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Product:

Remarks : No data available

Components:

tert-butyl peroxypivalate:

Remarks : No data available

Repeated dose toxicity

Product:

Species : Rat

NOAEL : 150 mg/kg Application Route : oral (gavage)

Exposure time : 28 d

Method : OECD Test Guideline 422

Species : Rat
NOAEL : 160 mg/kg
Application Route : oral (gavage)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Exposure time : 90 d

Method : OECD Test Guideline 408

Remarks : Based on data from similar materials

Components:

tert-butyl peroxypivalate:

Species : Rat

NOAEL : 150 mg/kg Application Route : oral (gavage)

Exposure time : 28 d

Method : OECD Test Guideline 422

Species : Rat

NOAEL : 160 mg/kg Application Route : oral (gavage)

Exposure time : 90 d

Method : OECD Test Guideline 408

Remarks : Based on data from similar materials

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

May be fatal if swallowed and enters airways.

Components:

tert-butyl peroxypivalate:

May be fatal if swallowed and enters airways.

2,2,4,6,6-pentamethylheptane:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Remarks : Solvents may degrease the skin.

Components:

2,2,4,6,6-pentamethylheptane:

Remarks : May cause headache and dizziness.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 18,85 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6,99 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 2,94 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 1.417

mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,096

mg/l

End point: Growth rate

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,22 mg/l

End point: reproduction rate

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 10.000 mg/l

Components:

tert-butyl peroxypivalate:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 18,85 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6,99 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 2,94 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 1.417

mq/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,096

mg/l

End point: Growth rate

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 10.000 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,22 mg/l

End point: reproduction rate

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Remarks: Based on data from similar materials

2,2,4,6,6-pentamethylheptane:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 0,04 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae/aquatic

plants

IC50 (algae): > 0,04 mg/l

Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

12.2 Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301D

Components:

tert-butyl peroxypivalate:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301D

2,2,4,6,6-pentamethylheptane:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

tert-butyl peroxypivalate:

Partition coefficient: n- : log Pow: 3,17 (25 °C)

octanol/water

2,2,4,6,6-pentamethylheptane:

Partition coefficient: n- : log Pow: 5,94 - 6,16 (20 °C) octanol/water : Remarks: The value is calculated

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (VPVB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3113 RID : UN 3113

Not permitted for transport

IMDG : UN 3113 IATA : UN 3113

Not permitted for transport

14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE

CONTROLLED

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

(tert-BUTYL PEROXYPIVALATE)

RID : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE

CONTROLLED

Not permitted for transport

IMDG : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE

CONTROLLED

(tert-BUTYL PEROXYPIVALATE)

IATA : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE

CONTROLLED

Not permitted for transport

14.3 Transport hazard class(es)

Class Subsidiary risks

ADR : 5.2

RID : Not permitted for transport

IMDG : 5.2

IATA : Not permitted for transport

14.4 Packing group

ADR

Packing group : Not assigned by regulation

Classification Code : P2 Labels : 5.2 Tunnel restriction code : (D)

RID : Not permitted for transport

IMDG

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-F, S-R

IATA (Cargo) : Not permitted for transport

IATA (Passenger) : Not permitted for transport

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID : Not permitted for transport

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Additional advice

Temperature controlled transport.: Control temperature : 0 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Emergency temperature : 10 °C

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 40, 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC

PEROXIDES

E2 ENVIRONMENTAL HAZARDS

Water hazard class (Germa- : WGK 2 obviously hazardous to water

ny) Code Number: 1.464

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

Other regulations:

Gefahrgruppe nach TRGS 741: lb, S+ (German regulatory requirements)

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

For further information see eSDS.

SECTION 16: Other information

Further information

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

Revision Date: SDS Number: Date of last issue: 13.03.2023 Version 60000000047 Date of first issue: 04.07.2016 5.0 01.02.2024

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

EUH066 Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TBPPI-75-AL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.03.2023

 5.0
 01.02.2024
 600000000047
 Date of first issue: 04.07.2016

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN