

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TBPPI-75-AL

REACH Registration Number : 01-2119961356-32-0000

Substance name : tert-butyl peroxy-pivalate

EC-No. : 213-147-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : polymerisation initiators

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type C	H242: Heating may cause a fire.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Long-term (chronic) aquatic hazard, Cat-	H411: Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPPI-75-AL



Version 4.0 Revision Date: 25.11.2020 SDS Number: 600000000047 Date of last issue: 20.02.2019
Date of first issue: 04.07.2016

egory 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
H242 Heating may cause a fire.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
P233 Keep container tightly closed.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P262 Do not get in eyes, on skin, or on clothing.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331 Do NOT induce vomiting.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P411 Store at temperatures not exceeding 0 °C.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version 4.0 Revision Date: 25.11.2020 SDS Number: 600000000047 Date of last issue: 20.02.2019
Date of first issue: 04.07.2016

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : tert-butyl peroxyvalate
EC-No. : 213-147-2
Synonyms : Propaneperoxoic acid, 2,2-dimethyl-, 1,1-dimethylethyl ester
Chemical nature : Organic Peroxide

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
tert-butyl peroxyvalate	927-07-1 213-147-2	>= 70 - <= 77
2,2,4,6,6-pentamethylheptane	13475-82-6 236-757-0	>= 23 - <= 30

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Call a physician immediately.
Contact a poison control center.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPPI-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.
- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPPI-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Protect from contamination.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version 4.0 Revision Date: 25.11.2020 SDS Number: 600000000047 Date of last issue: 20.02.2019
Date of first issue: 04.07.2016

closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : -15 - -5 °C

Further information on storage stability : No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-butyl peroxy-pivalate	Workers	Inhalation	Long-term systemic effects	2.8 mg/m ³
	Workers	Skin contact	Long-term systemic effects	1.6 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-butyl peroxy-pivalate	Fresh water	0.014 mg/l
	Marine water	0.001 mg/l
	Sewage treatment plant	10000 mg/l
	Fresh water sediment	0.011 mg/kg dry weight (d.w.)
	Marine sediment	0.011 mg/kg dry weight (d.w.)
	Soil	0.013 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

to the workstation location.

Hand protection

Material	:	Nitrile rubber
Break through time	:	30 min
Glove thickness	:	0.4 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	ester-like
Odour Threshold	:	No data available
pH	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	44 °C Method: ISO 3679
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	4.02 hPa (38 °C)
Relative vapour density	:	No data available
Density	:	0.85 g/cm ³ (20 °C)
Solubility(ies)	:	
Water solubility	:	1.49 g/l slightly soluble (20 °C)
Partition coefficient: n-octanol/water	:	log Pow: 3.17 (25 °C)
Viscosity	:	
Viscosity, dynamic	:	1.7 mPa.s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	25 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Refractive index	:	1.414 at 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
---------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): 4,169 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 7.79 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 2,500 mg/kg
Method: OECD Test Guideline 402

Components:

tert-butyl peroxyvalate:

Acute oral toxicity : LD50 (Rat): 4,169 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 7.79 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 2,500 mg/kg
Method: OECD Test Guideline 402

2,2,4,6,6-pentamethylheptane:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

tert-butyl peroxyvalate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

2,2,4,6,6-pentamethylheptane:

Result : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

tert-butyl peroxyvalate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

2,2,4,6,6-pentamethylheptane:

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPPI-75-AL



Version 4.0 Revision Date: 25.11.2020 SDS Number: 600000000047 Date of last issue: 20.02.2019
Date of first issue: 04.07.2016

Respiratory sensitisation

Not classified based on available information.

Product:

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

Components:

tert-butyl peroxyvalate:

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: Metabolic activation
Method: OECD Test Guideline 471
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Components:

tert-butyl peroxyvalate:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: Metabolic activation
Method: OECD Test Guideline 471
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

2,2,4,6,6-pentamethylheptane:

Germ cell mutagenicity- Assessment : No known effect.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This information is not available.

Components:

tert-butyl peroxyvalate:

Remarks : This information is not available.

2,2,4,6,6-pentamethylheptane:

Carcinogenicity - Assessment : No known effect.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat, male and female
Application Route: oral (gavage)
General Toxicity - Parent: NOAEL: 150 mg/kg body weight
Method: OECD Test Guideline 422

Components:

tert-butyl peroxyvalate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat, male and female
Application Route: oral (gavage)
General Toxicity - Parent: NOAEL: 150 mg/kg body weight
Method: OECD Test Guideline 422

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version 4.0 Revision Date: 25.11.2020 SDS Number: 600000000047 Date of last issue: 20.02.2019
Date of first issue: 04.07.2016

2,2,4,6,6-pentamethylheptane:

Reproductive toxicity - Assessment : No known effect.

STOT - single exposure

May cause respiratory irritation.

Product:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

Components:

tert-butyl peroxyvalate:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

Components:

tert-butyl peroxyvalate:

Remarks : No data available

Repeated dose toxicity

Product:

Species : Rat
NOAEL : 150 mg/kg
Application Route : oral (gavage)
Exposure time : 28 d
Method : OECD Test Guideline 422

Species : Rat
NOAEL : 160 mg/kg
Application Route : oral (gavage)
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Components:

tert-butyl peroxyvalate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

Species : Rat
NOAEL : 150 mg/kg
Application Route : oral (gavage)
Exposure time : 28 d
Method : OECD Test Guideline 422

Species : Rat
NOAEL : 160 mg/kg
Application Route : oral (gavage)
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

May be fatal if swallowed and enters airways.

Components:

tert-butyl peroxyvalate:

May be fatal if swallowed and enters airways.

2,2,4,6,6-pentamethylheptane:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

2,2,4,6,6-pentamethylheptane:

Remarks : May cause headache and dizziness.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 18.85 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.99 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 2.94 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1,417 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.293 mg/l
End point: Growth rate
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 10,000 mg/l

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Components:

tert-butyl peroxyvalate:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 18.85 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.99 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 2.94 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1,417 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.293 mg/l
End point: Growth rate
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 10,000 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version 4.0 Revision Date: 25.11.2020 SDS Number: 600000000047 Date of last issue: 20.02.2019
Date of first issue: 04.07.2016

2,2,4,6,6-pentamethylheptane:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 0.04 mg/l
Exposure time: 48 h
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants : IC50 (algae): > 0.04 mg/l
Exposure time: 72 h
Remarks: Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301D

Components:

tert-butyl peroxyvalate:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301D

2,2,4,6,6-pentamethylheptane:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

tert-butyl peroxyvalate:

Partition coefficient: n-octanol/water : log Pow: 3.17 (25 °C)

2,2,4,6,6-pentamethylheptane:

Partition coefficient: n-octanol/water : Remarks: No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3113

RID : UN 3113
Not permitted for transport

IMDG : UN 3113

IATA : UN 3113
Not permitted for transport

14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED
(tert-BUTYL PEROXYPIVALATE)

RID : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED
Not permitted for transport

IMDG : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

(tert-BUTYL PEROXYPIVALATE)
IATA : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED
Not permitted for transport

14.3 Transport hazard class(es)

ADR : 5.2
RID : Not permitted for transport
IMDG : 5.2
IATA : Not permitted for transport

14.4 Packing group

ADR
Packing group : Not assigned by regulation
Classification Code : P2
Labels : 5.2
Tunnel restriction code : (D)

RID : Not permitted for transport

IMDG
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-F, S-R

IATA (Cargo) : Not permitted for transport

IATA (Passenger) : Not permitted for transport

14.5 Environmental hazards

ADR
Environmentally hazardous : yes

RID : Not permitted for transport

IMDG
Marine pollutant : yes

14.6 Special precautions for user

Additional advice

Temperature controlled transport.:
Control temperature : 0 °C
Emergency temperature : 10 °C

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable
- REACH - List of substances subject to authorisation (Annex XIV) : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 40, 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Other regulations:

Gefahrgruppe nach § 3 BGV B4: Ib, S+ (German regulatory requirements)

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TBPPI-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.
For further information see eSDS.

SECTION 16: Other information

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - In-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TBPPI-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2019
4.0	25.11.2020	600000000047	Date of first issue: 04.07.2016

ternational Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN