according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version	Revision Date:	SDS Num
6.1	08.03.2023	60000000

S Number: 000000193 Date of last issue: 25.11.2022 Date of first issue: 22.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	TMCH-50-AL
Unique Formula Identifier (UFI)	:	AXS9-W05H-3008-GTKK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: polymerisation initiators
stance/Mixture	

1.3 Details of the supplier of the safety data sheet

Company	:	United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	:	+49 / 89 / 74422 – 0
E-mail address of person responsible for the SDS	:	contact@united-in.com

1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)							
Flammable liquids, Category 3	H226: Flammable liquid and vapour.						
Organic peroxides, Type E	H242: Heating may cause a fire.						
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.						
Long-term (chronic) aquatic hazard, Cat- egory 4	H413: May cause long lasting harmful effects to aquatic life.						

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version 6.1	Revision Date: 08.03.2023		9S Number: 0000000193	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
Haza	rd pictograms	:		
Signa	al word	: 1	Danger	
Haza	rd statements	l	H242 Heating ma H304 May be fat	e liquid and vapour. ay cause a fire. al if swallowed and enters airways. e long lasting harmful effects to aquatic life.
	lemental Hazard ments		EUH066 dryness or cracking	Repeated exposure may cause skin g.
Preca	autionary statements		flames and other ig P220 Keep/Store heavy metal salts a materials. P233 Keep conta P235 Keep cool. P273 Avoid relea	ase to the environment. active gloves/ protective clothing/ eye protec-
		 (CENTER/ doctor. P331 Do NOT in P370 + P378 In	SWALLOWED: Immediately call a POISON duce vomiting. case of fire: Use water spray, alcohol- chemical or carbon dioxide to extinguish.
			Disposal:	ore in a well-ventilated place. Keep cool. contents/ container to an approved waste

Hazardous components which must be listed on the label: 2,2,4,6,6-pentamethylheptane (CAS-No. 13475-82-6)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
6.1	08.03.2023	60000000193	Date of first issue: 22.03.2016

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Organic Peroxide
		Liquid mixture

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
di-tert-butyl 3,3,5-	6731-36-8	Org. Perox. B; H241	>= 50 - < 55
trimethylcyclohexylidene diperox-	229-782-3	Aquatic Chronic 4;	
ide	01-2119735694-30-	H413	
	0002		
2,2,4,6,6-pentamethylheptane	13475-82-6	Flam. Liq. 3; H226	>= 50 - < 55
	236-757-0	Asp. Tox. 1; H304	
	01-2119490725-29	Aquatic Chronic 4;	
		H413	
		EUH066	
		201000	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus. Call a physician immediately.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
If inhaled	:	Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical

according to Regulation (EC) No. 1907/2006



/ersion 6.1	Revision Date: 08.03.2023	SDS Number: 600000000193	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
		advice.	
			ory tract clear. , move person into fresh air.
	a of alkin contact		
In case of skin contact			ninated clothing before re-use. se well with water.
			remove clothes.
		If symptoms	persist, call a physician.
In cas	se of eye contact		contact with eyes, rinse immediately with plenty
			seek medical advice.
		Remove cont Protect unhar	
			e open while rinsing.
			n persists, consult a specialist.
lf swa	allowed		ory tract clear.
		Do NOT indu	
			an immediately. son control center.
		Contact a por	
	mportant symptoms a		-
. 2 Most i Risks		: May be fatal i	f swallowed and enters airways.
		: May be fatal i	-
Risks .3 Indica	tion of any immediate	: May be fatal i Repeated exp	f swallowed and enters airways.
Risks	tion of any immediate	: May be fatal i Repeated exp medical attentior	f swallowed and enters airways. posure may cause skin dryness or cracking.
Risks . 3 Indica Treatr	tion of any immediate	: May be fatal i Repeated exp medical attentior : Treat sympto	f swallowed and enters airways. posure may cause skin dryness or cracking. and special treatment needed
Risks . 3 Indica Treatr	tion of any immediate	: May be fatal i Repeated exp medical attentior : Treat sympto	f swallowed and enters airways. posure may cause skin dryness or cracking. and special treatment needed
Risks I.3 Indica Treatr SECTIOI	tion of any immediate ment N 5: Firefighting mea	: May be fatal i Repeated exp medical attentior : Treat sympto	f swallowed and enters airways. posure may cause skin dryness or cracking. and special treatment needed
Risks I.3 Indica Treatr SECTIOI	tion of any immediate ment N 5: Firefighting mea juishing media	: May be fatal i Repeated exp medical attentior : Treat sympto sures	f swallowed and enters airways. posure may cause skin dryness or cracking. A and special treatment needed matically and supportively.
Risks I.3 Indica Treatr SECTIOI	tion of any immediate ment N 5: Firefighting mea	 May be fatal i Repeated exp medical attention Treat sympto sures 	f swallowed and enters airways. bosure may cause skin dryness or cracking. a and special treatment needed matically and supportively.
Risks .3 Indica Treatr SECTIOI	tion of any immediate ment N 5: Firefighting mea juishing media	 May be fatal in Repeated explored e	f swallowed and enters airways. bosure may cause skin dryness or cracking. and special treatment needed matically and supportively. et ant foam
Risks I.3 Indica Treatr SECTIOI	tion of any immediate ment N 5: Firefighting mea juishing media	 May be fatal i Repeated exp medical attentior Treat sympto sures Water spray j Alcohol-resist 	f swallowed and enters airways. bosure may cause skin dryness or cracking. a and special treatment needed matically and supportively. et ant foam
Risks I.3 Indica Treatr SECTIOI 5.1 Exting Suital Unsui	tion of any immediate ment N 5: Firefighting mea Juishing media ble extinguishing media	 May be fatal in Repeated explored e	f swallowed and enters airways. bosure may cause skin dryness or cracking. A and special treatment needed matically and supportively. et ant foam de (CO2)
Risks I.3 Indica Treatr SECTIOI 5.1 Exting Suital	tion of any immediate ment N 5: Firefighting mea Juishing media ble extinguishing media	 May be fatal i Repeated exp medical attentior Treat sympto sures Water spray j Alcohol-resist Carbon dioxic Dry chemical 	f swallowed and enters airways. bosure may cause skin dryness or cracking. A and special treatment needed matically and supportively. et ant foam de (CO2)
Risks I.3 Indica Treatr SECTIOI 5.1 Exting Suital Unsui media	tion of any immediate ment N 5: Firefighting mea Juishing media ble extinguishing media	 May be fatal i Repeated exp medical attentior Treat sympto Sures Water spray j Alcohol-resist Carbon dioxic Dry chemical High volume 	f swallowed and enters airways. bosure may cause skin dryness or cracking. and special treatment needed matically and supportively. et ant foam de (CO2) water jet
Risks I.3 Indica Treatr SECTIOI 5.1 Exting Suital Unsui media 5.2 Specia	tion of any immediate ment N 5: Firefighting mean Juishing media ble extinguishing media	 May be fatal in Repeated expendence of the substance of the substance of the substance of the substance or the s	f swallowed and enters airways. bosure may cause skin dryness or cracking. and special treatment needed matically and supportively. et ant foam de (CO2) water jet r mixture
Risks I.3 Indica Treatr SECTIOI 5.1 Exting Suital Unsui media 5.2 Specia	tion of any immediate ment N 5: Firefighting mea puishing media ble extinguishing media itable extinguishing media	 May be fatal in Repeated expendence of Repeated and the substance of the substance of the substance of Repeated and the substance of the substance of Repeated and the substance of Repared and the substance of Repeated and the substance of Repeat	f swallowed and enters airways. bosure may cause skin dryness or cracking. and special treatment needed matically and supportively. et ant foam de (CO2) water jet
Risks .3 Indica Treatr SECTIOI 5.1 Exting Suital Unsui media 5.2 Specia Speci	tion of any immediate ment N 5: Firefighting mea puishing media ble extinguishing media itable extinguishing media	 May be fatal in Repeated expendence of Repeated and Repeated a	f swallowed and enters airways. bosure may cause skin dryness or cracking. and special treatment needed matically and supportively. et ant foam le (CO2) water jet r mixture incompatible materials or exposure to tempera- ng SADT may result in a self-accelerating de- eaction with release of flammable vapors which
Risks .3 Indica Treatr SECTIOI 5.1 Exting Suital Unsui media 5.2 Specia Speci	tion of any immediate ment N 5: Firefighting mea puishing media ble extinguishing media itable extinguishing media	 May be fatal in Repeated expendence of Repeated and Repeated a	f swallowed and enters airways. posure may cause skin dryness or cracking. and special treatment needed matically and supportively. et ant foam de (CO2) water jet incompatible materials or exposure to tempera- ng SADT may result in a self-accelerating de- eaction with release of flammable vapors which te.
Risks .3 Indica Treatr SECTIOI 5.1 Exting Suital Unsui media 5.2 Specia Speci	tion of any immediate ment N 5: Firefighting mea puishing media ble extinguishing media itable extinguishing media	 May be fatal in Repeated expendence of Repeated and Repeated a	f swallowed and enters airways. bosure may cause skin dryness or cracking. and special treatment needed matically and supportively. et ant foam de (CO2) water jet incompatible materials or exposure to tempera- ng SADT may result in a self-accelerating de- eaction with release of flammable vapors which

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Versie 6.1		sion Date: 3.2023	-	S Number: 0000000193	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
				Cool closed conta	iners exposed to fire with water spray.
5.3 A	dvice for fir	efighters			
	Special protective equipment for firefighters		:	Wear self-contained breathing apparatus for firefighting if ne essary. Use personal protective equipment.	
	Specific extin ods	guishing meth-	:	 Do not use a solid water stream as it may scatter and spre fire. Remove undamaged containers from fire area if it is safe t so. Use water spray to cool unopened containers. 	
F	Further inforn	urther information : Collect co must not Fire resid be dispos Use extin		must not be discha Fire residues and be disposed of in Use extinguishing	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations. measures that are appropriate to local cirhe surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Follow safe handling advice and personal protective equipment recommendations. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains.
		Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Contact with incompatible substances can cause decomposi- tion at or below SADT.
	Clear spills immediately.
	Suppress (knock down) gases/vapours/mists with a water spray jet.
	To clean the floor and all objects contaminated by this materi-

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
6.1	08.03.2023	60000000193	Date of first issue: 22.03.2016

al, use plenty of water. Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on safe handling	:	Do not swallow. Do not breathe vapours/dust. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash thoroughly after handling. For personal protection see section 8. Protect from contamination.
Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
Hygiene measures	:	Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
areas and containers		Electrical installations / working materials must comply with
		the technological safety standards. Containers which are
		opened must be carefully resealed and kept upright to prevent
		leakage. Store in original container. Keep containers tightly

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Ver 6.1	sion	Revision Date: 08.03.2023	SDS Number: 600000000193		Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
					vell-ventilated place. Store in accordance national regulations.
	Advice	on common storage	:	Keep away from so	strong acids, bases, heavy metal salts and bstances.
	Storage	e class (TRGS 510)	:	5.2, Organic pero	xides and self-reacting hazardous materials
	Recom peratur	mended storage tem- e	:	< 30 °C	
	Further age sta	niformation on stor- ability	:	No decomposition	if stored normally.
7.3	-	c end use(s) c use(s)	:	For further information sheet.	ation, refer to the product technical data

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
di-tert-butyl 3,3,5- trimethylcyclohexyli- dene diperoxide	Workers	Inhalation	Long-term systemic effects	1,4 mg/m3
	Workers	Skin contact	Long-term systemic effects	2 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
di-tert-butyl 3,3,5- trimethylcyclohexylidene diperox-	Fresh water sediment	0,102 mg/kg dry weight (d.w.)
ide		
	Marine sediment	0,01 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 mg/l
	Soil	5,29 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

according to Regulation (EC) No. 1907/2006



Version 6.1	Revision Date: 08.03.2023		0S Number: 0000000193	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
Eye	protection	:	tection if there is Ensure that eyew to the workstatio Please follow all	able protective goggles. Also wear face pro- a splash hazard. wash stations and safety showers are close
			Equipment shou	d conform to EN 166
Hand	protection			
B G	aterial reak through time love thickness irective	:	butyl-rubber < 10 min 0,47 mm Equipment shoul	ld conform to EN 374
B G	aterial reak through time love thickness irective	:	Nitrile rubber 480 min 0,40 mm Equipment shoul	ld conform to EN 374
R	emarks	:	standard values! material has to b tive glove. Choos depending on th ous substance a plications, we re- cals of the aforer	break through time/strength of material are The exact break through time/strength of be obtained from the producer of the protec- se gloves to protect hands against chemicals e concentration and quantity of the hazard- nd specific to place of work. For special ap- commend clarifying the resistance to chemi- nentioned protective gloves with the glove /ash hands before breaks and at the end of
Skin	and body protection	:	resistance data a potential. Additional body task being perfor posable suits) to Wear as appropr	e protective clothing based on chemical and an assessment of the local exposure garments should be used based upon the med (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. iate: antistatic protective clothing.
Resp	iratory protection	:	approved filter.	est or aerosol formation use respirator with an combination filter for vapour/particulate (EN
Fi	Iter type	:	ABEK-filter	
Prote	ective measures	:		ective equipment must be selected according ion and amount of the dangerous substance

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
6.1	08.03.2023	60000000193	Date of first issue: 22.03.2016

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	musty
Odour Threshold	:	No data available
Melting point/range	:	< -25 °C
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flammability	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Upper explosion limit 4 %(V) (for a component of this mixture)
Lower explosion limit / Lower flammability limit	:	Lower explosion limit 0,5 %(V) (for a component of this mixture)
Flash point	:	40 °C Method: ISO 3679, closed cup
Auto-ignition temperature	:	not determined
Self-Accelerating decomposi- tion temperature (SADT)	:	70 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
рН	:	substance/mixture is non-soluble (in water)
Viscosity Viscosity, dynamic	:	3 mPa.s (20 °C)
Viscosity, kinematic	:	not determined
Solubility(ies) Water solubility	:	practically insoluble
Solubility in other solvents	:	Solvent: organic solvents

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version 6.1	Revision Date: 08.03.2023		S Number: 0000000193	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
			soluble	
	tion coefficient: n- nol/water	:	Not applicable	
Vapo	ur pressure	:	1 hPa (20 °C) (for a componen	t of this mixture)
Relat	ive density	:	not determined	
Dens	ity	:	0,83 g/cm3 (20 °	°C)
Relat	Relative vapour density		not determined	
9.2 Other	information			
Explo	osives	:	Not explosive In use, may form	n flammable/explosive vapour-air mixture.
Oxidi	zing properties	:	The substance of Organic peroxide	or mixture is not classified as oxidizing.
Flam	mability (liquids)	:	Flammable liquid	d and vapour., Organic peroxide
Self-i	gnition	:	The substance c	or mixture is not classified as pyrophoric.
Self-ł	neating substances	:	The substance of	or mixture is not classified as self heating.
which	tances and mixtures, n in contact with water, flammable gases	:	The substance c contact with wate	or mixture does not emit flammable gases in er.
Dese	nsitised explosives	:	Not applicable	
Refra	ctive index	:	1,429 at 20 °C	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006



Version 6.1	Revision Date: 08.03.2023	SDS Number: 600000000193	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016		
Conditions to avoid :		Contact with tion at or be Heat, flame	Protect from contamination. Contact with incompatible substances can cause decomposi- tion at or below SADT. Heat, flames and sparks. Avoid confinement.		
10.5 Inco	mpatible materials				
	rials to avoid		s, strong acids and bases, heavy metals and I salts, reducing agents		
10.6 Haza	ardous decomposition	products			
Irritar	-	-	and vapours can develop in the case of fire and		
SECTIO	N 11: Toxicological i	nformation			
11.1 Info	rmation on hazard clas	sses as defined in	Regulation (EC) No 1272/2008		
Acut	e toxicity				
Not o	classified based on avail	able information.			
Com	ponents:				
di-te	rt-butyl 3,3,5-trimethyl	cvclohexvlidene	diperoxide		
	e oral toxicity	: LD50 (Rat): Method: OE0	> 2.000 mg/kg CD Test Guideline 401 : The substance or mixture has no acute oral tox-		
Acut	e inhalation toxicity	Method: OE			
Acut	e dermal toxicity		> 2.000 mg/kg CD Test Guideline 402 : The substance or mixture has no acute dermal		
224	,6,6-pentamethylhepta	ine:			
	e oral toxicity	: LD50 (Rat): Method: OE0 Assessment icity	> 5.000 mg/kg CD Test Guideline 401 : The substance or mixture has no acute oral tox- ased on data from similar materials		
Acut	e inhalation toxicity	: Remarks: No	o data available		

according to Regulation (EC) No. 1907/2006

TMCH-50-AL

_



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
6.1	08.03.2023	60000000193	Date of first issue: 22.03.2016

Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
		Method: OECD Test Guideline 402

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

2,2,4,6,6-pentamethylheptane:

Result

: Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

2,2,4,6,6-pentamethylheptane:

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
6.1	08.03.2023	60000000193	Date of first issue: 22.03.2016

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:				
Genotoxicity in vitro :	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative			
	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative			
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative			
Genotoxicity in vivo :	Remarks: No data available			

2,2,4,6,6-pentamethylheptane:

Germ cell mutagenicity- As-	:	No known effect.
sessment		

Carcinogenicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species	:	Mouse
Application Route	:	Oral
Result	:	negative

2,2,4,6,6-pentamethylheptane:

Carcinogenicity - Assess-	:	No known effect.
ment		

Reproductive toxicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Effects on fertility	:	Remarks: No data available
Effects on foetal develop- ment	:	Species: Rat Application Route: oral (gavage) General Toxicity Maternal: NOAEL: 1.000 mg/kg body weight Method: OECD Test Guideline 414

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version	Revision Date:
6.1	08.03.2023

SDS Number: 60000000193

Date of last issue: 25.11.2022 Date of first issue: 22.03.2016

2,2,4,6,6-pentamethylheptane:

Reproductive toxicity - As- : No known effect. sessment

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

2,2,4,6,6-pentamethylheptane:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Solvents may degrease the skin.

Components:

2,2,4,6,6-pentamethylheptan	e:	
Remarks	:	May cause headache and dizziness.

SECTION 12: Ecological information

12.1 Toxicity

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 0,043 mg/l
		Exposure time: 96 h

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version 6.1	Revision Date: 08.03.2023		0S Number: 0000000193	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
				D Test Guideline 203 coxicity at the limit of solubility
	city to daphnia and other atic invertebrates	:	Exposure time Method: OECI	a magna (Water flea)): > 1 mg/l : 48 h D Test Guideline 202 coxicity at the limit of solubility
Toxio plant	city to algae/aquatic ts	:	mg/l Exposure time Method: OECI	kirchneriella subcapitata (green algae)): 0,11 : 72 h D Test Guideline 201 coxicity at the limit of solubility
Toxi	city to microorganisms	:	Exposure time	a): > 1.000 mg/l : 3 h 0 Test Guideline 209
aqua	city to daphnia and other atic invertebrates (Chron- xicity)	:	Method: OECI	
Ecot	toxicology Assessment			
Chro	onic aquatic toxicity	:	May cause lor	g lasting harmful effects to aquatic life.
2,2,4	4,6,6-pentamethylheptaı	ne:		
	city to daphnia and other atic invertebrates	:	Exposure time	mation given is based on data obtained from
Toxic plant	city to algae/aquatic ts	:	IC50 (algae): Exposure time Remarks: Info similar substat	: 72 h mation given is based on data obtained from
Ecot	toxicology Assessment			
Acut	te aquatic toxicity	:	This product h	as no known ecotoxicological effects.
Chro	onic aquatic toxicity	:	May cause lor	g lasting harmful effects to aquatic life.

12.2 Persistence and degradability

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

according to Regulation (EC) No. 1907/2006



Version 6.1	Revision Date: 08.03.2023	SDS Number: 600000000193	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
Biode	gradability	: Result: Biod Method: OE	egradable CD Test Guideline 301D
	6,6-pentamethylhept gradability		readily biodegradable.
12.3 Bioa	ccumulative potentia	I	
<u>Comp</u>	oonents:		
	t-butyl 3,3,5-trimethy cumulation		diperoxide: ation factor (BCF): 443
	on coefficient: n- ol/water	: log Pow: 6,5	53
2,2,4,	6,6-pentamethylhept	ane:	
Partiti	on coefficient: n- ol/water	: log Pow: 5,9	94 - 6,16 (20 °C) ne value is calculated
12.4 Mobi	lity in soil		
No da	ta available		
12.5 Resu	Its of PBT and vPvB	assessment	
<u>Produ</u>	<u>uct:</u>		
Asses	ssment	to be either	nce/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or ent and very bioaccumulative (vPvB) at levels of ner.
12.6 Endo	crine disrupting pro	perties	
<u>Produ</u>	<u>uct:</u>		
Asses	ssment	ered to have REACH Arti	nce/mixture does not contain components consid endocrine disrupting properties according to cle 57(f) or Commission Delegated regulation 100 or Commission Regulation (EU) 2018/605 a % or higher.
12.7 Othe	r adverse effects		
<u>Produ</u>	<u>uct:</u>		
	onal ecological infor-	unprofessior	ental hazard cannot be excluded in the event of nal handling or disposal. ong lasting harmful effects to aquatic life.

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version	Revision Date:
6.1	08.03.2023

SDS Number: 600000000193

Date of last issue: 25.11.2022 Date of first issue: 22.03.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 3107
RID	:	UN 3107
IMDG	:	UN 3107
ΙΑΤΑ	:	UN 3107
14.2 UN proper shipping name		
ADR	:	ORGANIC PEROXIDE TYPE E, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-3,3,5- TRIMETHYLCYCLOHEXANE)
RID	:	ORGANIC PEROXIDE TYPE E, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-3,3,5- TRIMETHYLCYCLOHEXANE)
IMDG	:	ORGANIC PEROXIDE TYPE E, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-3,3,5- TRIMETHYLCY CLOHE XANE)
ΙΑΤΑ	:	Organic peroxide type E, liquid (1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane)
14.3 Transport hazard class(es)		
ADR	:	5.2
RID	:	5.2
IMDG	:	5.2
ΙΑΤΑ	:	5.2
14.4 Packing group		

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
6.1	08.03.2023	60000000193	Date of first issue: 22.03.2016

ADR

	Packing group Classification Code Labels Tunnel restriction code	: : :	Not assigned by regulation P1 5.2 (D)
	RID Packing group Classification Code Hazard Identification Number Labels		Not assigned by regulation P1 539 5.2
	IMDG Packing group Labels EmS Code	::	Not assigned by regulation 5.2 F-J, S-R
	IATA (Cargo) Packing instruction (cargo aircraft) Packing group Labels	:	570 Not assigned by regulation Organic Peroxides, Keep Away From Heat
	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing group Labels	:	570 Not assigned by regulation Organic Peroxides, Keep Away From Heat
14.5	Environmental hazards		
	ADR Environmentally hazardous RID	:	no
	Environmentally hazardous	:	no

14.6 Special precautions for user

IMDG

Marine pollutant

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

: no

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the fol-

according to Regulation (EC) No. 1907/2006



/ersion 6.1	Revision Date: 08.03.2023	SDS Number: 600000000193			last issue: 25.11.2022 first issue: 22.03.2016	
	arket and use of certa rations and articles (A	in dangerous substanc .nnex XVII)	ces,		lowing entries should be Number on list 3	considered:
	CH - Candidate List of ern for Authorisation (Substances of Very Hi Article 59).	gh	:	Not applicable	
	ation (EC) No 1005/20 the ozone layer	009 on substances tha	t de-	:	Not applicable	
•	ation (EU) 2019/1021 (recast)	on persistent organic	pollu-	:	Not applicable	
ment		12 of the European Pa erning the export and in		:	Not applicable	
	CH - List of substances ex XIV)	s subject to authorisation	on	:	Not applicable	
		8/EU of the European olving dangerous subs SELF-REACTIV SUBSTANCES MIXTURES and PEROXIDES	tances. /E AND		50 t 200	ntity 2
Water ny)	r hazard class (Germa				is to water AwSV, Annex 1 (5.2)	
	• • • •	13 Vorschrift 13 (bishe	r BGV B₄	4):	II (German regulatory rec	quire-
The p cals.	product is subject to th	e supply restrictions of	the Ordir	nar	nce on the Prohibition of (Chemi-
The c TCSI		roduct are reported i : On the inventor			ving inventories: Ipliance with the inventory	1
DSL ((CA)	: All components	of this p	roc	luct are on the Canadian	DSL
PICCS	S (PH)	: On the inventor	y, or in c	om	pliance with the inventory	1
IECS	C (CN)	: On the inventor	y, or in c	om	pliance with the inventory	/

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version	Revision Date:
6.1	08.03.2023

SDS Number: 600000000193

Date of last issue: 25.11.2022 Date of first issue: 22.03.2016

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full taxt of H-Statements

I un text of II-Statements	
H226	: Flammable liquid and vapour.
H241	: Heating may cause a fire or explosion.
H304	: May be fatal if swallowed and enters airways.
H413	: May cause long lasting harmful effects to aquatic life.
EUH066	: Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Asp. Tox.	:	Aspiration hazard		
Flam. Liq.	:	Flammable liquids		
Org. Perox.	:	Organic peroxides		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006

TMCH-50-AL



Version 6.1	Revision Date: 08.03.2023		DS Number: 00000000193	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
Furth	ner information			
Othe	r information	:	safety and does r uct specification.	heet only contains information relating to not replace any product information or prod- cructions also apply to empty packaging which
			may still contain p	
	ces of key data used to bile the Safety Data st	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/	
Classification of the mixture:			Classification procedure:	
Flam	. Liq. 3	H2	26	Based on product data or assessment
Org.	Perox. E	H2	42	Based on product data or assessment
Asp.	Tox. 1	H3	04	Calculation method
Aqua	tic Chronic 4	H4	13	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN