according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Revision Date:	SDS I
08.03.2023	60000

S Number: 000000196 Date of last issue: 25.11.2022 Date of first issue: 22.03.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	: TMCH-90-AL
Unique Formula Identifier (UFI)	: F1T9-D0UW-D00S-555N

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: polymerisation initiators
stance/Mixture	

#### 1.3 Details of the supplier of the safety data sheet

Company	:	United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	:	+49 / 89 / 74422 – 0
E-mail address of person responsible for the SDS	:	contact@united-in.com

### 1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Organic peroxides, Type C	H242: Heating may cause a fire.			
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.			
Long-term (chronic) aquatic hazard, Cat- egory 4	H413: May cause long lasting harmful effects to aquatic life.			

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version 5.1	Revision Date: 08.03.2023	-	DS Number: 00000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
Hazar	d pictograms	:		
Signal	word	:	Danger	
Hazar	d statements	:	H304 May b	ng may cause a fire. The fatal if swallowed and enters airways. The ause long lasting harmful effects to aquatic life.
Preca	utionary statements	:	heavy metal s materials. P233 Keep P235 Keep P273 Avoid	release to the environment. protective gloves/ protective clothing/ eye protec-
			P370 + P378	DT induce vomiting.
			<b>Disposal:</b> P501 Dispo disposal plant	se of contents/ container to an approved waste

Hazardous components which must be listed on the label: 2,2,4,6,6-pentamethylheptane (CAS-No. 13475-82-6)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version Revision Date: 5.1 08.03.2023

SDS Number: 60000000196 Date of last issue: 25.11.2022 Date of first issue: 22.03.2016

### **SECTION 3: Composition/information on ingredients**

:

#### 3.2 Mixtures

Chemical nature

Organic Peroxide Liquid mixture

### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
di-tert-butyl 3,3,5-	6731-36-8	Org. Perox. B; H241	>= 85 - < 90
trimethylcyclohexylidene diperox-	229-782-3	Aquatic Chronic 4;	
ide	01-2119735694-30-	H413	
	0002		
2,2,4,6,6-pentamethylheptane	13475-82-6	Flam. Liq. 3; H226	>= 10 - < 15
	236-757-0	Asp. Tox. 1; H304	
	01-2119490725-29	Aquatic Chronic 4;	
		H413	
		EUH066	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus. Call a physician immediately.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
lf inhaled	:	Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathed in, move person into fresh air.
In case of skin contact	:	Wash contaminated clothing before re-use. If on skin, rinse well with water. If on clothes, remove clothes. If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version 5.1	Revision Date: 08.03.2023		OS Number: 0000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
In cas	se of eye contact	:	of water and se	contact with eyes, rinse immediately with plenty tek medical advice.
lf swa	llowed	:	Keep respirator Do NOT induce Call a physiciar Contact a poiso	vomiting.
	mportant symptoms a			-
Risks		:	May be fatal if	swallowed and enters airways.
4.3 Indica Treati	•	me :		and special treatment needed atically and supportively.
SECTIO	N 5: Firefighting mea	sur	es	
-	uishing media			
Suital	ole extinguishing media	:	Water spray jet Alcohol-resistar Carbon dioxide Dry chemical	nt foam
Unsui media	table extinguishing	:	High volume wa	ater jet
5.2 Specia	al hazards arising from	the	e substance or	mixture
Speci fightir	fic hazards during fire- ig	:	tures exceeding composition rea may auto-ignite The product bu Flash back pos Vapours may fo The product will water.	
5.3 Advice	e for firefighters			
	al protective equipment efighters	:		ained breathing apparatus for firefighting if nec- rsonal protective equipment.
Speci	fic extinguishing meth-	:	Do not use a so	blid water stream as it may scatter and spread

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version 5.1	Revision Date: 08.03.2023	SDS Number: 60000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
ods		fire. Remove undan	naged containers from fire area if it is safe to do
		SO.	ay to cool unopened containers.
Furth	er information	must not be dis Fire residues a be disposed of Use extinguish	inated fire extinguishing water separately. This scharged into drains. and contaminated fire extinguishing water must in accordance with local regulations. ing measures that are appropriate to local cir- nd the surrounding environment.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Follow safe handling advice and personal protective equip- ment recommendations. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".

#### 6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

mine which regulations are applicable.		Methods for cleaning up	<ul> <li>Contact with incompatible substances can cause decomposition at or below SADT.</li> <li>Clear spills immediately.</li> <li>Suppress (knock down) gases/vapours/mists with a water spray jet.</li> <li>To clean the floor and all objects contaminated by this material, use plenty of water.</li> <li>Soak up with inert absorbent material.</li> <li>Isolate waste and do not reuse.</li> <li>Non-sparking tools should be used.</li> <li>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</li> </ul>
--	--	-------------------------	--

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version	Revision Date:
5.1	08.03.2023

SDS Number: 600000000196

Date of last issue: 25.11.2022 Date of first issue: 22.03.2016

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on safe handling	:	Do not swallow. Do not breathe vapours/dust. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash thoroughly after handling. For personal protection see section 8. Protect from contamination.
Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition. Use only explo- sion-proof equipment. Keep away from combustible material.
Hygiene measures	:	Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers		Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.	
Advice on common storage	:	Keep away from strong acids, bases, heavy metal salts and other reducing substances.	
Storage class (TRGS 510)	:	5.2, Organic peroxides and self-reacting hazardous materials	
Recommended storage tem- perature	:	< 30 °C	

and immediately after handling the product.

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version 5.1	Revision Date: 08.03.2023	SDS Number: 600000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
Furt	her information on stor-	: No decompositi	on if stored normally.

#### 7.3 Specific end use(s)

age stability

Specific use(s)

: For further information, refer to the product technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
di-tert-butyl 3,3,5- trimethylcyclohexyli- dene diperoxide	Workers	Inhalation	Long-term systemic effects	1,4 mg/m3
	Workers	Skin contact	Long-term systemic effects	2 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Out at an an an an	Environmental Ocean entry ant	Malua
Substance name	Environmental Compartment	Value
di-tert-butyl 3,3,5-	Fresh water sediment	0,102 mg/kg dry
trimethylcyclohexylidene diperox-		weight (d.w.)
ide		
	Marine sediment	0,01 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	100 mg/l
	Soil	5,29 mg/kg dry
		weight (d.w.)

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment	
Eve protection	The set of the set

•		
Eye protection	:	Tightly fitting safety goggles
		Please wear suitable protective goggles. Also wear face pro-
		tection if there is a splash hazard.
		Ensure that eyewash stations and safety showers are close
		to the workstation location.
		Please follow all applicable local/national requirements when
		selecting protective measures for a specific workplace.

Equipment should conform to EN 166

#### Hand protection

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version 5.1	Revision Date: 08.03.2023	SDS Number: 60000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
Bre	aterial eak through time ove thickness rective	: butyl-rubber : < 30 min : 0,47 mm : Equipment shou	Ild conform to EN 374
Bre	aterial eak through time ove thickness rective	: Nitrile rubber : 480 min : 0,40 mm : Equipment shou	Ild conform to EN 374
Re	emarks	standard values material has to b tive glove. Choo depending on th ous substance a plications, we re cals of the afore	break through time/strength of material are The exact break through time/strength of be obtained from the producer of the protec- se gloves to protect hands against chemicals he concentration and quantity of the hazard- and specific to place of work. For special ap- becommend clarifying the resistance to chemi- mentioned protective gloves with the glove Vash hands before breaks and at the end of
Skin a	and body protection	resistance data potential. Additional body task being perfo posable suits) to Wear as appropri	te protective clothing based on chemical and an assessment of the local exposure garments should be used based upon the rmed (e.g., sleevelets, apron, gauntlets, dis- o avoid exposed skin surfaces. riate: antistatic protective clothing.
Respi	ratory protection	approved filter.	ust or aerosol formation use respirator with an combination filter for vapour/particulate (EN
Filt	ter type	: ABEK-filter	
Protec	ctive measures		ective equipment must be selected according tion and amount of the dangerous substance orkplace.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Versi 5.1	on	Revision Date: 08.03.2023	-	S Number: 000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
(	Odour		:	musty	
(	Odour <sup>-</sup>	Threshold	:	not determined	
I	Melting	point/range	:	< -25 °C	
I	Boiling	point/boiling range	:	Decomposition: [	Decomposes below the boiling point.
I	Flamma	ability	:	Not applicable	
		explosion limit / Upper bility limit	:	Upper explosion 4 %(V) (for a component	
		explosion limit / Lower bility limit	:	Lower explosion 0,5 %(V) (for a component	
I	Flash p	oint	:	63 °C Method: ISO 367	9, open cup
,	Auto-igr	nition temperature	:	not determined	
		celerating decomposi- nperature (SADT)	:	temperature at w	H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
I	pН		:	substance/mixtur	e is non-soluble (in water)
v	Viscosi Visc	ty osity, dynamic	:	18 mPa.s (20 °C)	
	Visc	osity, kinematic	:	not determined	
:	Solubilit Wat	ty(ies) er solubility	:	insoluble	
	Partitior octanol/	n coefficient: n- /water	:	Not applicable	
v	Vapour	pressure	:	< 0,09 hPa (20 °0	C)
I	Relative	edensity	:	not determined	
I	Density		:	0,895 g/cm3 (20	°C)
I	Relative	vapour density	:	not determined	

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Versior 5.1	n Revision Date: 08.03.2023	-	S Number: 0000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
9.2 Otł	ner information			
E>	kplosives	:	Not explosive In use, may form	flammable/explosive vapour-air mixture.
O	kidizing properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.
Fla	ammability (liquids)	:	Organic peroxide	
Se	elf-ignition	:	The substance o	r mixture is not classified as pyrophoric.
Se	elf-heating substances	:	The substance o	r mixture is not classified as self heating.
wł	ubstances and mixtures, nich in contact with water, nit flammable gases	:	The substance o contact with wate	r mixture does not emit flammable gases in er.
De	esensitised explosives	:	Not applicable	
E١	aporation rate	:	No data available	
Re	efractive index	:	1,438 at 20 °C	

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours r	may form	explosive	mixture with air.
---------------------	---	-----------	----------	-----------	-------------------

#### 10.4 Conditions to avoid

Conditions to avoid	: Protect from contamination.
	Contact with incompatible substances can cause decomposi- tion at or below SADT.
	Heat, flames and sparks.
	Avoid confinement.

#### **10.5 Incompatible materials**

Materials to avoid	: Accelerators, strong acids and bases, heavy metals and	
	heavy metal salts, reducing agents	

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version	Revision Date:	SDS Number
5.1	08.03.2023	6000000019

Number: 00000196 Date of last issue: 25.11.2022 Date of first issue: 22.03.2016

#### **10.6 Hazardous decomposition products**

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified based on available information.

#### Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:				
Acute oral toxicity :	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral tox- icity			
Acute inhalation toxicity :	LC50 (Rat): > 5,6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhala- tion toxicity			
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity			

#### 2,2,4,6,6-pentamethylheptane:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral tox- icity Remarks: Based on data from similar materials
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide: Species : Rabbit

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
5.1	08.03.2023	60000000196	Date of first issue: 22.03.2016

Method	:	OECD Test Guideline 404
Result	:	No skin irritation

:

#### 2,2,4,6,6-pentamethylheptane:

Result

Repeated exposure may cause skin dryness or cracking.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

#### di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### 2,2,4,6,6-pentamethylheptane:

Result	: No eye irritatio	on

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

#### di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Genotoxicity in vitro :	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
-------------------------	---

Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative

Test Type: In vitro mammalian cell gene mutation test

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Vers 5.1	ion	Revision Date: 08.03.2023	-	DS Number: 0000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
				Method: OECD Te Result: negative	est Guideline 476
	Genoto	xicity in vivo	:	Remarks: No data	a available
	2,2,4,6	6-pentamethylhepta	ne:		
	Germ o sessme	ell mutagenicity- As- ent	:	No known effect.	
	Carcin	ogenicity			
		ssified based on availa	ble	information.	
	Compo	onents:			
	di-tert-	butyl 3,3,5-trimethylo	ycl	ohexylidene diper	oxide:
	Species		:	Mouse	
	Applica Result	tion Route	:	Oral negative	
			•		
	2,2,4,6,	6-pentamethylhepta	ne:		
	Carcino ment	ogenicity - Assess-	:	No known effect.	
	Reproc	luctive toxicity			
	Not cla	ssified based on availa	ble	information.	
	Compo	onents:			
	di-tert-	butyl 3,3,5-trimethylo	ycl	ohexylidene diper	oxide:
	Effects	on fertility	:	Remarks: No data	a available
	Effects ment	on foetal develop-	:	Application Route	Maternal: NOAEL: 1.000 mg/kg body weight
	2,2,4,6	6-pentamethylhepta	ne:		
	Reprod sessme	uctive toxicity - As- ent	:	No known effect.	
	STOT -	single exposure			
	Not cla	ssified based on availa	ble	information.	
		repeated exposure			
	Not cla	ssified based on availa	ble	information.	
	-	t <b>ion toxicity</b> fatal if swallowed and	ent	ers airways.	

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version	Revision Date:
5.1	08.03.2023

SDS Number: 600000000196

Date of last issue: 25.11.2022 Date of first issue: 22.03.2016

#### Components:

#### 2,2,4,6,6-pentamethylheptane:

May be fatal if swallowed and enters airways.

#### **11.2 Information on other hazards**

# Endocrine disrupting properties

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **Further information**

Product:		
Remarks	:	Sol

:	Solvents	may degrease	the skin.
---	----------	--------------	-----------

#### Components:

2,2,4,6,6-pentamethylheptan	e:	
Remarks	:	May cause headache and dizziness.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### Components:

#### di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 0,043 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	EC10 (Pseudokirchneriella subcapitata (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version 5.1	Revision Date: 08.03.2023	-	0000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
Toxici	ty to microorganisms	:	EC50 (Bacteria) Exposure time: Method: OECD	
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: Species: Daphni Method: OECD	
	xicology Assessment			
Chron	ic aquatic toxicity	:	May cause long	lasting harmful effects to aquatic life.
	6,6-pentamethylheptan			
	ty to daphnia and other ic invertebrates	:	Exposure time:	nation given is based on data obtained from
Toxici plants	ty to algae/aquatic	:	IC50 (algae): > Exposure time: Remarks: Inform similar substanc	72 h nation given is based on data obtained fron
Ecoto	xicology Assessment			
	aquatic toxicity	:	This product has	s no known ecotoxicological effects.
Chron	ic aquatic toxicity	:	May cause long	lasting harmful effects to aquatic life.
2.2 Persi	stence and degradabil	ity		
<u>Comp</u>	oonents:			
di-ter	t-butyl 3,3,5-trimethylc	yclo	ohexylidene dip	eroxide:
Biode	gradability	:	Result: Biodegra Method: OECD	idable Test Guideline 301D
	<b>6,6-pentamethylheptar</b> gradability	ie: :	Result: Not read	lily biodegradable.
2.3 Bioad	ccumulative potential			
<u>Comp</u>	oonents:			
	t-butyl 3,3,5-trimethylc	yclo	ohexylidene dip	eroxide:
Bioac	cumulation	:	Bioconcentratior	n factor (BCF): 443

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version 5.1	Revision Date: 08.03.2023	SDS Number: 600000000196	Date of last issue: 25.11.2022 Date of first issue: 22.03.2016	

Partition coefficient:	n-	:	log Pow: 6,53
octanol/water			

#### 2,2,4,6,6-pentamethylheptane:

Partition coefficient: n-	:	log Pow: 5,94 - 6,16 (20 °C)
octanol/water		Remarks: The value is calculated

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	An environmental hazard cannot be excluded in the event of
mation	unprofessional handling or disposal.
	May cause long lasting harmful effects to aquatic life.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of wastes in an approved waste disposal facility.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> </ul>

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
5.1	08.03.2023	60000000196	Date of first issue: 22.03.2016

Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

#### **SECTION 14: Transport information** 14.1 UN number or ID number ADN : UN 3103 ADR : UN 3103 RID UN 3103 • IMDG UN 3103 : ΙΑΤΑ · UN 3103 14.2 UN proper shipping name ADN ORGANIC PEROXIDE TYPE C, LIQUID : (1,1-DI-(tert-BUTYLPEROXY)-3,3,5-TRIMETHYLCY CLOHE XANE) ADR : ORGANIC PEROXIDE TYPE C, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-3,3,5-TRIMETHYLCY CLOHE XANE) RID ORGANIC PEROXIDE TYPE C, LIQUID : (1,1-DI-(tert-BUTYLPEROXY)-3,3,5-TRIMETHYLCY CLOHE XANE) IMDG :

- ORGANIC PEROXIDE TYPE C, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-3,3,5-TRIMETHYLCY CLOHE XANE) ΙΑΤΑ Organic peroxide type C, liquid : (1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane) 14.3 Transport hazard class(es) ADN : 5.2 ADR 5.2 : RID 5.2 : IMDG 5.2 : ΙΑΤΑ : 5.2 14.4 Packing group ADN Packing group Not assigned by regulation : **Classification Code** P1 : Labels : 5.2
  - ADR

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Vers 5.1	sion	Revisior 08.03.2		SDS Number: 600000000196		Date of last issue: 25.11.2022 Date of first issue: 22.03.2016
	Packing	a aroup		:	Not assigned by re	egulation
	Classifi Labels	cation Co		:	P1 5.2 (D)	
	<b>RID</b> Packing group Classification Code Hazard Identification Number Labels			:	Not assigned by re P1 539 5.2	egulation
	IMDG Packing Labels EmS C			:	Not assigned by re 5.2 F-J, S-R	egulation
	IATA ( Packing aircraft) Packing Labels	g instruct	ion (cargo	:	570 Not assigned by re Organic Peroxides	egulation , Keep Away From Heat
	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing group Labels		:	570 Not assigned by re Organic Peroxides	egulation , Keep Away From Heat	
14.5	5 Enviro	nmental	hazards		C C	
	<b>ADN</b> Environ	mentally	hazardous	:	no	
	<b>ADR</b> Environ	mentally	hazardous	:	no	
	<b>RID</b> Environ	mentally	hazardous	:	no	
	<b>IMDG</b> Marine	pollutant		:	no	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No. 1907/2006

## TMCH-90-AL



ersion 1	Revision Date: 08.03.2023	SDS Number: 600000000196		last issue: 25.11. first issue: 22.03.	-
the m		ne manufacture, placin ain dangerous substan Annex XVII)	-		striction for the fol hould be consider 3
	CH - Candidate List of ern for Authorisation	f Substances of Very H (Article 59).	ligh :	Not applicable	
	ation (EC) No 1005/2 the ozone layer	2009 on substances the	at de- :	Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)					
Regulation (EC) No 649/2012 of the European Parlia- : Not app ment and the Council concerning the export and import of dangerous chemicals					
	CH - List of substance x XIV)	es subject to authorisati	ion :	Not applicable	
		18/EU of the European olving dangerous subs			cil on the control o
P6b		SELF-REACTI SUBSTANCES MIXTURES ar PEROXIDES	S AND	Quantity 1 50 t	Quantity 2 200 t
Water ny)	hazard class (Germa		•	us to water AwSV, Annex 1	(5.2)

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): Ib, S+ (German regulatory requirements)

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

The components of this product are reported in the following inventories:				
TCSI (TW)	•	On the inventory, or in compliance with the inventory		
DSL (CA)	:	All components of this product are on the Canadian DSL		
PICCS (PH)	:	On the inventory, or in compliance with the inventory		

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
5.1	08.03.2023	60000000196	Date of first issue: 22.03.2016

IECSC (CN)

On the inventory, or in compliance with the inventory

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H226	:	Flammable liquid and vapour.
H241	:	Heating may cause a fire or explosion.
H304	:	May be fatal if swallowed and enters airways.
H413	:	May cause long lasting harmful effects to aquatic life.
EUH066	:	Repeated exposure may cause skin dryness or cracking.
Full text of other abbreviation	ons	

# Full text of other abbreviations

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Flam. Liq.	:	Flammable liquids
Org. Perox.	:	Organic peroxides

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet;

according to Regulation (EC) No. 1907/2006

# TMCH-90-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2022
5.1	08.03.2023	60000000196	Date of first issue: 22.03.2016

SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information		
Other information	:	This safety datasheet only contains information relating to safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues.
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Classification of the mixtur	e:	Classification procedure:
Org. Perox. C	H2	42 Based on product data or assessment
Asp. Tox. 1	H3	04 Calculation method
Aquatic Chronic 4	H4	13 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN