according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TMCH-HA-M1

Unique Formula Identifier

(UFI)

: JUS9-D0G3-S00S-UG0H

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : polymerisation initiators, Hardener

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person responsible for the SDS

: contact@united-in.com

1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Organic peroxides, Type C H242: Heating may cause a fire.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 1B H360F: May damage fertility.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

Revision Date: SDS Number: Date of last issue: 24.07.2023 Version 23.01.2025 60000000195 Date of first issue: 22.03.2016 10.0

Long-term (chronic) aquatic hazard, Cat-

H411: Toxic to aquatic life with long lasting effects.

egory 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word Danger

Hazard statements H226 Flammable liquid and vapour.

Heating may cause a fire. H242

May be fatal if swallowed and enters airways. H304

May cause an allergic skin reaction. H317

H360F May damage fertility.

H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH066

Repeated exposure may cause skin dryness or

cracking.

Prevention: Precautionary statements

> P201 Obtain special instructions before use.

Keep away from heat, hot surfaces, sparks, open P210

flames and other ignition sources. No smoking.

P234 Keep only in original packaging. Avoid release to the environment. P273

Wear protective gloves/ protective clothing/ eye P280

protection/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Do NOT induce vomiting. P331

P370 + P378 In case of fire: Use water spray, alcohol-

resistant foam, dry chemical or carbon dioxide to

extinguish.

P391 Collect spillage.

Storage:

P411 Store at temperatures not exceeding 20 °C.

Hazardous components which must be listed on the label:

2,2,4,6,6-pentamethylheptane (CAS-No. 13475-82-6) tert-Butyl 2-ethylperoxyhexanoate (CAS-No. 3006-82-4)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Organic Peroxide

Liquid mixture

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
di-tert-butyl 3,3,5- trimethylcyclohexylidene diperox- ide	6731-36-8 229-782-3 01-2119735694-30- 0002	Org. Perox. B; H241 Aquatic Chronic 4; H413	>= 35 - < 40
2,2,4,6,6-pentamethylheptane	13475-82-6 236-757-0 01-2119490725-29	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 4; H413 EUH066	>= 35 - < 40
tert-Butyl 2-ethylperoxyhexanoate	3006-82-4 221-110-7 617-024-00-8 01-2119498310-40- 0000	Org. Perox. C; H242 Skin Sens. 1; H317 Repr. 1B; H360F Aquatic Acute 1; H400 Aquatic Chronic 2; H411 ——— M-Factor (Acute aquatic toxicity): 1	>= 25 - < 30

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use

suitable instruments/apparatus.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Administer oxygen if breathing is difficult or cyanosis is ob-

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Call a physician or poison control centre immediately.

If unconscious, place in recovery position and seek medical

dvice.

Keep respiratory tract clear.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Contact a poison control center. Keep respiratory tract clear. Do NOT induce vomiting.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

Symptoms : sensitising effects

Risks : May be fatal if swallowed and enters airways.

May cause an allergic skin reaction.

May damage fertility.

Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water

courses.

Vapours may form explosive mixtures with air.

Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Open drum carefully as content may be under pressure.

Protect from contamination.

Do not swallow.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof

equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.

Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from

food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately

after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Contamination may result in dangerous pressure increases - closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

Version Revision Date: SDS Number: Date of last issue: 24.07.2023 10.0 23.01.2025 60000000195 Date of first issue: 22.03.2016

safety standards. Containers which are opened must be care-

fully resealed and kept upright to prevent leakage.

Advice on common storage Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Storage class (TRGS 510) : 5.2

Recommended storage tem- : < 20 °C

perature

age stability

Further information on stor- : Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) For further information, refer to the product technical data

sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
di-tert-butyl 3,3,5- trimethylcyclohexyli- dene diperoxide	Workers	Inhalation	Long-term systemic effects	1,4 mg/m3
	Workers	Skin contact	Long-term systemic effects	2 mg/kg bw/day
tert-Butyl 2- ethylperoxyhexanoate	Workers	Inhalation	Long-term systemic effects	9,8 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,6 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,74 mg/m3
	Consumers	Oral	Long-term systemic effects	1 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
di-tert-butyl 3,3,5- trimethylcyclohexylidene diperox- ide	Fresh water sediment	0,102 mg/kg dry weight (d.w.)
100	Marine sediment	0,01 mg/kg dry

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

		weight (d.w.)
	Sewage treatment plant	100 mg/l
	Soil	5,29 mg/kg dry weight (d.w.)
tert-Butyl 2- ethylperoxyhexanoate	Fresh water	0,002 mg/l
	Marine water	0 mg/l
	Sewage treatment plant	0,64 mg/l
	Fresh water sediment	0,622 mg/kg dry weight (d.w.)
	Marine sediment	0,062 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : <= 480 min
Glove thickness : 0,40 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Respirator with combination filter for vapour/particulate (EN

141)

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : musty

Odour Threshold : not determined

Melting point/ range : < -25 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flammability : Not applicable

Upper explosion limit / Upper

flammability limit

Upper explosion limit

4 %(V)

(for a component of this mixture)

Lower explosion limit / Lower : Lower explosion limit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

flammability limit 0,5 %(V)

(for a component of this mixture)

Flash point : 42 °C

Method: ISO 3679, closed cup

Auto-ignition temperature : not determined

Self-Accelerating decomposi- : 55 °C

tion temperature (SADT)

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

pH : No data available

Viscosity

Viscosity, dynamic : 3 mPa.s (20 °C)

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : Solvent: Alcohol

Description: completely miscible

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : not determined

Relative density : not determined

Density : 0,84 g/cm3 (20 °C)

Relative vapour density : not determined

9.2 Other information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

Explosives : Not explosive

In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Flammability (liquids) : Flammable liquid and vapour., Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Self-heating substances : The substance or mixture is not classified as self heating.

Substances and mixtures, which in contact with water, emit flammable gases

: The substance or mixture does not emit flammable gases in

contact with water.

Desensitised explosives : Not applicable

Evaporation rate : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5,6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

2,2,4,6,6-pentamethylheptane:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.000 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

Acute dermal toxicity : LD50 Dermal (Rabbit): 3,16 ml/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

tert-Butyl 2-ethylperoxyhexanoate:

Acute oral toxicity : LD50 (Rat): >= 10.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): > 42,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): 16.820 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

2,2,4,6,6-pentamethylheptane:

Result : Repeated exposure may cause skin dryness or cracking.

tert-Butyl 2-ethylperoxyhexanoate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

Product:

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

2,2,4,6,6-pentamethylheptane:

Result : No eye irritation

tert-Butyl 2-ethylperoxyhexanoate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Remarks : Causes sensitisation.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

tert-Butyl 2-ethylperoxyhexanoate:

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Remarks: No data available

2,2,4,6,6-pentamethylheptane:

Germ cell mutagenicity- As-

sessment

No known effect.

tert-Butyl 2-ethylperoxyhexanoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: positive

Genotoxicity in vivo : Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified due to lack of data.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species : Mouse
Application Route : Oral
Result : negative

2,2,4,6,6-pentamethylheptane:

Carcinogenicity - Assess-

ment

No known effect.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

tert-Butyl 2-ethylperoxyhexanoate:

Remarks : This information is not available.

Reproductive toxicity

May damage fertility.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Species: Rat

Application Route: oral (gavage)

General Toxicity Maternal: NOAEL: 1.000 mg/kg body weight

Method: OECD Test Guideline 414

2,2,4,6,6-pentamethylheptane:

Reproductive toxicity - As-

sessment

No known effect.

tert-Butyl 2-ethylperoxyhexanoate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOEL: 300 mg/kg body weight

Method: OECD Test Guideline 421

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 300 mg/kg body weight General Toxicity F1: NOAEL: 300 mg/kg body weight Fertility: NOAEL Mating/Fertility: 100 mg/kg body weight Early Embryonic Development: NOAEL F2: 300 mg/kg body

weight

Method: OECD Test Guideline 443

GLP: yes

Effects on foetal develop-

ment

: Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 30 mg/kg body weight Developmental Toxicity: NOAEL: 100 mg/kg body weight

Method: OECD Test Guideline 414

Species: Rat

Application Route: Oral

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

General Toxicity Maternal: NOEL: 400 mg/kg body weight Developmental Toxicity: NOEL: 400 mg/kg body weight

Method: OECD Test Guideline 414

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, based on animal experiments.

STOT - single exposure

Not classified due to lack of data.

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Remarks : No data available

STOT - repeated exposure

Not classified due to lack of data.

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Remarks : No data available

Repeated dose toxicity

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Species : Rat, male NOAEL : 316 mg/kg

Exposure time : 28 d

Method : OECD Test Guideline 407

Species : Rat, female NOAEL : 100 mg/kg

Exposure time : 28 d

Method : OECD Test Guideline 407

Species : Rat

NOAEL : 450 mg/kg

Method : OECD Test Guideline 408

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

2,2,4,6,6-pentamethylheptane:

May be fatal if swallowed and enters airways.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

2,2,4,6,6-pentamethylheptane:

Remarks : May cause headache and dizziness.

SECTION 12: Ecological information

12.1 Toxicity

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0,043 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,11

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other : NOEC: 0,0128 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

2,2,4,6,6-pentamethylheptane:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 0,04 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae/aquatic

plants

IC50 (algae): > 0,04 mg/l

Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

tert-Butyl 2-ethylperoxyhexanoate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8,66 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

NOEC (Poecilia reticulata (guppy)): 2,10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 7,5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)):

0,44 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: yes

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0,018 mg/l

Exposure time: 72 h
Test Type: Growth inhibition

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic tox-

icity)

. !

Toxicity to microorganisms : EC50 : 64 mg/l

Exposure time: 0,5 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,45 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

LOEC: 0,87 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Biodegradability : Result: Biodegradable

Method: OECD Test Guideline 301D

2,2,4,6,6-pentamethylheptane:

Biodegradability : Result: Not readily biodegradable.

tert-Butyl 2-ethylperoxyhexanoate:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 65 %

Related to: Theoretical oxygen demand

Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

12.3 Bioaccumulative potential

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Bioaccumulation : Bioconcentration factor (BCF): 443

Partition coefficient: n-

octanol/water

log Pow: 6,53

2,2,4,6,6-pentamethylheptane:

Partition coefficient: n- : log Pow: 5,94 - 6,16 (20 °C) octanol/water : Remarks: The value is calculated

tert-Butyl 2-ethylperoxyhexanoate:

Bioaccumulation : Bioconcentration factor (BCF): 202,4

Method: QSAR

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3113 **IMDG** : UN 3113

14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE

CONTROLLED

(1,1-DI-(tert-BUTYLPEROXY)-3,3,5-

TRIMETHYLCYCLOHEXANE, tert-BUTYL PEROXY-2-

ETHYLHEXANOATE)

IMDG : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE

CONTROLLED

(1,1-DI-(tert-BUTYLPEROXY)-3,3,5-

TRIMETHYLCYCLOHEXANE, tert-BUTYL PEROXY-2-

ETHYLHEXANOATE)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADR : 5.2 IMDG : 5.2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

14.4 Packing group

ADR

Packing group : Not assigned by regulation

Classification Code : P2
Labels : 5.2
Tunnel restriction code : (D)

IMDG

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-F, S-R

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Additional advice

Temperature controlled transport.:

Control temperature : 20 °C

Emergency temperature : 25 °C

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High

: Not applicable

Concern for Authorisation (Article 59).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

Regulation (EC) on substances that deplete the ozone : Not applicable

layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the Euro- P6b SELF-REACTIVE SUBSTANCES

pean Parliament and of the Council on the AND MIXTURES and ORGANIC

control of major-accident hazards involving PEROXIDES

dangerous substances.

E1 ENVIRONMENTAL HAZARDS

Water hazard class (Germa: WGK 3 highly hazardous to water

ny) Classification according to AwSV, Annex 1 (5.2)

Other regulations:

Gefahrgruppe nach TRGS 741: Ib (German regulatory requirements)

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016

TCSI (TW) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour.

H241 : Heating may cause a fire or explosion.

H242 : Heating may cause a fire.

H304 : May be fatal if swallowed and enters airways.

H317 : May cause an allergic skin reaction.

H360F : May damage fertility. H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

H413 : May cause long lasting harmful effects to aquatic life. EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard
Flam. Liq. : Flammable liquids
Org. Perox. : Organic peroxides
Repr. : Reproductive toxicity
Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - Interna-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

Date of last issue: 24.07.2023 Version Revision Date: SDS Number: 23.01.2025 60000000195 Date of first issue: 22.03.2016 10.0

tional Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Flam. Liq. 3	H226	Based on product data or assessment
Org. Perox. C	H242	Based on product data or assessment
Skin Sens. 1	H317	Calculation method
Repr. 1B	H360F	Calculation method
Asp. Tox. 1	H304	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TMCH-HA-M1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.07.2023

 10.0
 23.01.2025
 600000000195
 Date of first issue: 22.03.2016